BLANKET PURCHASE ORDER STATE OF MARYLAND

******* STATE OF MARYLAND **********

BPO NO: 001B0400590

PRINT DATE: 01/30/13

PAGE: 01

SHIP TO:

AS SPECIFIED ON INDIVIDUAL ORDERS

VENDOR ID: 1223637782

EAST COAST EMERGENCY LIGHTING INC

1945 4TH STREET

NORTH BRUNSWICK, NJ

(732)940-2211

08902

REFER QUESTIONS TO:

SUZAN EDWARDS (410)767-4032

SUZAN. EDWARDS@DGS. STATE. MD. US

ITB:

EXPR DATE: 06/01/13

POST DATE: 03/26/10

DISCOUNT TERMS: . **CONTRACT AMOUNT:** NET 30 DAY

.00

TERMS:

ARTICLES HEREIN ARE EXEMPT FROM MARYLAND SALES AND USE TAXES BY EXEMPTION CERTIFICATE NUMBER 3000256-3 AND FROM FEDERAL EXCISE TAXES BY EXEMPTION NUMBER 52-73-0358K. IT IS THE VENDOR'S RESPONSIBILITY TO ADVISE COMMON CARRIERS THAT AGENCIES OF THE STATE OF MARYLAND ARE EXEMPT FROM TRANSPORTATION TAX.

************************ **********************

AMENDMENT THREE

************************* ********************** CONTRACT TERM EXTENDED FROM FEBRUARY 02,2013 THROUGH JUNE 01, 2013

****************************** ************************************

2013 PRICE LIST IN EFFECT AND ALL TERMS AND CONDITIONS REMAIN THE SAME ************************

AMENDMENT TWO

********************* ************************

CONTRACT TERM EXTENDED FROM OCTOBER 1, 2012 THROUGH FEBRUARY 01, 2013 ****************** **************************

ALL TERMS AND CONDITIONS FOR THIS CONTRACT REMAIN THE SAME.

VENDOR CONTACT: DAWN BAZZURRO 732-940-2211

STATEWIDE CONTRACT EMERGENCY VEHICLE WARNING SYSTEMS

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER STATE OF MARYLAND

******* STATE OF MARYLAND **********

BPO NO: 001B0400590

PRINT DATE: 01/30/13

PAGE: 02

TERMS (cont'd):

		M	Α	N	U	F	Ά	C	Τ	U	R	E	R	:		W	H	E	L	A	N								
_	 	 _	_							_	_	_	_	_	_	 _				_	_	_	_	_	_	_	_	_	_

SCOPE OF CONTRACT: REQUIREMENTS CONTRACT FOR SUPPLY AS NEEDED TO THE USING AUTHORITY FOR THE FOLLOWING ITEM(S) FOR THE CONTRACT SPECIFIED.

RELEASES SHALL BE MADE AS REQUESTED BY THE USING AUTHORITY ON AN "AS-REOUIRED" BASIS.

CONTRACT PERIOD: MARCH 28, 2010 THROUGH MARCH 27, 2012.

RENEWAL OF CONTRACT 001B8900593 FOR AN ADDITIONAL 2-YEAR PERIOD AT THE SAME TERMS, CONDITIONS AND UPDATED PRICE LIST AS ALLOWED IN THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT.

CONTRACT SHALL REMAIN IN EFFECT FOR THE TIME PERIOD SPECIFIED UNLESS THE CONTRACT IS TERMINATED BY THE BUREAU. THE BUREAU MAY TERMINATE ANY CONTRACT WITHOUT SHOWING CAUSE UPON THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR.

THIS CONTRACT IS TO BE A FIRM FIXED PRICE CONTRACT. ALL PRICES CONTAINED HEREIN SHALL BE FIRM FOR THE ENTIRE CONTRACT PERIOD. PRICE LIST IN EFFECT AT TIME OF BID OPEING MUST REMAIN IN EFFECT FOR THE ENTIRE CONTRACT PERIOD. AT THE END OF THE INITIAL TWO-YEAR PERIOD, THE PRICE LIST MAY BE UPDATED AT TIME OF CONTRACT RENEWAL. AWARD BASIS: THE AWARD WILL BE MADE TO THE RESPONSIBLE BIDDER OFFERING THE HIGHEST DISCOUNT FROM MANUFACTURER'S CURRENT PRICE LIST ON A LINE-BY-LINE BASIS. ALL DISCOUNTS MUST BE FROM MANUFACTURER'S LIST PRICE FOR FLEET/GOVERNMENTAL ENTITIES.

USAGE WILL BE FOR THE ACTUAL REQUIREMENTS OF THE STATE. CONTRACTS LIMITING QUANTITIES IN ANY WAY WILL NOT BE ACCEPTED OR CONSIDERED.

DELIVERY: DELIVERIES ARE TO BE MADE AS EXPEDITIOUSLY AS POSSIBLE, BUT NO LATER THAN TWO (2) WEEKS AFTER RECEIPT OF AN AGENCY ORDER FOR IN-STOCK ITEMS AND FOUR (4) WEEKS AFTER RECEIPT OF AN AGENCY ORDER FOR CUSTOM ORDERS.

IF CONTRACTOR FAILS TO MEET THE REQUIRED DELIVERY TIME, THE STATE RESERVES THE RIGHT TO PURCHASE THE ITEM(S) ON THE OPEN MARKET AND CHARGE THE CONTRACTOR THE DIFFERENCE BETWEEN THE CONTRACT PRICE AND THE PURCHASE PRICE.

ALL DELIVERIES ARE TO BE F.O.B. DESTINATION.

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER STATE OF MARYLAND

BPO NO: 001B0400590

PRINT DATE: 01/30/13 **PAGE:** 03

TERMS (cont'd):

PURSUANT TO ARTICLE 41, SECTION 18-201 OF THE ANNOTATED CODE OF MARYLAND, EXCEPT AS PROVIDED IN (B) THE FOLLOWING ENTITIES MAY PURCHASE MATERIALS, SUPPLIES, AND EQUIPMENT UNDER THIS CONTRACT:

- (1) A COUNTY OR BALTIMORE CITY;
- (2) A MUNICIPAL CORPORATION;
- (3) A GOVERNMENTAL AGENCY IN THE STATE;
- (4) A PUBLIC OR OUASI-PUBLIC AGENCY THAT:
 - (I) RECEIVES STATE MONEY; AND
 - (II) IS EXEMPT FROM TAXATION UNDER SECTION 501(C)(3) OF THE INTERNAL REVENUE CODE:
- (5) A PRIVATE ELEMENTARY OR SECONDARY SCHOOL THAT:
 - (I) EITHER HAS BEEN ISSUED A CERTIFICATE OR APPROVAL FROM THE STATE BOARD OF EDUCATION OR IS ACCREDITED BY THE ASSOCIATION OF INDEPENDENT SCHOOLS; AND
 - (II) IS EXEMPT FROM TAXATION UNDER SECTION 501 (C)(3) OF THE INTERNAL REVENUE CODE:

OR

(6) A NONPUBLIC INSTITUTION OF HIGHER EDUCATION UNDER SECTION 17-106 OF THE EDUCATION AFTICLE.

A PRIVATE ELEMENTARY OR SECONDARY SCHOOL OR A NONPUBLIC INSTITUTION OF HIGHER EDUCATION MAY NOT PURCHASE RELIGIOUS MATERIALS UNDER THIS CONTRACT

THE RIGHT TO PURCHASE UNDER THIS SECTION SHALL BE IN ADDITION TO, BUT NOT IN SUBSSITUTION FOR, THE APPLICABLE PURCHASING POWER GRANTED TO ANY OF THE LISTED ENTITIES PURSUANT TO ANY STATUTORY OR CHARTER PROVISION.

ALL PURCHASES UNDER THIS CONTRACT BY ANY SUCH ENTITY WHICH IS NOT A UNIT OR AGENCY OF THE STATE OF MARYLAND FOR WHICH THE STATE OF MARYLAND MAY BE HELD LIABLE IN CONTRACT (1) SHALL NOT CONSTITUTE A PURCHASE OR CONTRACT BETWEEN THE CONTRACTOR AND THAT ENTITY ONLY, (2) SHALL NOT CONSTITUTE A PURCHASE OR CONTRACT OF THE STATE OF MARYLAND, (3) SHALL NOT BE BINDING OR ENFORCEABLE AGAINST THE STATE OF MARYLAND OR ANY OF ITS UNITS OR AGENCIES, AND (4) MAY BE SUBJECT TO OTHER TERMS AND CONDITIONS AGREED TO BY THE CONTRACTOR, AND THE PURCHASER. CONTRACTOR BEARS THE RISK OF DETERMING WHETHER OR NOT ANY ENTITY FROM WHICH THE CONTRACTOR RECEIVES AN ORDER UNDER THE CONTRACT IS A UNIT

BLANKET PURCHASE ORDER STATE OF MARYLAND

BPO NO:	**************************************		ARYLAND ********* DATE: 01/30/13		04
LINE#	STATE ITEM ID	<u>U/M</u>	UNIT COST		
0001	05554-000050	EA			
EMERGENC ACCESSOR	Y VEHICLE LIGHTING E	EQUIPMENT, WA WHELAN	RNING SYSTEMS AND		
PRICING:	49.5% DISCOUNT FRC	OM WHELAN LIS	T #PL10.0WL EFFECT	CIVE	
0002	05554~000050	EA	1,985.0000		
EMERGENC MARYLAND MANUFACT	Y LIGHT STATE POLICE LIGHT URER: WHELAN ONLY.	BAR, SIREN, PACKAGE TO I	SPEAKER, AND TRAY NCLUDE THE FOLLOWI	PACKAGE. ING:	·
COMMODIT	Y CODE: 05554-000050	COST \$1,98	5.00		
LIBERTY AND REAR	SERIES LED LIGHT BAR AMBER TA	WITH RED/BL	UE WARNING; FRONT	WHITE FLOOD	
CENCOM S	APPHIRE SIREN AMPLIF	IER SYSTEM			
SA315P S	PEAKER WITH MOUNTING	BRACKET			
FULL WID	TH TRUNK TRAY FOR SE	DAN			
SIREN AM) YEAR WARRANTY ON T PLIFIER, AND SPEAKER IMBURSEMENT.	HE LIGHT BAR . WARRANTY	LED MODULES AND I IS ON COMPONENT ON	O BOARD, LY NOT	
		END OF I	FEM LIST		
	***	**** LAST PA	\GE ******		

AUTHORIZED BY:

BUYER AUTHORIZED DESIGNEE

DATE: 01/30/13

FMIQ_5 /4/QR\

Authorized Managing Sales Representatives

CONNECTICUT, MAINE, MASSACHUSETTS NEW HAMPSHIRE, RHODE ISLAND,

Kevin Russell & Associates, LLC

P.O. Box 625 Old Lyme, Connecticut 06371 (860) 388-3933 • FAX: (860) 388-3147 e-mail: amsrt@whelen.com

DELAWARE, MARYLAND, PENNSYLVANIA, VIRGINIA, WASHINGTON D.C.

Mobile Fleet

P.O. Box 591 Reedsville, Pennsylvania 17084 (866) 674-1110 • FAX: (443) 593-0590 e-mail: amsr2@whelen.com

FLORIDA

Morganelli & Associates

1401 Saratoga Street Deland, Florida 32724 (386) 738-3669 • FAX: (386) 738-5331 e-mail: amsr3@whelen.com

ALABAMA, GEORGIA, MISSISSIPPI NORTH CAROLINA, SOUTH CAROLINA. TENNESSEE (Except Memphis)

Thomas J. Madden & Associates, Inc.

935 Hwy 124, Bldg 400, Suite 401 Braselton, Georgia 30517 (678) 963-2060 • FAX: (678) 963-2061 e-mail: amsr4@whelen.com

HAWAII

Pacific Sales Representatives, Inc.

P.O. Box 240256 Honolulu, Hawaii 96824-0256 (808) 373-4666 • FAX: (808) 373-3045 e-mail: amsr6@whelen.com

KENTUCKY, OHIO, WEST VIRGINIA Holstein & Associates

9031 Heritage Drive Plain City, Ohio 43064 (614) 873-2121 • FAX: (614) 873-3095 e-mail: amsr7@whelen.com

ARKANSAS, LOUISIANA, TENNESSEE (Memphis only), TEXAS John Wright & Associates

1111 W Abram Street Arlington, Texas 76013 (817) 459-2001 • FAX: (817) 459-2515 e-mail: amsr8@whelen.com

ALASKA, IDAHO, MONTANA, OREGON, WASHINGTON

Kent D. Bruce Company, LLC

P.O. Box 225 Black Diamond, Washington 98010 (360) 886-9410 • FAX: (360) 886-9411 e-mail: amsr10@whelen.com

CALIFORNIA, NEVADA (Northwest and South) WATTCO

2230 Cordelia Road Fairfield, California 94534 (707) 435-9233 • FAX: (707) 435-1941 e-mail: amsr12@whelen.com

IOWA, MINNESOTA, NORTH DAKOTA, SOUTH DAKOTA

W. Reeves & Associates LLC

PO Box 477 Norwalk, Iowa 50211 (515) 981-5967 • FAX: 866-336-3503 e-mail: amsr13@whelen.com

KANSAS, MISSOURI, NEBRASKA, OKLAHOMA

Busch & Associates, LLC

6970 West 152nd Terrace Overland Park, KS 66223 (913) 390-7889 è-mail: amsr14@whelen.com

COLORADO, NEVADA (Northeast) UTAH, WYOMING

Rep Services, LLC

18800 East Clarke Road, Unit 101 Parker, Colorado 80134 (303) 840-7451 • FAX: (303) 805-0133 e-mail: amsr19@whelen.com

NEW JERSEY, NEW YORK Mobile Fleet

P.O. Box 1240 140 Broadhollow Road Farmingdale, New York 11735 (631) 206-2920 • FAX: (631) 206-2923 e-mail: amsr20@whelen.com

INDIANA, MICHIGAN

C. S. Trojan & Associates, Inc.

1375 Rickett Road Brighton, Michigan 48116 (810) 227-7775 • FAX: (810) 227-9195 e-mail: amsr22@whelen.com

ILLINOIS

Coatar & Associates, Inc.

19027 Jodi Road, Suite F Mokena, Illinois 60448 (708) 478-5220 • FAX: (708) 478-5221 e-mail: amsr23@whelen.com

WISCONSIN

Coatar & Associates, Inc.

P.O. Box 3121 Eau Claire, Wisconsin 54702-3121 (715) 834-5348 • FAX: (715) 834-3733 e-mail: amsr23@ whelen.com

ARIZONA, NEW MEXICO

Charlotte Young & Associates, Inc.

500 N Estrella Pkwy #B2-423 Goodyear, Arizona 85338-4168 (626) 914-5115 • FAX: (626) 914-9559 e-mail: amsr25@ whelen.com

WHELEN FACTORY INQUIRY

Automotive Sales

e-mail: autosale@whelen.com Automotive OEM Sales e-mail: autooem@whelen.com **Automotive Government Sales** e-mail: autousos@whelen.com Automotive Catalog e-mail: catalog@whelen.com **Customer Service** e-mail: custserv@whelen.com

CANADIAN INQUIRY

EASTERN: NEWFOUNDLAND. NEW BRUNSWICK, NOVA SCOTIA, PRINCE EDWARD ISLAND

Malcolm Leslie & Associates

400 Morobel Drive, Unit 1 Milton, Ontario, Canada L9T 4N6 (905) 878-8457 • FAX: (905) 878-0877 e-mail: amsr15@whelen.com

CENTRAL: MANITOBA, ONTARIO, QUEBEC, NUNAVUT

Malcolm Leslie & Associates

400 Morobel Drive, Unit 1 Milton, Ontario, Canada L9T 4N6 (905) 878-8457 • FAX: (905) 878-0877 e-mail: amsr15@whelen.com

WESTERN: ALBERTA, BRITISH COLUMI SASKATCHEWAN, YÚKON AND NORTHWEST TERRITORIES

Harvey Gorsline & Associates

2121 Capistrano Crescent Kelowna, British Columbia, Canada V1V (250) 491-3286 • FAX: (250) 491-4106 e-mail: amsr21@whelen.com

WHELEN/CANADA FACTORY INQUIRY

Canadian Automotive Sales

e-mail: canadiansales@whelen.com **Automotive Catalog** e-mail: catalog@whelen.com

Customer Service

e-mail: custserv@whelen.com

INTERNATIONAL INQUIRY

Contact Factory

e-mail: autousos@whelen.com



INDEX

	14 P W 164		
SXBULK1835	TAD81, 24	TURB6DUP41	WION*2, 11
SXTDLED34	TADCTL1 1, 24	TURB6HAL41	WIOND2. 11
SXTLS134	TADF625	TURB6KIT41	WIONJ
SXTLS1D34	TADF825	TURBO542	WIONM2. 11
SXTLS1M*34	TADP6 1, 24	TURBO6442	WIONSM*12
SXWLLED34	TADP8**	TURBO9441	WIONSMC*12
SY2****34	TADP8 1, 24	TURBOASY41	WIONSMCD12
SY4****34	TADP8FT24	TURBOTUB42	WIONSMD12
SY8****34	TADSW1 1, 24	UFM86, 19	WIONSMJ 12
SZ2####34	TADSW2 1, 24	UHF2150A6	WIONSMM12
SZ2****34	TAL6525	ULF446	WIONSMW*12
SZ4####34	TAL8525	UNI41	WIONSMWD12
SZ4****34	TAM6324	UPS64LXA5. 19	WIONSMWJ12
SZ8####34	TAM6525	VTC6*11	WIONSMWM12
SZ8****34	TAM83**24	VTCFB11	WIONW*2. 11
SZDSCBL35	TAM8324	VTCFC11	WIONWD2. 11
T0*00M*R6	TAM8348 24	VTX609#10	WIONWJ2, 11
T0CACCCR6	TAM85**25	VTX609*10	WIONWM2. 12
TA1252L25	TAM8525	VTXFB10	WMM6K2
TA1652L25	TANBKT125	VTXFC10	WPA120, 23
TA1660L!25	TANF6525	W20SS24	WPA11220, 23
TA1664H!25	TANF85**25	W20SSRK24	WPA223
TA20TL1242	TANF8525	W441D18	WPA3BM23
TA4437M25	TAPVC15 25	W441D1419	WPKM122
TA637A25	TAPVC25 25	W441DIN19	WPLOW1A19
TA837A25	TAPVC35 25	W442D19	WPLOW2A19
TA870A25	TAPVC5025	W442DIN19	WPLOW3AA19
TA870L25	TATPR2025	W444D19	WPLOWZ1A19
TA8852H25	TAZ6624	W446D19	WPLOWZ2A19
TACF85**25	TAZ86**25	WBUA10724	WPLOWZ3A19
TACF8525	TAZ8625	WBUA11224	WS32120, 21, 23
TACTLD125	TDP§§§0025	WBUA112C24	WS321B920, 21, 23
TACTRL1A25	TFLANGEB 6	WBUA9724	WSMIC321 20, 21, 23
TACTRL3A25	TFLANGEC 6	WCC921	WSSC3023
TAD61, 24	TGROM26	WCC9SUB33, 35, 36	WSSC30HK23
TAD8**1, 24	TURB6ASY 41	WCQDPLUG33, 35	WSSPA3023
		•	

		DOLODED 46	DD40## 20	SFIOND
PCC6W1		PSL2R5B16	RP13**32	SFIONE
PCC8R		PSL2RB 16	RS*02ZCR17, 19	SFIONE
PCCS9NP		PSP1	RS*03ZCR17, 19 RV*03ZCR17, 19	
PCCS9RW		PSP1AC 15		SFP1*
PCP2		PSP1ALP 15	\$100041	SFP1D
PCP2AFS		PSP1AP 16	S240CC11	SFP1E
PCP2AP		PSP1AP116	S30HAA11	SFP1G
PCP2AP1		PSP1LP 15	S30HAAD11	SFP1J
PCP2ASF		PSP1P16	S30HAC11	SK01**1
PCP2P		PSP1P116	S30HACD11	SK01JJ1
PCP2P2		PSR00XRR17	S30HACP11	SK01W**1
PCP3		PSRASXCR 17	S30HACPD11	SK01WJJ 1
PCP3P		PSTANK 17	S30TL42	SK02**1
PCP3P1		PT360F 14	S32135	SK02JJ 1
PELCB		PT360FW14	S32235	SK02W** 1
PELCC		PT360P 14	\$32335	SK02WJJ 1
PF_#LB#	33	PT360PW 14	S32436	SL0TAAAA
PFA1	15	PTP115	S34135	SLD**
PFA1LB1	16	PTP1LP 15	S34235	SLDSCBL 3
PFA1LB2	16	R1*2	S34335	SLEAA
PFA1LP	15	R1§§§00 27	S34436	SLETKAA 3
PFA1P		R10HDM*27	S360D*B4	SLN2QLED2
PFA1P1		R10HDP* 27	S360D*P4	SLN2VLED2
PFA2		R10HDV*27	S38135	SLPHOTO 3
PFA2LB1		R1LPHM*27	S38235	SLPMM**
PFA2LB2		R1LPHP*27	S38335	SLTALN5 3
PFA2P		R1LPHV* 27	S38436	SLTALN5L
PFA2P1		R1LPM*26	S660AAAA11	SLTALN6
PFBP12		R1LPMF 26	S660CCCC11	SLTALN6L
		R1LPP*26	S690AAAA11	SLTTALN6
PFBP12C			S690CCAA11	SLW§§§§0
PFBP6		R1LPPF26		SLX§§§§0
PFBP6C		R1LPV* 26	\$690CCC11	
PFBS12		R1LPVF26	SA122FMP23	SLXXPAT3
PFBS12C	14	R2** 2	SA2****33	SLY§§§§0
PFBS6		R2§§§00 27	SA314A23	SLZ#
PFBS6C	14	R2HDM* 27	SA314B23	SLZ§§§§0 3
PFLASH		R2HDP* 27	SA315P23	SMALLDIR 4
PFP1	15	R2LPHM*27	SA31I01D24	SMLLAA
PFP1AC	15	R2LPHP* 27	SA31I01P24	SMLLBB
PFP1AP		R2LPHV* 27	SA32C0624	SMLLBC
PFP1AP1		R2LPM*26	SA340STS24	SMLLBR
PFP1LB1		R2LPP* 26	SA340TS24	SMLLCR
PFP1LB2		R2LPV* 26	SA350M20, 24	SMLLRR
PFP1LP		RB6P*M2	SA350MH21	SOCKPUSH1
PFP1P		RB6P*P2	SA4****33	SOLARPNL 33, 3
		11001 1		000 44 142
DED4D4	16	DRGT*D 2		SOLARPWC 33 5
PFP1P1		RB6T*P2	SA4024	SOLARPWC 33, 3
PFP2	15	RBKT117, 18	SA4024 SA4124	SOLARPWC
PFP2	15 15	RBKT117, 18 RBKT217, 18	SA4024 SA4124 SA8****33	SOLARPWC
PFP2ACPFP2AP	15 15 16	RBKT117, 18 RBKT217, 18 RBKT417	SA40	SP2****
PFP2 PFP2AC PFP2AP PFP2AP1	15 15 16 16	RBKT117, 18 RBKT217, 18 RBKT417 RBKT517, 18	SA40	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1	15 15 16 16 16	RBKT1	SA40	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§§0 3
PFP2	15 15 16 16 16 16	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT6 17, 18	SA40	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§\$0 3 SPX§§§\$0 3
PFP2	15 15 16 16 16 16 16	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT7 17, 18 RBKT8B 17, 18	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT21 23 SABKT24 23 SABKT9 23 SAK1 23	SP2**** 2 SP4**** 3 SP8**** 5 SPALF1 3 SPW§S§S0 3 SPX§S§S0 3 SPY§S§S0 3 SPY§S§S0 3
PFP2 PFP2P1 PFP2P1	15 15 16 16 16 16 16 16	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT7 17, 18 RBKT8B 17, 18 RBKT8B 17, 18	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT21 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK11 23	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§§0 3 SPX§§§§0 3 SPY§§§§0 3 SPY§§§§0 3 SPZ68650 3
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2B1 PFP2B2 PFP2P PFP2P1 PINPUSH	15 15 16 16 16 16 16 16 16	RBKT1	SA40	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§§0 3 SPX§§§§0 3 SPY§§§§0 3 SPY§§§§0 3 SPZ68650 3
PFP2 PFP2P1 PFP2P1	15 15 16 16 16 16 16 16 16	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT7 17, 18 RBKT8B 17, 18 RBKT8B 17, 18	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT21 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23	SP2**** 3 SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§§0 3 SPX§§§§0 3 SPY§§§§0 3 SPY§§§§0 3 SPZ68650 3
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2B1 PFP2B2 PFP2P PFP2P1 PINPUSH	15 15 16 16 16 16 16 16 19 .9	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT21 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23	SP2**** SP4**** SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§\$0 3 SPX§§§0 3 SPY§§§\$0 3 SPZ§§§\$0 3 SR2**** 3 SR4**** 3 SR8**** 3
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P1 PINPUSH PLAST3V	15 15 16 16 16 16 16 16 19 .9	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$§\$0 S SPX§§\$0 S SPY§§§\$0 S SPZ§§§\$0 S SR2**** S SR4**** S SR8**** S SRALF1 S
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V	15 15 16 16 16 16 16 16 19 .9 .9	RBKT1	SA40	SP2**** S SP4**** 3 SP8**** 5 SPALF1 3 SPW§S§\$0 3 SPX§S§\$0 3 SPY§§§\$0 3 SPZ§§§\$0 3 SR2**** 5 SR4**** 3 SR4LF1 3 SSFPOS 3
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PINPUSH PLAST3V PLAST4V PLAST4VL	15 15 16 16 16 16 16 19 9 9	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT8B 17, 18 RBKT8C 17, 18 RBKTBCT 17, 18 RBKTBCT 17, 18 RBKTBCT 17, 18 RBKTHD1 17, 18, 19 RBKTHD2 17, 18, 19 RBKTHD3 17, 18, 19 RBKTHD3 17, 18, 19	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§S§S0 3 SPX§S§S0 3 SPZ§S§S0 3 SPZ§S§S0 3 SR2**** 3 SR4**** 3 SRALF1 3 SRALF1 3 SSFPOS 3 SSFPOSI6 3
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1	15 15 16 16 16 16 16 19 .9 .9 .9	RBKT1 17, 18 RBKT2 17, 18 RBKT4 17 RBKT5 17, 18 RBKT6 17, 18 RBKT8B 17, 18 RBKT8C 17, 18 RBKTBD1 17, 18, 19 RBKTHD2 17, 18, 19 RBKTHD3 17, 18, 19 RBKTHD3D 19 RBKTHD4L 17, 18, 19	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT21 23 SABKT24 23 SAK1 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK32 23 SAK34 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§\$0 S SPY§§§\$0 S SPZ§§§§0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R	15 15 16 16 16 16 16 16 19 .9 .9 .9	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK34 23 SAK37 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§\$\$\$0 3 SPX§\$\$\$0 3 SPY§\$\$\$0 3 SPZ§\$\$\$0 3 SR2**** 3 SR2**** 3 SR8**** 3 SRALF1 3 SSFPOS 3 SSFPOSI6 3 STUBE 4,4 STAPVC30 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR	15 15 16 16 16 16 16 19 .9 .9 .9	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK11 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§\$\$\$0 3 SPX§\$\$\$0 3 SPY§\$\$\$0 3 SPZ§\$\$\$0 3 SR2**** 3 SR4**** 3 SRALF1 3 SRFPOS 3 SSFPOSI6 3 STUBE 4,4 STAPVC30 2 STAPVC35 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSB00FBR	15 15 16 16 16 16 16 16 19 .9 .9 .6 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK34 23 SAK37 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$\$\$0 S SPX§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SR2**** S SR4**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST3V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBKT451 PSBKT451	15 15 16 16 16 16 16 19 9 9 6 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK11 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§\$\$\$0 3 SPX§\$\$\$0 3 SPY§\$\$\$0 3 SPZ§\$\$\$0 3 SR2**** 3 SR4**** 3 SRALF1 3 SRFPOS 3 SSFPOSI6 3 STUBE 4,4 STAPVC30 2 STAPVC35 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBP12 PSBP12	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$\$\$0 S SPX§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SR2**** S SR4**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBKT451 PSBP12 PSBP12C PSBP6	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§\$0 3 SPX§§§\$0 3 SPY§§§\$0 3 SPZ§§§\$0 3 SR2**** 3 SR4**** 3 SRALF1 3 SFPOS 3 SFPOS 3 STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBP12 PSBP12 PSBP66 PSBP66	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK34 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§§0 3 SPX§§§\$0 3 SPY§§§\$0 3 SPZ§§§§0 3 SRZ**** 3 SR4**** 3 SR8**** 3 SRALF1 3 SSFPOS 3 SSFPOSI6 3 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT451 PSBKT451 PSBKT451 PSBP12 PSBP12 PSBP16 PSBP66 PSBP6C PSBS12	15 15 16 16 16 16 16 19 .9 .9 .6 17 17 17 17 14 14 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK34 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK41 23 SAK42 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$\$\$0 S SPX§\$\$\$0 S SPY§\$\$\$0 S SPZ§\$\$\$0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4
PFP2 PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT1 PSBP12 PSBP12 PSBP6 PSBP6 PSBP6 PSBP6 PSBS12 PSBS12	15 15 16 16 16 16 16 19 .9 .9 .9 .6 17 17 17 14 14 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK41 23 SAK42 23 SAK43 23 SAK44 23 SAK43 23 SAK44 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$\$\$0 S SPX§\$\$\$0 S SPY§\$\$\$0 S SPZ§\$\$\$0 S SR2**** S SR4**** S SRALF1 S SSFPOS SSFPOS SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STOPSN12 4 STPEA47 4 STPEA69 4
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4V PLAST4V PLAST4V PSB0FBR PSB0FBR PSBKT1 PSBKT451 PSBP12 PSBP12 PSBP6C PSBP6C PSBS12 PSBS12 PSBS12 PSBS12 PSBS12 PSBS12	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17 14 14 14 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK43 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK45 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPV§\$\$\$0 3 SPX§\$\$\$0 3 SPY\$\$\$\$0 3 SPZ§\$\$\$0 3 SPZ§\$\$\$0 3 SRZ***** 3 SR4**** 3 SRALF1 3 SSFPOS 3 SSFPOSI6 4 STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPEA70 4
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFNSTAV PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB0FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP12 PSBP12 PSBP6 PSB812 PSB812 PSB812 PSB812 PSB86 PSB86	15 15 16 16 16 16 16 19 .9 .9 .9 .7 17 17 17 14 14 14 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK39 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK41 23 SAK42 23 SAK41 23 SAK42 23 SAK43 23 SAK44 23 SAK45 23 SAK46 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPEA70 4 STPKT# 4
PFP2 PFP2AC PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBP12 PSBP13 PSBP13 PSBP14 PSBP15 PSBP15 PSBP16 PSBP16 PSBP16 PSBP16 PSBP16 PSBP17 PSBP17 PSBP18 PSB	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17 14 14 14 14 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§\$\$\$0 S SPX§\$\$\$0 S SPY§\$\$\$0 S SPY§\$\$\$0 S SPZ§\$\$\$0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOS SSFPOSI6 STUBE 4,4 STAPVC30 2 STAPVC40 2 STAPVC40 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA47 4 STPEA70 4 STPEA70 4 STPLP76 4 STPLP76 4 STPLP81 4 4 STPLP81 4
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBK11 PSBP12 PSBP12 PSBP12 PSBP12 PSBP6 PSBP6 PSBP6 PSBP6 PSB86 PSB86 PSB86 PSB86 PSB86 PSB86 PSC00PCR	15 15 16 16 16 16 16 19 .9 .9 .6 17 17 17 14 14 14 14 14 14 11 14	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK1 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24	SP2**** S SP4**** S SP8**** S SPALF1 S SPM\$§\$\$0 S SPX\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SR4**** S SR4**** S SRALF1 S SFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA49 4 STPEA70 4 STPLP76 4 STPLP81 4 STPLP82 4
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP12 PSBP6 PSBP6C PSB96 PSB97 PSB96 PSB97 PSB96 PS	15 15 16 16 16 16 16 19 .9 .9 .6 .17 17 17 14 14 14 14 14 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK5 23	SP2**** S SP4**** 3 SP8**** 3 SPALF1 3 SPW§§§\$0 3 SPX§§§\$0 3 SPZ§§§\$0 3 SPZ§§§\$0 3 SRZ**** 3 SR4**** 3 SRALF1 3 SSFPOS 3 SSFPOSI6 3 STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC30 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPKT# 4 STPLP86 4 STPLP76 4 STPLP81 4 STPLP82 4 SUB44STD 2
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP12 PSBP6C PSBP6C PSB96 PSB97 PSB96 PSB96 PSB96 PSB97 PSB96 PSB96 PSB96 PSB96 PSB96 PSB96 PSB97 PSB96 PSB97 PSB96 PSB97 PSB96 PSB96 PSB97 PSB96 PSB97 PSB96 PSB97 PSB9	15 15 16 16 16 16 16 19 .9 .9 .6 .17 17 17 14 14 14 14 14 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK5 23 SAK9 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§§0 S SPY§§§§0 S SPY§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOS SSFPOSI6 STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPEA70 4 STPLP81 4 STPLP81 4 STPLP81 4 SUB44STD 2 SUBDLR11 2
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFP2R PLAST3V PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP6 PSB96 PSB9	15 15 16 16 16 16 16 19 .9 .9 .9 .17 17 17 14 14 14 14 17 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK9 23 SAK9 23 SAK9 23 SB2##### 34	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§\$0 S SPX§§§0 S SPY§§§\$0 S SPY§§§\$0 S SPY§§§0 S SPY§§§0 S SR**** S SR***** S STAPVC30 2 STAPVC40 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPEA70 4 STPLP81
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBP12 PSBP13 PSBP	15 15 16 16 16 16 19 .9 .9 .6 17 17 17 14 14 14 14 14 17 17 17 17	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK34 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK9 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPM\$§\$\$0 S SPX\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SPZ\$§\$\$0 S SR2**** S SR4**** S SR4**** S SRFPOS S SFPOS S SFPOSI6 S STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP86 4 STPLP81 4 STPLP82 4 SUBLR11 S SUBTDLED S SW2**** S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2P PFP2P PFP2P PFP2P PLAST3V PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBP12 PSBP12 PSBP12 PSBP12 PSBP12 PSBP12 PSBP12 PSBP6 PSBS6 PSBS6 PSBS6 PSBS6 PSBS6 PSBS6 PSC00FCR PSC00DCR PSC0CDCR PSC1BB PSL1B PSL1P	15 15 16 16 16 16 16 19 .9 .9 .6 17 17 17 14 14 14 14 14 17 17 17 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK5 23 SAK9 23 SAK9 23 SAK9 23 SAK9 23 <t< td=""><td>SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR4**** S SR4**** S SRFPOS SSFPOS SSFPOSI6 STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP86 4 STPLP81 4 STPLP82 4 SUBJEN11 S SUBTDLED 2 SW2***** S</td></t<>	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR4**** S SR4**** S SRFPOS SSFPOS SSFPOSI6 STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP86 4 STPLP81 4 STPLP82 4 SUBJEN11 S SUBTDLED 2 SW2***** S
PFP2 PFP2AC PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFNSTAV PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP1	15 15 16 16 16 16 19 .9 .9 .6 .17 17 17 14 14 14 14 11 17 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK9 23 SB2#### 34 SB2#### 34 SB4***** 33	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§S0 S SPX§§§S0 S SPZ§§§S0 S SR2**** S SR4**** S SR4**** S SR4**** S SRFPOS SSFPOS SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC30 2 STAPVC30 2 STAPVC30 2 STAPVC30 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP81 4 STPLP82 4 SUBJEN11 S SUBJEN11 S SUBJEN11 S SW8***** S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFP2P PLAST3V PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBKT451 PSBF12 PSBP12 PSBP13 PSBP14 PSBP14 PSBP15 PSBP15 PSBP16 PSBP16 PSBP17 PSBP17 PSBP18	15 15 16 16 16 16 16 19 .9 .9 .6 .7 17 17 14 14 14 14 17 17 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK43 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK9 23 SAK9 23 SAK9 23 SAK9 23 SAK9 23 SAK9 23 SB8#### 34 <	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§§0 S SPY§§§§0 S SPY§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR8**** S SRALF1 S SSFPOS SSFPOS SSFPOSI6 STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC40 2 STAPVC40 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPEA70 4 STPLP86 4 STPLP81 4 STPLP81 4 STPLP81 4 SUBDLR11 3 SUBTDLED 3 SW8***** 5 SW8***** 5 SW8***** 5 SWBTTLED 5 SWBTTLED 5
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFP2P PFP3AF PLAST3V PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBF12 PSBP12 PSBP13 PSBP14 PSBP14 PSBP15 PSBP15 PSBP16 PSBP16 PSBP17 PSBP18	15 15 16 16 16 16 16 19 19 17 17 17 17 14 14 14 14 17 17 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK39 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK45 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK5 23 SAK9 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§0 S SPY§§§0 S SPY§§§0 S SPY§§§0 S SPY§§§0 S SR**** S SFPOS S SFPOS S SFPOS S SFPOS S STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STOPSN12 4 STPEA47 4 STPEA49 4 STPEA70 4 STPLP81 4 STPLP81 4 STPLP82 4 SUBDLR11 3 SUBLR11
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBP12 PSBP12 PSBP12C PSBP6 PSBF6C PSB96 PSB86 PSB96C P	15 15 16 16 16 16 16 17 17 17 17 14 14 14 14 17 17 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK34 23 SAK34 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK9 23 SAK9 23 SB2#### 34 SB4#### 34 SB4***** 33 SB8***** 33 SD210R 24	SP2**** S SP4**** S SP8**** S SPALF1 S SPX§S§S0 S SPX§S§S0 S SPZ§S§S0 S SPZ§S§S0 S SR2**** S SR4**** S SR4**** S SRFPOS S SFPOS S SFPOSI6 S STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC30 2 STAPVC36 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP82 4 SUBLR11 S SUBDLR11 S SUBTILED S SW8***** S SWBTTLED S SWBTCBL S SWPHOTO S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBWT1 PSBWT451 PSBP12 PSBP12 PSBP12 PSBP12 PSBP12 PSBP12 PSBP6C PSBP12 PSBP6C PSB	15 15 16 16 16 16 16 19 9 9 6 17 17 17 14 14 14 14 17 17 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK5 23 SAK9 23 SAK9 23 SAK9 23 SAK9 23 SB2***** 33	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR4**** S SR4**** S SRFPOS S SSFPOS S SSFPOSI6 S STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC30 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA69 4 STPEA70 4 STPLP81 4 STPLP82 4 SUBDLR11 S SUBTDLED S SW4***** S SW4***** S SWBTTLED S SWBTTLED S SWBTTLED S
PFP2 PFP2AC PFP2AC PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P1 PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBVT451 PSBP12 PSBP12 PSBP12 PSBP6C PSBP6C PSB966 PSB96C PSB96C PSB96C PSB96C PSB96C PSB96C PSB96C PSB96C PSB972 PSB972 PSB972 PSB972 PSB973 PSB974 PSB975 PSB975 PSB975 PSB976 PSB	15 15 16 16 16 16 16 19 9 9 6 17 17 17 14 14 14 14 17 17 16 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK9 23 SB2#### 34 SB2***** 33 SB2#### 34 SB8***** 33	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§\$0 S SPY§§§§0 S SPY§§§§0 S SPZ§§§§0 S SR**** S SR***** S SR***** S SR***** S SR**** S SR***** S SR**** S SR**** S SR**** S SSFPOS S SFPOSI6 S STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP81 4 STPLP81 4 SUBDLR11 2 SW2***** 3 SW
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PFP2P PFP3V PLAST3V PLAST4V PLAST4V PLAST4V PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBKT451 PSBKT451 PSBF12 PSBP12 PSBP13 PSBP14 PSBP14 PSBP15 PSBP16 PSBP16 PSBP17 PSBP17 PSBP18	15 15 16 16 16 16 16 16 19 19 17 17 17 17 17 17 17 16 16 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK9 23 SAK9 23 S	SP2**** S SP4**** S SP8**** S SPALF1 S SPW§§§§0 S SPX§§§\$0 S SPY§§§§0 S SPY§§§§0 S SPZ§§§§0 S SR**** S SR***** S SR***** S SR***** S SR**** S SR***** S SR**** S SR**** S SR**** S SSFPOS S SFPOSI6 S STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA69 4 STPLP81 4 STPLP81 4 STPLP81 4 SUBDLR11 2 SW2***** 3 SW
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2P PFP2P PFP2P PFP2P PFP2P PLAST3V PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBP12 PSBP12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12C PSBP12 PSL1BB PSL1BB PSL1BB PSL1BB PSL1RB PSL1RB PSL1RB PSL1RB PSL2 PSL2BB PSL2BB	15 15 16 16 16 16 16 16 17 17 17 14 14 14 14 17 17 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK34 23 SAK34 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK9 23	SP2**** S SP4**** S SP8**** S SPALF1 S SPX§\$\$\$0 S SPX§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SPZ§\$\$\$0 S SPZ\$\$\$\$0 S SPZ\$\$\$0 S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBWT1 PSBWT1 PSBP12 PSBP12 PSBP6C PSBP6C PSB96C	15 15 16 16 16 16 16 17 17 17 17 17 14 14 14 14 16 16 16 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK5 23 SAK9 23 S	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR4**** S SRALF1 S SSFPOS S SSFPOSI6 S STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA69 4 STPEA70 4 STPLP81 4 STPLP82 4 SUBDLR11 S SWBTTLED S SWB***** S SWBTTLED S SWBS\$§0 S SWY\$§\$§\$0 S SWY\$§\$§\$0 S SWY\$§\$§\$0 S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2P PFP2P PFP2P PFP2P PFP2P PLAST3V PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBP12 PSBP12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP6 PSBF12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12 PSBP12C PSBP12C PSBP12 PSL1BB PSL1BB PSL1BB PSL1BB PSL1RB PSL1RB PSL1RB PSL1RB PSL2 PSL2BB PSL2BB	15 15 16 16 16 16 16 16 17 17 17 17 17 17 17 17 17 16 16 16 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK48 24 SAK5 23 SAK9 23 SB2***** 33 SB4***** 34 SB***** 33 <	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SRZ**** S SR4**** S SRALF1 S SSFPOS SSFPOSI6 SSTUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA47 4 STPEA47 4 STPEA70 4 STPLP81 4 STPLP81 4 STPLP82 4 SUBLR11 S SUBTILED S SW2***** S SW8**** S SWBTILED S SWPHOTO S SWX§§§0 S SWX§§§0 S SWX§§\$0 S SWX§§\$0 S
PFP2 PFP2AC PFP2AP PFP2AP PFP2AP1 PFP2LB1 PFP2LB1 PFP2LB2 PFP2P PFP2P PFP2P PFP2P PINPUSH PLAST3V PLAST4V PLAST4VL PROGRAM1 PS*00F*R PSB00FBR PSBKT1 PSBWT1 PSBWT1 PSBP12 PSBP12 PSBP6C PSBP6C PSB96C	15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	RBKT1	SA40 24 SA41 24 SA8**** 33 SABKT1 23 SABKT24 23 SABKT9 23 SAK1 23 SAK11 23 SAK17 23 SAK20 23 SAK23 23 SAK24 23 SAK25 23 SAK32 23 SAK34 23 SAK37 23 SAK38 23 SAK39 23 SAK40 23 SAK41 23 SAK42 23 SAK44 23 SAK42 23 SAK44 23 SAK45 23 SAK46 23 SAK47 24 SAK5 23 SAK9 23 S	SP2**** S SP4**** S SP8**** S SPALF1 S SPV§§§§0 S SPX§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SPZ§§§§0 S SR2**** S SR4**** S SR4**** S SRALF1 S SSFPOS S SSFPOSI6 S STUBE 4,4 STAPVC30 2 STAPVC35 2 STAPVC35 2 STAPVC40 2 STAPVC50 2 STOPSN12 4 STPEA69 4 STPEA70 4 STPLP81 4 STPLP82 4 SUBDLR11 S SWBTTLED S SWB***** S SWBTTLED S SWBS\$§0 S SWY\$§\$§\$0 S SWY\$§\$§\$0 S SWY\$§\$§\$0 S

INDEX

			ノ匚人	
JE2****	37	LINEAR14 41	M7GCV8C13	MKEZ728, 40
JE2NFPA		LINEAR17 41	M7IC8C13	•
				MKEZ7039
JE4***	31	LINZ6* 17	M7ICV8C13	MKEZ7139
JE8****	37	LINZ6118	M9#14	MKEZ7339
JF0BAAAA	38	LINZ62 18	M9*13	MKEZ7439
JF0DAAAA	38	LINZ6518	M9*C13	MKEZ76L40
JF0TAAAA				
		LINZ6D18	M9*CS14	MKEZ7839
JHALF1	37	LINZ6FC 18	M9*S14	MKEZ7939
JHBTTLED	37	LINZ6J 18	M9BRUSH14	MKEZ8039
JHCTAL1		LINZ6K18	M9BTTX14	MKEZ8139
JHCTAL1D		LSK3, 4, 5	M9BUW14	MKEZ8239
JHCTLS1	.37	LT2****M27	M9FB14	MKEZ8339
JHCTLS1D	37	LT2****P27	M9FC14	MKEZ8439
JHFLASH		LTALY27	M9FC90014	MKEZ8539
JHTDALL1		LTTD127	M9FCZ90014	MKEZ8639
JHTLS2	.37	M04ZB21	M9LZC14	MKLP2940
JTA2W	36	M04ZJ21	M9T14	MKLP7640
JTACBL36,		M04ZJ221	MBCC11**14	MKLP8140
JTACNTL36,	37	M04ZR21	MBCC11JJ14	MKLP8240
JTDLED2	.36	M05ZB21	MBDC11**14	MMK3, 4, 5
JTLS1		M05ZJ21	MBDC11JJ14	
N /O++++	.00			MPBB15
JV0**** JV2****	.36	M05ZJ221	MBFF12**14	MPBW15
JV2****	.36	M05ZR21	MBFF12JJ14	MPPB15
JV4****	.36	M1BATT20	MBFT11**14	MPPBBS15
JV8****	36	M1FNDR20	MBFT11JJ14	
				MPPBCS15
JWLLED2		M1GROUND20	MBFX11**14	MPPW15
JXALF**L		M2#12	MBFX11JJ14	MPPWCS15
JXALF1L		M2*12	MBPI06**14	MPR15B15
IV0****	36	M2*C12	MEDMOE**	
JY0**** JY2****			MBPM05**14	MPR15W15
JY2****	36	M2D12	MBPM05JJ14	MPRB15
JY4**** JY8****	.36	M2FB12	MBPS07**14	MPRW15
.IY8****	36	M2FC12	MC11M*26	NOTE40
VOC*	20			
KCF*		M2FNDR20	MC11P*26	OE13UR832
L10HAM	5	M2GROM12	MC11S*26	OE13UR8T32
L10HAP	5	M2PEDB12	MC16M*26	OZP§§§032
L10HAP4		M2PEDC12	MC16MF26	
				P28DC116
L10HAV		M2W#12	MC16MJ26	P28FX116
L10LAM	5	M2W*12	MC16P*26	P36HHS14
L10LAP	5	M2W*C12	MC16PF26	P36SLC14
L10LAP4		M2WD12	MC16PJ26	P36SLCHG14
L10LAV		M4######20	MC16S*26	P46FL*15
L21H*M		M4#13	MC16SF26	P46HHS15
L21H*P	4	M4*****	MC16SJ26	P46S2*15
L21H*P4	4	M4*13	MC16V*26	P46S2*315
L21H*V		M4*C13	MC16VF26	
				P46S2X15
L21L*M		M4*CS13	MC16VJ26	P46S3*H15
L21L*P		M4*S13	MC23M*26	P46SLC15
L21L*P4	4	M46941	MC23P*26 MC23S*26	P46SLCHG15
L21L*V	.4	M4B6B20	MC23S* 26	P46WL*15
L22H*M		M4B6CHRG 20	MC23V*26	
			MO23V20	PAH11223
L22H*P		M4B6L20	MC9MED2*14	PAP11223
L22H*P4		M4B6R20	MCFLED2*14	PAPEXT1523
L22H*V	.4	M4BGCHRB20	MCSLED2*14	PAR28*6
L22L*M	4	M4BKT113	MICROSID41	PAR28D*6
L22L*P	1	M4BRUSH13		
LACE F	.4	M4BRUSH13	MIRROR153, 5	PAR28D6
L22L*P4		M4BSEP20	MIRROR203, 4, 5	PAR28DJ6
L22L*V	.4	M4D13	MJTDALL128	PAR28E6
L31H*F	4	M4FB13	MJY***M27	PAR28J6
L31H*F4				
			MJY****P27	PAR36ES*20
L31H*M		M4FC40013	MJY****V27	PBA012715
L31H*V	.4	M4GM2LRC 13	MK20S28, 40	PBA013015
L31HKF		M4IM2LRC13	MK7SS240	PBA10315
L31HRFN		M6#13	MK7SS440	
				PBA10615
L32L*F		M6*13	MK8H28, 40	PBA106V15
L32L*F4		M6*C13	MK9S28, 40	PBA20315
L32L*M	.4	M6*CS13	MKAJ6239	PBA20615
L32L*V		M6*S13	MKAJ740	
				PBA206V15
L360BGB		M6BRUSH13	MKAJ7139	PBAINTC16
L360PMKT	.4	M6BTT13	MKEA2940	PBAPED15
L40*M		M6BUW13	MKEA4739	PBAPED215
L40*P				
		M6FB13	MKEA6939	PBAPEDA16
L40*V		M6FC13	MKEA7039	PBAPEDD16
L41*M	.5	M6FC600 13	MKEA7639	PBSLFC16
L41*P	.5	M6FCV213	MKEA8139	PBSLFCB17
L41*V		M6FCV313	MKEA8439	PBSLFIC17
				1 DOD TO
L51*M		M6FCV4	MKEX8339	PBSLFLR17
L51*P		M6HDLMTK 13	MKEZ2940	PBSLFLRB17
L52*M	.5	M6P15B13	MKEZ3839	PBSLICB17
L52*P		M6P15C13	MKEZ4539	PBSLILRB17
L53AM				
			MKEZ4739	PBSLIR17
L53AP		M6ZC13	MKEZ5139	PC121
L6BKT21	8 .	M7# 13	MKEZ5539	PC221
L6BKT31	8	M7*13	MKEZ5839	PC321
L6BKT51		M7*C13	MKEZ6039	
LEDLOAD		M7*CS13	MKEZ6139	PC521
LENSKIT14		M7*S13	MKEZ61L39	PC5S21
LENSKIT24	0	M7BRUSH13	MKEZ6239	PCC10W21
LENSKIT34		M7FB13	MKEZ6339	PCC10W121
LFLTUBE4		M7FC13		
			MKEZ6739	PCC4W21
LIN4KIT1	ರ	M7FC700 13	MKEZ6939	PCC6W21

D1500*3	FLH2CC		HGDOMEH*		IONWM	
D2**1	FLLED**		HHS2200		ISP188	
D4****1	FLTALN5	33	HOWLER11		ISP94	
D6***** 1	FLTALN5L	33	HOWLER12	22	IUP§§§§0	
D8§§§01	FLTALN6		HOWLER13	22	IZ06UF4P	
DBKT31	FLTALN6L		HOWLER14		IZ06UF5P	
DBKT41	FLW§§§§0		HOWLER15		IZ06UF8	
			HOWLER2		IZ06UFZ	
DBKT51	FLWL2					
DBKT61, 25	FLX§§§§0		HOWLER4		IZ08UF4P	
DCH3, 4, 5	FLY§§§§0	33	HOWLER5		IZ08UF5P	
DEL9MSTP 37	FLZ§§§§0	33	HOWLER7		IZ08UF8	
DEL9MWL37	FN55QLED		HOWLER9	21	IZ08UFZ	
DELCSPCP37	FN55VLED	28	HWLCC11	21	IZ13UF4P	
DELDTACP35	FN60QLED		HWLCI12	21	IZ13UF5P	
DELDUOCP35	FN60VLED		HWLFT11		IZ13UF8	
	FN72QLED		106LR6L		IZ13UFZ	
DELFLTBT38			106LR8L		IZ19UF4P	
DELFLTWL38	FN72VLED					
DELSLEBT38	FNMINI		I06LR8LT		IZ19UF5P	
DELSLEWL38	FT10A		106UF4P		IZ19UF8	
DELTAC1A25	FT1510	3, 41	106UF5P		IZ19UFZ	
DELTALD1 25, 33, 35	FT20A	3, 41	106UF8		IZ30UFX	
DELWCCP 33, 35, 36	FT25		I06UFZ	28	IZ30UFZ	
DH2000*	FT8****M		I08UF4P		IZ31UFX	
DIRECTIO41	FT8****P		108UF5P		IZ31UFZ	
	FT8**00F		I08UF8		IZ33UF4P	
DIRECTWD41					IZ33UF5P	
DL2000* 3, 4, 5	FTALY		108UFZ			
DP2**1	FTD****		I13UF4P		IZ33UF8	
DP2** 1 DP4**** 1	FTD**		I13UF5P		IZ33UFZ	
DP6§§§§0 1	FTTD2	27	I13UF8		IZ34UF4P	
DP8§§§§01	FV2****	32	113UFZ	28	IZ34UF5P	
EPSL122	FV4****	32	134UF4P		IZ34UF8	
EPSL2S622	FV8****	32	134UF5P		IZ34UFZ	
EPSL2S923	E\\\/2****	32	I34UF8		IZ35LR8	
	FW2**** FW4****	37	134UFZ		IZ35LR86	
EXT1518	FW8****	32	135LR6L		IZ35LRZ	
EXT2018						
EXT2518	FWBTTLED		I35LR8L		IZ35LRZ6	
EXT3018	FWDSCBL		135LR8LT		IZ35LRZ8	
EXT4018	FX2****		I35UF4P		IZ35UF4P	
EXTRACT 19	FX4****	32	I35UF5P	28	IZ35UF5P	
F09C12	FX795H		I35UF8	28	IZ35UF8	
F09PC12	FX795HLR		I35UFZ	29	IZ35UFZ	
F18C12	FX795L**		I37UF4P		IZ36UF4P	
F18PC12	FX8****		137UF5P		IZ36UF5P	
	FXALF1		137UF8		IZ36UF8	
F27C12					IZ36UFZ	
F27PC12	FXALF1D		137UFZ			
F36C12	FXTLS1		I38UF4P		IZ37LR8	
F36PC12	FXTLS1D		I38UF5P		IZ37LR86	
F45C12	G1M*	26	138UF8		IZ37LRZ	
F45PC12	G1MM90	26	I38UFZ		IZ37LRZ6	
F54C12	G1P*	26	I39UF4P	29	IZ37LRZ8	
F54PC12	G1V*		139UF5P	29	IZ37UF4P	
F63C12	G2M*		139UF8		IZ37UF5P	
F63PC12	G2P*		139UFZ		IZ37UF8	
			I41UF4P		IZ37UFZ	
FC2####32	G2V*	20	I41UF5P	20	IZ38LR8	
FC4####32	G7M*	26				••••••
FC8####32	G7MC**		I41UF8		IZ38LR86	
FCDSCBL33	G7MM90		I41UFZ		IZ38LRZ	
FCW§§§§033	G7P*	26	IEP§§§0	31	IZ38LRZ6	
FCX§§§§0 33	G7PC**	26	ILP\$\$\$\$0	31	IZ38LRZ8	
FDCT10*R7	G7V*	26	IM06UF8	31	IZ38UF4P	
FDCT10JR7	G7VC**		IM06UFZ		IZ38UF5P	
FDFP11*R7	GAMMA2		IM13UF8		IZ38UF8	
			IM13UFZ		IZ38UFZ	
FDFP11JR7	H20SN12					
FECT10*R7	H20W12V		IM35UF8		IZ39UF4P	
FECT10DR:7	H27DSN28		IM35UFZ		IZ39UF5P	
FECT10ER7	H27SN12	42	IM38UF8		IZ39UF8	
FECT10JR7	H27TL12	42	IM38UFZ		IZ39UFZ	
FEDC06*R6	H27W12V		INSTLRDX	26, 27	IZ41UF4P	
FEDC06DR6	H35ASC24		ION*		IZ41UF5P	
FEDC06ER7	H35DSN12		IONBKT1		IZ41UF8	
FEDC06JR6	H35DTL12		IOND		IZ41UFZ	
	H35HSC12		IONGROM		IZP§§§0	
FEFP11*R7 FEFP11DR7			IONGROW		JALF1	
	H35HSN12				JBTTLED	
	LIOCONIAO	4/	IONK1B		JB11LED	
FEFP11ER7	H35SN12				DECEMBER 18	ან,
FEFP11ER7 FEFP11JR7	H35SN24	41	IONK1W			
FEFP11ER	H35SN24 H35TL12	41 42	IONM	2, 11	JC0****	
FEFP11ER	H35SN24	41 42	IONMIONPEDB	2, 11 2, 11, 12	JC0**** JC2****	
FEFP11ER	H35SN24 H35TL12	41 42 42	IONM	2, 11 2, 11, 12	JC0**** JC2**** JC4****	
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V	41 42 42 42	IONMIONPEDB	2, 11 2, 11, 12 2, 11, 12	JC0**** JC2****	
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50ASN12	41 42 42 42 42	IONMIONPEDBIONPEDCIONSM*	2, 11 2, 11, 12 2, 11, 12 12	JC0**** JC2**** JC4**** JC8****	
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50ASN12 H50SN12	41 42 42 42 42	IONM IONPEDBIONPEDCIONSM*IONSMC*	2, 11 2, 11, 12 2, 11, 12 12	JC0**** JC2**** JC4**** JC8**** JCTLS1	
FEFP11ER	H35SN24H35TL12H35TL12WH35TL12WH35W12VH50ASN12H50SN12H50TL12H5	41 42 42 42 42 42	IONM	2, 11 2, 11, 12 2, 11, 12 12 12	JC0**** JC2**** JC4*** JC4*** JC8**** JC7LS1 JCTLS1	••••••
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50SN12 H50TL12 H50W12V	41 42 42 42 42 42 42	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMD	2, 11 2, 11, 12 2, 11, 12 12 12 12	JC0**** JC2**** JC4*** JC8**** JCTLS1 JCTLS12 JCTLS1D	••••••
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50SN12 H50TL12 H50W12V H55H112	41 42 42 42 42 42 42 42 42 42 42 42	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMM	2, 11 2, 11, 12 2, 11, 12 12 12 12 12	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JCTLS1D JCTLS12 JCTLS1D JCTLS10 JCC* JCC* JCC* JCC* JCC JCC JCC	36, 37
FEFP11ER	H35SN24	41 42 42 42 42 42 42 42 42 42 42 42 42 42	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMM IONSMMW*	2, 11 2, 11, 12 2, 11, 12 12 12 12 12 12	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JDC* JDC* JDC* JDH*	36, 37.
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50SN12 H50TL12 H50W12V H55H112	41 42 42 42 42 42 42 42 42 42 42 42 42 42	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMJ IONSMM IONSMW* IONSMW*	2, 112, 11, 122, 11, 122, 11, 12121212	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JCTLS1D JDC* JDC* JDH* JDL#	36, 37.
FEFP11ER	H35SN24	41 42 42 42 42 42 42 42 41 42 11	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMM IONSMMW*	2, 112, 11, 122, 11, 122, 11, 12121212	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JDC* JDC* JDH* JDL*	36, 37. 28, 36
FEFP11ER	H35SN24 H35TL12 H35TL12V H35W12V H50SN12 H50TL12 H50W12V H55H112 H60SN12	41 42 42 42 42 42 42 42 41 42 11	IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMJ IONSMM IONSMW* IONSMW*	2, 112, 11, 122, 11, 122, 11, 12	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JCTLS1D JDC* JDC* JDH* JDL#	36, 37. 28, 36
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50ASN12 H50TL12 H50W12V H55H112 H60SN12 HA238A HA238A	41 42 42 42 42 42 42 41 41 11	IONM IONPEDB IONPEDC IONSMC* IONSMD IONSMJ IONSMM IONSMW IONSMW IONSMWW IONSMWD IONSMWD IONSMWD	2, 11 2, 11, 12 2, 11, 12 2, 11, 12 12 12 12 12 12 12 12 12	JC0**** JC2**** JC4**** JC8**** JCTLS1 JCTLS12 JCTLS1D JDC* JDC* JDH* JDL*	36, 37 28, 36
FEFP11ER 7 FEFP11JR 7 FEFP11JR 7 FLOTAAAA 38 FL2***** 32 FL4***** 32 FL4***** 32 FL4***00 32 FL8***00 32 FL8***00 32 FLB***00 32 FLB***01 32 FLALY 33 FLBULK18 33 FLCRUZ** 33 FLCRUZ** 33 FLD## 32 FLD*** 32 FLDCSBL 33	H35SN24		IONM IONPEDB IONPEDC IONSM* IONSMC* IONSMD IONSMJ IONSMM IONSMW* IONSMWD IONSMWD IONSMWD IONSMWD IONSMWD	2, 112, 11, 122, 11, 12121212	JC0**** JC2**** JC4**** JC4**** JCTLS1 JCTLS12 JCTLS1D JDC* JDC* JDH* JDL# JDL# JDL* JDLF** JDSCBL	36, 37 28, 36 36
FEFP11ER	H35SN24 H35TL12 H35TL12W H35W12V H50ASN12 H50TL12 H50W12V H55H112 H60SN12 HA238A HA238A		IONM IONPEDB IONPEDC IONSMC* IONSMD IONSMJ IONSMM IONSMW IONSMW IONSMWW IONSMWD IONSMWD IONSMWD	2, 112, 11, 122, 11, 122, 11, 121212121212121212121212121212121212	JC0**** JC2**** JC4*** JC8**** JCTLS1 JCTLS12 JCTLS1D JDC* JDC* JDH* JDL# JDLF**	36, 37 28, 36 36

INDEX

000	45CL*38	60K000XR 9	9LLENKT2	41
0AC0EDCR6	45DLCNTA			
		60K000YR9	9LLENKT3	
0S*00FCR6	45DLCNTR 38, 39	60R00BRR 9	9LLTH	33
0S*00MCR6	45DLOUTA 38, 39	60R00XRR9	9M140W00	37
0S*00SCR6	45DLOUTR 38, 39	60RA6FCR 9	9MALY	
	45FL*		SIVIAL I	21
0SB00SCR6		60RC6FCR 9	9MH2** 9MH4****	37
0SC0EDCR6	45KFH38	60X000RR 9	9MH4****	37
1200DH*P3	45KFL38	60X000TR9	9MLENKT1	40
1510*3	45KFS38	64FKIT9		
			9MLENKT2	
1510M*3	45KRH38	6EFLANGE 9	9MLENKT3	40
1SWITCH21	45KRL38	6EHDLTMK9	9MMEDGEM	27
201000*R7	45KRS38	6ELTUBE41	9MMEDGEP	
2015HP*3	45LFLASH38	6FLANGEB9		
			9MTD2	
2015HP*M3	45LRLOAD38	6SC0ENZR 9	9SC0ENZR	10
2015HP*V3	45TA38	70*02F*R 9	9ULENKT1	41
2015LP*3	4ECTUBE41	70*02S*R9	9ULENKT2	
2015LP*M3				
	4EFLANGE 7, 20	702000*R9	9ULENKT3	
2015LP*V3	4EGRILB8	70A00TAR10	9UTUBE	41
2022AP*3	4EGRILP8	70BR6FCR 9	A441A	
2022HP*3	4ELTUBE41	70C00VCR9		
			A442A	
2022HP*M3	4FLANGEB 7	70C00WCR10	A444A	18
2022HP*V3	4ILKT18	70C0ELZR 9	A446A	18
2022LP*3	4SWITCH21	70F000*R10	AFL530	
2022LP*M3	4TSMAB7			
		70J000CR10	AFM1660	
2022LP*V3	4TSMAC7	70K000ZR10	AFM560	6
20C0CDCD7	50**2ZCR8	70R00BRR 9	ALPHA1	22
20C0CDCR7	50**3ZCR8	70R00XRR9	ALPHA12S	
20R00XRR7	50*00F*R8. 20			
		70RA6FCR9	ALPHA12SL	
2519HP*3	50*02Z*R8	70RC6FCR 9	ALPHA2	22
2519HP*M3	50*03Z*R 8, 20	70X000RR10	ALPHA3	
2519HP*V3	500LTUBE41	70X000TR10		
			ALPHA4	
2519LP*3	502000*R 8, 20	73FKIT10	ALPHA5	22
2519LP*M3	508TRIM 8, 9	795H 24, 33, 35, 38, 39	ALPHASL	22
2519LP*V3	50AC2ZCR8	7CAST110	AVN1#	1
295HFS222	50AC3ZCR8	7CAST310		
			AVN1*	1
295HFS2X22	50BC2ZCR 8	7ECTUBE41	AVN2**	1
295HFS322	50BC3ZCR8	7EFLANGE10	AVNBKT1	1
295HFS422	50C000ZR8	7EGRILB10	AVNBKT2	
295HFSA522				
	50C00WCR8	7EGRILP10	AVNBKT3	
295HFSA722	50CC2ZCR8	7ELTUBE41	AVNBKT4	1
295HFSC922	50CC3ZCR 8	7FLANGEB10	AVNS1*	1
295HFSDA22	50CR2ZCR8	7GCV6LRC10	AVNS2**	4
			AVINO2	!
295SL10022	50CR3ZCR8	7GIKT110	В6ММ**Р	
295SL10122	50K000*R8	7PLAST1C10	B6TM**1P	3
295\$LSA122	50R00XRR 8	800BGH 3	BBKT15	3.5
295SLSA622	50X000RR8	800DH*P3		
			BBKT20	
2E*00Z*R7, 20	52SMAB8	800DL*M3	BBKT30	
2ED00ZCR7	580CAA*R9	800DL*P3, 20	BETA1	22
2EE00ZCR7	580CAAZR9	80C0EHCR11	BETA112R	
2EJ00ZCR7	58EC20*R8			
		80C0EJCR11	BETA2	
2F*00Z*R7, 20	58L4TUBE41	80CBEHCR11	BETA2BKT	22, 23
2FLANGEB7	5BKT18	80CREHCR11	BETAMIC	22
2FLANGEC7	5BRUSH8	80DTUBE4, 41	BGH	
2G*00F*R7	5FLANGEB 8, 20			
	3FLANGEB 8, 20	80R0EJCR11	BGL	
2GBKT17	5FLANGEC 8, 20	80R0EKCR11	BRAKTL12	42
2GFLANGB7	5FLANGEP 8	80TUBE41	CALF1	37
2GFLANGC7	5G*00F*R8	810CA0ZR10	CAST1L	
2GROMMET7	5GBKT18	810CAA*R10	CAST3	9
2SWITCH21	5GC00WCR8	810TRIM10	CAST3H	
3FLANGEC6	5GC0CCCR8	81EC20*R10	CAST4V	
3GROMMET6	5GFLANGB 8	81L4TUBE41	CCSRN3	
3PC0C0CD14	5GFLANGC8			
		8635CU11	CCSRN32	
3S*00F*R6	5GROMMET 8, 20	86CE111	CCSRN33	
3SBCCDCR6	5HSGB18, 20	87241L310	CCSRN34	22
3SC0CDCR6	5HSGB1258, 20	87241R310	CCSRN35	
3SR0CDRR6	5HSGPED			
		87242L310	CCSRNT32	
3SRCCDCR6	5LSMAB 8	87242R310	CCSRNT33	22
3SWITCH21	5LSMAC8	90**5F*R10	CCSRNT34	22
40**5SCR7	5S*00F*R 8, 20	90**5S*R10	CCSRNT35	
40*02Z*R7	5SCA0CCR8	900STUBE41	CCSRNTA3	22
402000*R7, 20	5SR00XRR 8, 20	902000*R10	CCTRIM	
40A00AAR7	5TSMAB8	90A00TAR10	CDT6A	38
40C00VCR7	5TSMAC8	90E000ZR10	CF4***	37
40J000*R7			CE4**** CE8****	31
	5V*02Z*R8	90F000*R10	UE8-***	3/
40R00XRR7	60*02F*R9	90FLANGB10	CEDLX*	37
43LENS*2	60*02S*R 9	90FLANGC10	CEDLXA	38
45795H38, 39	602000*R9	90J000CR10	CETAL5	
45ADDAST39	60A00TAR9	90R00BRR10	CETAT8	
45ADDHAL39	60BR6FCR9	90R00XRR10	CF*	27
45ADDSTR39	60C00VCR9	90RA5FCR10	CL25C	
45ADL8*38, 39	60C00WCR9	90RB5FCR10		
			CRIMPAV	
45ADLS8*38, 39	60C0EHCR 11	90RC5FCR10	CRIMPD	19
45ADROTA39	60C0EJCS 11	90X000RR10	CRIMPIV	19
45ALOAD38	60C0ELZR9	90X000TR10	CS240	
45B±±*38	60CBEGCS11		CCB660	J
		97FKIT10	CSP660	
45B±±38	60CREGCS11	9EFLANGE10	CSP690	5
45B52*38	60F000*R9	9FLANGEB10	CTLS1	
45B5238	60J000CR9	9LLENKT141	CW0BAAAA	
		**************************************	O**OBUVVVVV	50

Follow us on...



whelen.com



facebook.com/whelenengineering



twitter.com/wheleneng



youtube.com/wheleneng


Boming Soon!



Whelen 295SDA1

Dual-Tone Amplifier Remote Siren and Controller.

- Competitively priced, full function, remote dual-tone siren.
- Remote slide switch and selective power control.
- Eleven relays.
- Eight assignable push-buttons.
- Front panel programmable.
- Thin, surface-mounted control head.
- Three-phase: in sync, delayed sync, and out of sync.




Delta™- Style "Rotating" All LED Lightbar


- Five LED "rotating" sweep towers are staggered for 360° light coverage.
- Attention getting new flash patterns.
- No moving parts anywhere!
- Front and back lower level available for supplemental lighting, ie Traffic Advisor™, intersection lighting, etc.
- Many patents pending.



Coming Soon!



- No dead spots, no gaps, 360° of contiguous light.
- Solid and DUO™ color.
 Lightheads attach directly to the extrusion for improved thermal management.
- Two piece slide-on dome weather seals all internal components.
- Single center divider with LIM (liquid injection molded) seals, inner ridges and wiper seals assure lightbar integrity in all conditions.
- WeCan® only. Sapphire™ and CanTrol™ "plug and play" performance.
- Hard-coated lenses.
- Newly designed one-piece "combo" corner reflectors.
- Integrated alley and warning modules. Adjustable take-down and alley lights available.
- Draws up to 2 amps per lighthead.
- Standard lengths 44" 48" 55" and 60".
- Built-in Low Power default setting via photo cell is certified Class I.
- Low-profile mounting feet.
- Many patents pending.



- Slimmed down Inner Edge extends driver vision and improves line of sight.
- Vehicle specific models minimize flash back, sits tight to the windshield.
- Low profile complements new Police vehicle design.
- · Low current style wiring.
- Red, Blue, Amber and White.



WHELEN USER DIRECT WARRANTY (FOR AUTOMOTIVE PRODUCTS ONLY)

Whelen Engineering Company, Inc. warrants products of its manufacture against defects in material and workmanship. This is provided that the product has been installed and operated in accordance with the manufacturer's recommendations. During the warranty period (see below) the Factory Repair Center or an Authorized Whelen Repair Center† will repair or replace (at its option) any parts or electronic assemblies of the unit which disclose a defect in material or workmanship. The Repair Center will return the repaired unit, transportation cost prepaid.

The above warranty is between the first purchaser (ultimate user) only and Whelen Engineering Company, Inc. (manufacturer). **No prior authorization is required for returning Whelen products for warranty consideration.** Each Whelen product sold is covered only by the official warranty in effect at time of purchase.

This warranty is not applicable to any Whelen product that has failed due to abuse, misuse, improper installation, excessive voltages, or alterations to the product that affects, in the manufacturer's judgment, intended use and service. Whelen will not be held liable for any incidental or consequential damages, and assumes no responsibility or liability for expenses incurred in the removal and/or re-installation of products requiring service and/or repair; nor the packaging, handling, and shipping to the Factory Repair Center or Authorized Whelen Repair Center†; nor for the handling of products returned from the repair center after service or repair.

There are no other warranties, expressed or implied, including, but not limited to, any implied merchantability or fitness for a particular use. Whelen Engineering Company, Inc. reserves the right to modify this warranty statement at any time; or discontinue, modify, or upgrade any products of its manufacture with design improvements without prior notice.

The use of magnetic or vacuum/suction mounted warning lights mounted on the roof or exterior of a vehicle in motion is at the sole discretion and risk of the user. Whelen Engineering makes no warranties or guarantees of equipment used in this way.

All power plugs/cigar plugs, incandescent and halogen bulbs, polycarbonate/plastic materials, radar products, aviation equipment, industrial products and high power voice/siren systems are not covered by this warranty (see applicable warranty statement).

All Non-Whelen manufactured items that are sold by Whelen are covered by that manufacturer's warranty, and are excluded from this warranty statement (such as, GTT Emitters). This warranty will be void when using or substituting other than all-genuine Whelen system components, such as remote head assemblies, xenon flash tubes, shielded cables, strobe power supplies, siren amplifiers and siren speakers. This warranty gives you specific rights, and you may also have other rights which vary from state to state.

WHELEN ENGINEERING COMPANY ELECTRO-MECHANICAL AND STROBE PRODUCTS STANDARD / 2 YEAR WARRANTY

Whelen products are covered by a direct warranty for up to a maximum two years from date of purchase (not to exceed three years from date of manufacture), with proof of purchase. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration. Whelen siren speakers, when used with a Whelen siren amplifier, are covered by a 2 year warranty from the date of manufacture. Heavy-Duty motor assemblies (so marked) are covered by a direct warranty for up to three years from date of manufacture. For warranty consideration, both the siren speakers and motor assemblies are subject to the conditions and steps described herein.

HDP® / 5 YEAR WARRANTY

Whelen Automotive Non-Lightbar Strobe Power Supplies, LED Ballasts and LED Products bearing the official HDP label and manufactured to HDP standards, are covered by a direct warranty for up to five years from date of manufacture. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration.



HDP label

12 MONTH WARRANTY — BACK-UP ALARMS

Whelen Back-Up Alarms are covered by a 12 month warranty and are subject to the conditions and steps described herein.

10 YEAR LIMITED WARRANTY — LIGHTBAR POWER SUPPLY

*All repairable warranty and non-warranty Edge® style lightbar strobe power supplies will be replaced with a compatible new power supply. If out of initial warranty period but less than 10 years old, the charge will be a flat fee of \$185.00 (warranty for standard power supply is 2 years and HDP® Heavy-Duty Professional power supply is 5 years). This is subject to the conditions and steps described herein.

12 AND 24 MONTH DIRECT WARRANTY — XENON FLASH TUBES (Except Flash Tubes from 1000/1500/2000/3000 & VP Series which are covered by a 6 Month Warranty)

If the xenon flash tube component of a "Whelen" brand (not from 1000/1500/2000/3000 or VP Series) product is returned to Whelen within 12 months of the date which is affixed to the flash tube, Whelen will replace that flash tube free of charge ONE TIME ONLY, subject to the conditions and steps herein. Whelen "Gold Medallion" flash tubes including all linear flash tube assemblies, carry a 24 month warranty. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via UPS where available (in the Continental U.S.).

12 MONTH EXTENDED WARRANTY — WHELEN REPAIRED STROBE POWER SUPPLIES

Whelen offers to repair or replace, free of charge, any part of its strobe light power supplies that have been repaired by Whelen within 12 months and are less than 5 years old, subject to the conditions and steps herein. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via UPS where available (in the Continental U.S.).

WHELEN ENGINEERING COMPANY OUT-OF-WARRANTY FACTORY REPAIR PROGRAM:

- *If found to be repairable, the Whelen Factory Repair Center (only) will repair Non-Lightbar Electronic Strobe Power Supplies for \$100 each. This does not include replacement of any other electro-mechanical parts including flash tubes, polycarbonate domes, motors, or hardware items.
- *Follow the "Steps To Be Taken For Return" noted below, and include a check or money order for \$100 for each unit returned. For Whelen products older than 10 years, repair charges will be determined upon examination only (minimum charge is \$185). Contact factory service center for further details.

STEPS TO BE TAKEN FOR WARRANTY RETURN:

- Whelen products are to be returned freight prepaid to the: Whelen Factory Repair Center Building B, 51 Winthrop Road, Chester, CT 06412-0684; or an Authorized Whelen Repair Center†. Do not ship by bus.
- A copy of the sales receipt must be returned with the defective unit to qualify for warranty coverage from date of purchase.
- 3) Include a short statement explaining the problem.
- 4) Include your name, address, and day-time telephone number.
- Whelen and its Authorized Repair Centers will, via UPS, ship back the repaired unit freight prepaid, usually within a few days after its receipt.

ENGINEERING COMPANY, INC.


51 Winthrop Road Chester, CT 06412-0684 Phone: (860) 526-9504 Fax: (860) 526-4078

www.whelen.com

— EFFECTIVE 12/18/12, REPLACES ALL PREVIOUSLY PUBLISHED SERVICE POLICIES -



2013 PICTORIAL REFERENCE GUIDE FOR STROBE, HALOGEN & INCANDESCENT REPLACEMENT BULBS



REPSTTWA	DOT3® 100/200 Series Brake/Tail/Turn Bulb Assembly	49.00
H35TL12W	DOT3® 100/200 Series Back-up Light Assembly	49.00
REPDIRWA	DOT3® 100 Series Rear Strobe Assembly	122.00
REPS30WA	DOT3® 200 Series Rear Strobe Assembly, 1 1/2 Turn Helix Strobe Assembly	89.00
Snap-In Bulbs	AND THE PARTY OF T	
H20SN12	20 Watt (Green Dot), TA836 Series, TA870A Series, TA837 Series, TA1652H Series, TA1664H Series, BLTA, 97 Edge® Bar Series/All Dual Halogen Models, SSNF™ Series Halogen Lightheads	19.00
H27SN12	27 Watt (Red Dot), 508 Series, 64 Back Series, 810 Series, 830 Scenelight, AdvantEdge®+Plus™ & Super AdvantEdge®+Plus™ Lightbars, Towman's™ Lightbars, Edge®+Plus™, B-Link™ Bar Full Size Halogen Modules, Dash-Miser™ Halogen Models	19.00
H35SN12	35 Watt (White Dot), 4000 Motor/Reflector Assembly/Brushless, 52 Series, DOT3® Systems, Edge® California Steady-Burn, RDX Series	19.00
H35HSN12	35 Watt, Horizontal Filament (Gold Dot), GH Series, 64 Series, 73 Series, 97 Scenelight, 5000 Super AdvantEdge®+Plus™	19.00
H50SN12	50 Watt, Horizontal Filament (Blue Dot), 97 Series Scenelight, 9E Series, 7E Series (Flashing Only) (Formerly ARSASN12)	19.00
H50ASN12	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars	19.00
H60SN12	60 Watt, 7E Series, 9E Series, RB6T Series	19.00
STOPSN12	Brake/Tail/Turn Light, DOT3® Systems (Incandescent Globe Style)	19.00
Linear Snap-In	Flash Tubes	
TURBO5	Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75" Long	47.00
TURBO64	Linear Strobe Turbo Tube for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge® Bars, Super AdvantEdge®+Plus™, TA864S	47.00
TURBOTUB-	Linear Strobe Turbo Tube, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103	47.00
Bi-Pin Halogen	Bulbs	
H20W12V	20 Watt, TA4000A, TA9000A Series, TA9000D	8.50
H27W12V	27 Watt, 9000 Series Alley Light (Full Size), 9000FM Work Light, CR12/212 Series, GRLHAL, TS200H, TS200C	8.50
H35W12V	35 Watt, 4000 Series Motor/Reflector Assembly with Brushes, Val-U-Bar™ Series Motor/Reflector Assembly with Brushes	8.50
H50W12V	50 Watt	8.50
Twist-Lock Halo	gen & Strobe Bulbs	
S30TL	Twist-Lock Helix 1-1/2 Turn Strobe Tube, 52 Series Twist-Lock, 56 Series Twist-Lock, 64 Series Twist-Lock, 73 Series Twist-Lock, 9000 Series, 97 Series Twist-Lock, Dash Miser™/DashMiser Plus™ Twist-Lock Series, GSF/GSE Series, SBS8S	54.00
TA20TL12	20 Watt, 2 Position Connector, TA836A, TA837A, TA838A, TA839A, TA870A, TA1620A, TA1622A (Formerly ADABULB)	21.00
H27TL12	27 Watt, 3 Position Connector, 9000 Series Take-Down and Flashers, DashMiser™/DashMiser Plus™ Halogen Series	21.00
H35TL12	35 Watt, 3 Position Connector, GHF/GHE Series, 52 Series Halogen, 64 Series, 64 Series Opti- Scenelight™, 73 Series, 73 Series Opti-Scenelight™	21.00
H50TL12	50 Watt, 3 Position Connector, 97 Series, 97 Series Opti-Scenelight™	21.00
BRAKTL12	Brake/Tail/Turn, 3 Position Connector, (Incandescent), 52 / 64 / 73 & 97 Series Brake/Tail/Turn (Globe Style, Not Flat Back Style)	21.00



No. PL13.0WL

AUTOMOTIVE LIST PRICE
EFFECTIVE: December 18, 2012 VOID: June 30, 2013

\$\frac{1}{100}\$ - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

The state of the s		DESCRIPTION U & Freedom Series, Lens Kits	LIST
		Lens Kit for Edge® Freedom™ Series Lightbar	215.00
		Lens Kit for Edge® Freedom™ Series Lightbar	283.00
	9ULENKT3	Lens Kit for Edge® Freedom™ Series Lightbar	283.00
BONORS		ß LFL Liberty™ Series, Lens Kits	
	9LLENKT1	Lens Kit for LFL Liberty™ Series Lightbar	215.00
	9LLENKT2	Lens Kit for LFL Liberty™ Series Lightbar	283.00
	9LLENKT3	Lens Kit for LFL Liberty™ Series Lightbar	283.00
	Panlacamon(E	arts, Bulbs For Whelen Lights	
		nce is located at the end of this Price List.	
		, 12 Volts, Unless Specified, Snap-In, Bulb Only.	
	H27DSN28	27 Watt, 24 Volt, Stop/Tail/Turn	31.50
	H35DSN12	35 Watt Halogen Dual Filament for Interior Light Only	34.00
	H35SN24	35 Watt, 24 Volt (Yellow Dot)	31.50
	Halogen Bulbs		
	H55H112	55 Watts, For Delta™ Rotators, Guardian™ Models G1 and G2 Series	23.50
		, 12 Volts, Unless Specified, Twist-Lock, Includes Twist-Lock Adapter & Snap-In Bulb.	A-64104A-64-0-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
	H35HSC12	35 Watt Halogen Bulb for 810 Scene Light	38.50
	H35ASC24	35 Watt Halogen Bulb for 24 Volt 810 Scene Light	38.50
	H35DTL12	35 Watt Halogen Bulb, 3 Position Connector for Interior Light Only, Dual Filament	38.50
STRIES	Strobe Tubes	The second secon	
		Universal Flash Tube (Replaces S406, S600, Z360)	80.00
	4ELTUBE 4ECTUBE	400 Series Linear Strobe Tube/Reflector Assembly	92.00
	500LTUBE	4E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly 500 Series Linear Strobe Tube/Reflector Assembly	140.00
	58L4TUBE	508E Series Linear Strobe Tube/Reflector Assembly, 4 Screw Lens Design	116.00
	81L4TUBE	810E Series Linear Strobe TuberReflector Assembly, 4 Screw Lens Design	178.00
	6ELTUBE	600/6E Series Linear Strobe Tube/Reflector Assembly	178.00 125.00
	7ELTUBE	700/7E Series Linear Strobe Tube/Reflector Assembly	125.00
	7ECTUBE	7E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly	140.00
	80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube	79.00
	80TUBE	800C/1200C Series Helix 1-1/2 Turn Strobe Tube with black reflector 1200C Series, 800C Series,	79.00
		FHEAD / GHEAD / XHEAD Series	
	900STUBE	900 Series Non-Linear Strobe Tube/Reflector Assembly	130.00
	9UTUBE	Edge® 9M/Ultra Corner Tube/Reflector	92.00
H	LFLTUBE	Edge® LFL Corner Tube/Reflector	92.00
iii	DIRECTIO	Large Directional Strobe Tube with Reflector (MN200S Style) 9000FF Series, 9000FM, 9801	113.00
arurus a	FT40 A	Series, 9804 Series, 9806 Series, AdvantEdge®+Plus™ Series	
	FT10A FT1510	3-Pin "U" Strobe Tube, Plug-in, VP410 Series, VP415 Series, 2004, 2012, 2015	40.00
	FT20A	Linear Tube for 1510 Series 3-Pin Helix 1-1/2 turn Strobe Tube, Plug-in, VP420 Series, VP422 Series, 2022, G5 & G7 Series	35.00
	FT25	Flash Tube, 2500 Series Beacons	46.00
	LINEAR14	Linear Strobe/Reflector Module, Centurion™ Lower Level CL14 Series Strobe, FastTrax™ Front	46.00
11	2.112.011.	Strobe	92.00
Ħ	LINEAR17	Linear Strobe/Reflector Module, Dash-King™ Series, Centurion™ Lower Level CL17 Series	92.00
		Strobes	uz.00
	MICROSID	Micro Side Beam Strobe and Reflector 9802M, MC100S Series, R4DX Series	89.00
	S1000	1000 Series Strobe Flash Tube	18.00
	M469	1 1/2 Turn Helix Strobe Tube with Reflective Base, V-Head	79.00
	REPTSSTR	Twin Side Beam™ Dual Strobe Reflector Assembly	144.00
	SMALLDIR	Small Directional Strobe with Reflector (no side kickers), For SOLO*S	89.00
Ħ.	SSTUBE	Super Strobe® Helix 1-1/2 turn Strobe Tube and Polished Reflector, DOT6H,	79.00
244	TURBO94	S360C/S360D/S360S Series, SS361, SS363, SS364	
Ħ	TURBU94	Linear Strobe Tube/Reflector Ass'y for 94EDGE, 94 Towman's™ Edge®, 94EDGE with Traffic Advisors™ and Micro Edge®	92.00
ii	TURBOASY	Advisors — and Micro Edge® Linear Strobe/Reflector Module for "Classic" Edge® and Edge+Plus™	92.00
	TURB6DUP	Duplex Linear Strobe/Reflector Module for 96 Series Edge® Bars, Dash-King 2000	
ff ff ff	TURB6ASY	Linear Strobe/Reflector Module For B-Link TM , 94/96 Series Edge® Bars, Dash-King 2000	92.00 92.00
	TURB6HAL	Linear Strobe & Snap-in Halogen/Reflector Module for Models 9404, 9406	98.00
	TURB6KIT	Linear Strobe/Reflector Module for Models 9404, 9406	92.00
		with Deutsch® Waterproof Connectors	
ii ii	REPDIRWD	DOT3 100 Series Rear Strobe Assembly, Replaces Old Style AMP W.P., (P/N 02-0341827-00C)	122.00
fi fi	REPS30WD	DOT3 200 Series Rear 1-1/2 Turn Helix Strobe Assembly, Replaces Old Style AMP W.P., (P/N	89.00
	<u> Lan general est</u>	36-0361836-00C)	
Ħ	REPSTTWD	DOT3 100/200 Series Brake/Tail/Turn Bulb Assembly, Replaces Old Style AMP W.P., (P/N 34-	49.00
	DIDECTMD	0061856-00C)	
	DIRECTWD	DOT3 100 Series Rear Strobe Assembly with Deutsch® Waterproof Connector	119.00

	MKEZ76L	Taurus / 2010-2012 and 2013 Police Interceptor / 48"-50"	55.00
	Permanent Me	ount, with Lightbar Purchase Only.	
	MKEZ7	1-1/2" Permanent Mount / ALL	
	MKAJ7	Adjustable Leveling Foot for 1-1/2" Permanent Mount / ALL	20.50
1511 4871	MK8H	5" Permanent Mount (Cast Aluminum) / ALL / ALL	52.00
	MK9S	Slide Bolt Brackets for Flat Surface Mounting (2 ea.) 48"/55"	52.00
	MK20S	Slide Bolt Brackets for Flat Surface Mounting (3 ea.) 60+"	77.00
	MKEZ29	1-1/2" Mounting Foot with Strap Hardware (Straps Purchased Separately)	
	MKEA29	Low Profile Adjustable Foot with Strap Hardware (Straps Sold Separately)	20.50
	MK7SS2	Stainless Steel Heavy Duty 10° Adjustable Permanent Mount Feet, Low	192.00
	MK7SS4	Stainless Steel Heavy Duty 10° Adjustable Permanent Mount Feet, High	247.00

	Replacement	Parts, Mounting Kits & Strap Kits 1 the vehicle #-listed on previous page.	
#		Strap Kits & Mounting Kits	
	RMKEZ#	Replacement Mounting Kit Includes Feet, Hardware & Straps of your Choice	157.00
***************************************	RMKEZ29	Replacement 1 1/2" Mounting Foot with Strap Hardware (Straps Purchased Separately)	93.00
	RMKEA29	Replacement MKEA29 Mounting Foot with Strap Hardware (Straps Purchased Separately)	115.00
	STPKT#	Straps and Bolts Only for Mounting Kit, For Use with MKEZ or MKAJ Only	93.00
	STPEA70	Straps and Bolts Only for MKEA70 Mounting Kit, Impala / 2006-2012	93.00
	STPEA69	Straps and Bolts Only for MKEA69 Mounting Kit, Charger / 2005-2010	93.00
	STPEA47	Straps and Bolts Only for MKEA47 Mounting Kit, Ford Crown Victoria / 1992-2011	93.00
	RMKEZ7	Replacement 1-1/2" Permanent Mounting Kit #7	93.00
	RMK9S	Replacement Slide Bolt Mounting Kit #9S (2 ea.)	93.00
	RMK20S	Replacement Slide Bolt Mounting Kit #20S (3 ea.)	125.00
	RMK8H	Replacement 5" Riser Mounting Kit #8H	126.00
.,	RMKAJ#	Replacement Adjustable Leveling Foot, Includes Feet, Hardware and Choice of Strap # 16, 52, 54, 62, 71 or 72	176.00
	NOTE	All straps are special ordered and NON-RETURNABLE. Some modification may be required by the end user to adapt these straps to fit exact vehicle roof line and door jamb positions. This list is intended as a GUIDE ONLY to assist in obtaining the closest strap for vehicle make and fit, and DOES NOT GUARANTEE an exact fit in every case.	

	Profile Mounting Kits Liberty™ and Justice™ Lightbars. Mounting Straps are Specific for these Kits Only and	l Will Not Work with I	MKEZ,
MKAJ MKEA	etc.		
Chevrolet	•	.,	
MKLP81	NEW Caprice / 2011-2012 / 48"- 50"		55.00
Chrysler			
MKLP82	NEW Charger / 2011-2012 / 48" - 50"		55.00
Ford	annende men i en pro en enstatator propor embancionale metallimination in tre en		
MKLP76	NEW Taurus / 2010-2012 and 2013 Police Interceptor / 48" - 50"		55.00

Replacement	Strap Kits & Low Profile Mounting Kits	
MKLP29	NEW Low Profile Foot with Strap Hardware, When Purchased with Lightbar	
RMKLP81	NEW Replacement Low Profile Mounting Kit for 2011-2012 Caprice, Includes Feet and Hardware	157.00
RMKLP82	NEW Replacement Low Profile Mounting Kit for 2011-2012 Charger, Includes Feet and Hardware	157.00
RMKLP76	NEW Replacement Low Profile Mounting Kit for 2011-2012 Taurus and 2013 Police Interceptor, Includes Feet and Hardware	157.00
STPLP81	NEW Straps & Bolts for MKLP82 Mounting Kit 2011-2012 Caprice	93.00
STPLP82	NEW Straps & Bolts for MKLP82 Mounting Kit 2011-2012 Charger	93.00
STPLP76	NEW Straps & Bolts for MKLP76 Mounting Kit 2011-2012 Taurus and 2013 Police Interceptor	93.00
NOTE	NEW All straps are special ordered and NON-RETURNABLE. Some modification may be required by the end user to adapt these straps to fit exact vehicle roof line and door jamb positions. This list is intended as a GUIDE ONLY to assist in obtaining the closest strap for vehicle make and fit, and DOES NOT GUARANTEE an exact fit in every case.	

Edge® Classi	c, 94 & 96 Series, Lens Kits	
LENSKIT1	Lens Kit for Classic Edge® Lightbar	215.00
LENSKIT2	Lens Kit for Classic Edge® Lightbar	283.00
LENSKIT3	Lens Kit for Classic Edge® Lightbar	283.00
Edge® 9M Se	ries, Lens Kits	
9MLENKT1	Lens Kit for Edge® 9M Series Lightbar	215.00
9MLENKT2	Lens Kit for Edge® 9M Series Lightbar	283.00
9MLENKT3	Lens Kit for Edge® 9M Series Lightbar	283.00





No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	LIST
45DLOUTA	Delete Outboard Two Amber ICC Lights Only	
45DLOUTR	Delete Outboard Two Red ICC Lights Only	
45DLCNTA	Delete Center Amber ICC Light Only	
45DLCNTR	Delete Center Red ICC Light Only	
45ADDHAL	Add One 700 Series Halogen Lighthead	91.00
45ADDSTR	Add One 700 Series Strobe Lighthead	104.00
45ADDAST	Add One Outboard Angled Strobe Lighthead	104.00
45ADROTA	Add One Rotator	91.00
45ADL8*	Add One Single Color 700 Series Super-LED® Lighthead (Flashing) Red, Blue or Amber	236.00
## 45ADLS8*	Add One Single Color 700 Series Super-LED® Lighthead (Steady), Amber, Blue, Red or White (Flasher Purchased Separately)	236.00
795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom Emitters Section for Pricing	
45795H	Installation of 795H in a 4500 Series Lightbar, No Charge when Purchased with 795H	

Options, Mounting Kits						
For Edge®, Justice® & Lib	erty™ Model/Year/Length	, Available at Time o	f Lightbar Purcha	se ONLY. (Fo	or Mounting Kit Op	otions
and Replacement Strap & N	Nounting Kits, See Replac	ement Parts, Mounti	ng Kits & Strap K	its).		

Chevrolet, w	ith Lightbar Purchase Only.	
MKEA81	Caprice / 2011-2012 / 43"-44"	73.00
MKEZ81	Caprice / 2011-2012 / 44" - 48"	55.00
MKEZ63	Colorado Pickup / 2004-2011 / 48"	55.00
MKEZ45	GMC 3500 Truck / 1999-2011 / and GMC 2500 / 2003-2011 / 52"-55"	55.00
MKEZ70	Impala / 2006-2012 / 48"-50"	55.00
MKEA70	Impala Low Profile Adjustable / 2006-2012 / 43"-44"	73.00
MKEZ71	RV/Suburban / 2007-2012, Tahoe / 2007-2012 / 52"-55"	55.00
MKAJ71	RV/Suburban / 2007-2012, Tahoe / 2007-2012, Adjustable Leveling Foot /52"-55"	73.00
MKEZ45	Silverado Pickup / 1999-2006 (2007 Classic) / 52"-55"	55.00
MKEZ73	Silverado Pickup / 2007-2011 / 52"-55"	55.00
Chrysler, wit	n Lightbar Purchase Only.	
MKEZ62	Aspen / 2007-2011 / 48"-50"	55.00
MKEZ69	Charger / 2005-2010 / 48"-50"	55.00
MKEZ82	Charger / 2011-2012 / 48"-50"	55.00

T MKEZ	45 Silverado Pickup / 1999-2006 (2007 Classic) / 52"-55"	55.00
MKEZ	73 Silverado Pickup / 2007-2011 / 52"-55"	55.00
Chrys	ller, with Lightbar Purchase Only.	٠
# MKEZ	62 Aspen / 2007-2011 / 48"-50"	55.00
MKEZ	69 Charger / 2005-2010 / 48"-50"	55.00
MKEZ	82 Charger / 2011-2012 / 48"-50"	55.00
MKEA	.84 Charger / 2011-2012 / 43"-44"	73.00
# MKEA	69 Charger Low Profile Adjustable / 2005-2010 / 43"-44"	73.00
MKEZ	62 Dakota / 2005-2011 / 48"-50"	55.00
MKAJ	62 Dakota, Adjustable Leveling Foot / 2005-2011 / 48"-50"	73.00
MKEZ	85 NEW Durango / 48"-50" / 2011-2012	55.00
# MKEZ	62 NEW Durango / 2004-2010 / 48"-50"	55.00
MKAJ	62 NEW Durango, Adjustable Leveling Foot / 2004-2010 / 48"-50"	73.00
MKEZ	62 Jeep Grand Cherokee / 2005-2011 / 54"-55"	55.00
置 MKAJ	Jeep Grand Cherokee, Adjustable Leveling Foot / 2005-2011 / 54"-55"	73.00
MKEZ	58 Ram 1/2 Ton Pickup / 2002-2008 / 52"-55"	55.00
MKEZ	58 Ram 2500/3500 Pickup / 2003-2009 / 52"-55"	55.00
MKEZ	78 Jeep Liberty / 2011 / 43"-44"	55.00
MKEZ	78 Jeep Liberty / 2012 / 48"-50"	55.00
MKEZ	79 RAM 1500-3500 / 2010-2011 / 52"-55"	55.00
MKEZ	86 NEW Ram 1500 / 2012 / 52"- 55"	55.00
MKEZ	80 Jeep Patriot / 2011 / 43"-44"	55.00
Ford,	with Lightbar Purchase Only.	//m mat (a templo) (a templo) (a templo) //m templo)
ii MKEZ	47 Crown Victoria / 1992-2011 / 48"-50"	55.00
MKEA	47 Crown Victoria, Low Profile Adjustable / 1992-2011 / 43"-44"	73.00

- 7	, 1911 1227 0	BOOD EDUCATIVE CO	00.00
	MKEZ79	RAM 1500-3500 / 2010-2011 / 52"-55"	55.00
	MKEZ86	NEW Ram 1500 / 2012 / 52"- 55"	55.00
	MKEZ80	Jeep Patriot / 2011 / 43"-44"	55.00
	Ford, with Ligi	htbar Purchase Only.	***************************************
	MKEZ47	Crown Victoria / 1992-2011 / 48"-50"	55.00
E	MKEA47	Crown Victoria, Low Profile Adjustable / 1992-2011 / 43"-44"	73.00
-	MKEZ67	Escape (Standard Roof Rack Only) / 2001-2011 / 43"-50"	55.00
	MKEZ51	Escape Hybrid / 2005-2012 / 48"-50"	55.00
E	MKEZ38	Excursion, For Edge Series / 2000-2006 / 55"-60"	55.00
Ē	MKEZ74	Expedition (Low Profile Rack Mount) / 2007-2011 / 52"-55"	55.00
E	MKEZ60	Expedition / 2003-2011 / 52"-55"	55.00
	MKEZ55	Explorer / 2002-2010 / 48"-50"	55.00
	MKEZ74	Explorer, Roof Rack Mount / 2011-2012 and 2013 Police Interceptor Utility / 52" -55", Not for Use with Justice Series	55.00
	MKEZ84	Explorer, Roof Rack Mount / 2011-2012 and 2013 Police Interceptor Utility / 43"-50"	55.00
	MKEZ83	Explorer / 2011-2012 and 2013 Police Interceptor Utility / 48"-55"	55.00
	MKEX83	Explorer 2011-2012 and 2013 Police Interceptor Utility / 43"-44" (Not for Use with Roof Rack)	73.00
	MKEZ61L	F-150 / 2004-2010 / 52"-55"	55.00
Ī	MKEZ61	F-150 / 2004-2010 / 60"	55.00
	MKEZ38	F-250/350/450/550 Super-Duty / 1999-2011 / 60", Edge Only	55.00
200		or a community of the contraction of the contraction of the contract of the co	

Ranger / 2006-2011 / 48"-50"

Taurus / 2010-2012 and 2013 Police Interceptor / 43"-44"



MKEZ45

39

MKEA76



55.00

73.00

	DELSLEBT	Delete Brake/Tail/Turn Lights - DEDUCT	48.00
	DELSLEWL	Delete Work Lights - DEDUCT	48.00
	Towman Freed	lom™ Competitor™ Series	
	FLOTAAAA	60" Long, 3 Slide Bolt Mount, Amber	1813.00
	FLETAA	Two Single Level TIR Style LED Lightheads, Factory Installed, Amber	229.00
	FLETKAA	Two Single Level TIR Style LED Lighthead Kits, Customer Installed, Amber	229.00
	DELFLTBT	Delete Brake/Tail/Turn Lights - DEDUCT	48.00
	DELFLTWL	Delete Work Lights - DEDUCT	48.00
	Towman's™ Ju	ustice® Competitor™ Series	
	JF0TAAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber	1491.00
	JF0BAAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber and 6 CON3™ Amber	1756.00
i†	JF0DAAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber with a Five CON3™ Traffic Advisor™, No Work Lights	2092.00
	JDC*	One CON3™, Red, Blue or Amber	99.00
	Towman's Cen	tury™ Series	
	CW0BAAAA	60" Long, 3 Slide Bolts Mounting Brackets, Amber with 4 Amber Inboard Modules	1507.00
	CDT6A	Optional, One Amber TIR6 Inboard Module	67.00
	CEDLXA	NEW One Amber LIN12™ Super-LED®	151.00



4500 Series Surface Mount Lightbars

4500 Plus Super-LED® Build-A-Bar™ Series, Not All Options Available on All Lightbars, 4500B Series is a Build-A-Bar, All Inner Lightheads Purchased Separately.

	ased ocparatory.	
45B52	4500 Series Build-A-Bar™, 52" Long	426.00
† 45B52*	4500 Series Build-A-Bar TM , 52" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	426.00
45B±±	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long	639.00
45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	639.00
45B±±	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long	794.00
45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long, with LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	794.00
45KFL	Interior KKK Front Super-LED® Lighting Package, Includes Two Corner Red, Two 400 Series Red and Two 400 Series White Linear-LEDs	1507.00
45KRL	Interior KKK Rear Super-LED® Lighting Package, Includes Two Corner Red, Two 400 Series Red, Two 400 Series Amber Linear-LEDs and Halogen Load Lights	1606.00
45DLOUTA	Delete Outboard Two Amber ICC Lights Only	
45DLOUTR	Delete Outboard Two Red ICC Lights Only	
45DLCNTA	Delete Center Amber ICC Light Only	
45DLCNTR	Delete Center Red ICC Light Only	
45CL*	Add One Single Color Corner Linear-LED' Lighthead, Amber, Blue, Red or White	260.00
45FL*	Add One Single Color 400 Series Linear-LED' Lighthead, Amber, Blue, Red or White	236.00
45ADL8*	Add One Single Color 700 Series Super-LED® Lighthead (Flashing), Red, Blue or Amber	236.00
45ADLS8*	Add One Single Color 700 Series Super-LED® Lighthead (Steady), Amber, Blue, Red or White (Flasher Purchased Separately)	236.00
45LFLASH	Add One Internal Flasher & Harness Only, For up to Two 400 or 700 Series Linear-LED' Super- LED® Lightheads	88.00
45TA	Super-LED® Traffic Advisor™ and Halogen Load Light Upgrade, for use with 4500B Series 82" or Larger	1737.00
795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom™ Emitters Section for Pricing	
45795H	Installation of 795H in a 4500 Series Lightbar, No Charge when Purchased with 795H	

4500 Plus Build-A-Bar™ Series, Not All Options Available on All Lightbars. 4500B Series is a Build-A-Bar, All Inner Lightheads

Purchased Sep	parately.	ini icaos
45B±±	4500 Series Build-A-Bar™, ±± Insert Length 38" or 44"Long	328.00
45B52	4500 Series Build-A-Bar™, 52" Long	426.00
45B52*	4500 Series Build-A-Bar™, 52" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	426.00
45B±±	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76"Long	639.00
45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	639.00
45B±±	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long	794.00
45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90"Long, with LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	794.00
45KFS	Interior KKK Front Strobe Lighting Package, Includes Three Strobes	300.00
45KRS	Interior KKK Rear Strobe Lighting Package, Includes Three Strobes and Two Load Lights	413.00
45KFH	Interior KKK Front Halogen Lighting Package, Includes Three Halogen Modules	267.00
## 45KRH	Interior KKK Rear Halogen Lighting Package, Includes Three Halogen Modules and Two Load Lights	369.00
45LRLOAD	Add a Pair of Triple (6 LR11's total) LR11 Super-LED® Load Lights (Replaces 45MRLOAD)	442.00
45ALOAD	Add Two Load Lights	115.00
All models are 12 Volt D	C prily unless otherwise noted above. For other voltages contact factory	



and later the party of the same



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL Justice® "JE"	DESCRIPTION Competitor™ Series Super-LED®, Includes Four Corner Linear-LED® Modules with 6 Super-LED®s P	LIST er Module.
JE4****	44" 4 Amber, Blue, Red and/or White	980.00
JE8****	50.125" 4 Amber, Blue, Red and/or White	1063.00
JE2****	56.25" 4 Amber, Blue, Red and/or White	1144.00
JE0****	NEW 62.375" 4 Amber, Blue, Red and/or White	1238.00
Justice® Com	petitor™ Series Options	
JDC*	One CON3™, Amber, Blue, Red or White	99.00
JDH*	One LTR3™, for Use in Center Section Only, Amber, Blue, Red or White	99.00
JDL*	One LIN6™, Amber, Blue, Red and/or White	159.00
JHALF1	Two LR11 Super-LED Steady-Burn Alley Lights with 15° Horizontal Adjustment (Replaces JHALM1)	175.00
JHTLS2	Two LR11 Super-LED Steady-Burn Take-Down Lights with 15° Horizontal Adjustment (Replaces JHTDM1)	175.00
JHCTLS1	Two LR11 Super-LED Center-Mounted Steady-Burn Take-Down Lights with 15° Horizontal Adjustment for two center sections (Replaces JHCTDM1)	175.00
JHCTLS1D	One Dual LR11 Super-LED® Take-Down Light, for Single Center Section, with 15° Horizontal Adjustment	175.00
JHTDALL1	Four LR11 Super-LEDs, Two Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment (Replaces JHTDAL)	273.00
JHCTAL1	Four LR11 Super-LED®, Two Center-Mounted Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment for two center sections (Replaces JHCTDAL)	273.00
JHCTAL1D	Four LR11 Super-LED®, One Dual LR11 Center-Mounted Steady-Burn Take-Down Light, for Single Center Section and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment	273.00
JHFLASH	Flasher for Flashing Take-Down or Flashing Work Lights, Please Specify	111.00
JHBTTLED	Two LED Brake/Tail/Turn Lights	264.00
JTACNTL	Traffic Advisor™, Includes Internal and External Harness and TACTLD1, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	545.00
JTACBL	Traffic Advisor™ Internal and External Harness, for use with CCSRNTA3, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	220.00
JDSCBL	Driver Side Cable Exit, in Place of Passenger Side	
DELCSPCP	Delete WeCan Control Point, for use with Justice Competitor Series Plus Lightbars Only - DEDUCT	39.00
JBULK18	Bulk Package of 18 Justice® Series Lightbars, In Place of Standard Individually Boxed Lightbars- DEDUCT	60.00

Century™ El	ite Series LED Lightbars, Includes Four Corner Linear-LED® Modules.	
CE4****	NEW 44", 4 Amber, Red, Blue or White	864.0
CE8****	NEW 50", 4 Amber, Red, Blue or White	940.0
Century™ El	ite Series Options	
CEDLX*	NEW One LIN12™ LED Amber, Red, Blue or White	151.0
CETAT8	NEW Eight TIR Lamp Amber LED Traffic Advisor™, Requires No Special Control Head, For CE4, 44", Models Only	534.0
CETAL5	NEW Five LED Lamp Amber Linear-LED® Traffic Advisor™, Requires No Special Control Head, For CE8, 50″, Models Only	753.0
CTLS1	NEW Two LR11 LED Take Down Lights	111.0
CALF1	NEW Two LR11 LED Alley Lights	111.0

112.700		
inter in		
Tr. rn		
100		
124.70		

		trobe Series Lightbars er Side Exit 15' Cable		
	Towman's™ 9I	M Series, All Models Include LED Brake/Tail/Turn, Work Lights and Scan-Lock™.		
	9M140W00	60" Includes One Power Supply and Four Strobes (2Front/2Rear)		1443.00
	Towman's™ 9l	M Series Options		
	9MH2**	Two Halogen Lights, Includes Flasher with Steady-Burn Priority Mode		186.00
******	9MH4****	Four Halogen Lights, Includes Flasher with Steady-Burn Priority Mode for One Set of Lights		260.00
	DEL9MWL	Delete Rear Facing Halogen Work Lights (Required if using a TA9M06) - DEDUCT		48.00
	DEL9MSTP	Delete Brake/Tail/Turn Lights (Required if using a TA9M06) - DEDUCT	.,,	48.00



Towman's™ Super-LED® Series Lightbars Individual Control of Front and/or Rear Lightheads. All Models Include 4 Corner Amber Linear-LED® Modules, Halogen Work Lights, LED Brake/Tail/Turn Lights.

Militaria - Militaria Militaria in Militaria		
Towman's™ Libe	rty™ Competitor™ Series	
SLOTAAAA	60 " Long, 4 Slide Bolt Mounting Brackets, Amber	1742.00
SLEAA	Two Linear-LED' Lightheads, Factory Installed, Amber	205.00
 SLTTALN6	Six Lamp Linear-LED' Traffic Advisor™ with TACTLD1, Requires Deletion of Work Lights or	731.00
	Brake/Tail/Turn Lights	
SLETKAA	Two Linear-LED' Lighthead Kit, Customer Installed, Amber	205.00



S344	43.125"	5882.00
S384	48.5'	6182.00
S324	54"	6182.00
Liberty TRIO (Options	
SUB44STD	Substitute a Single High Intensity Take-Down Light for the Single Dual LR11 Take-down, 44" TRIO Lightbars Only	136.00
SUBDLR11	Substitute Two Dual LR11 Take-Down Lights for Two Single LR11 Take-down Lights, 48" and 54" TRIO Lightbars Only	118.00
SUBTDLED	Substitute Two Super High Intensity Take-Down Lights for Two Single LR11 Take-down Lights, 48" and 54" TRIO Lightbars Only	269.00

Justice® Super-LED® WeCan® Series Lightbars
Black Base with Clear Outer Lenses Standard. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable
Exit (For Mounting Ontions, See Ontional Edge®, Justice® and Liberty™ Mounting Kits)
Exit. (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Justice	B JV WeCan® Series Super-LED®, Includes Four Corner Linear-LED® Modules with 9 Super-LED®s Per Mod	dule.
JV4****	44" 4 Amber, Blue, Red and/or White	1414.00
JV8****	50.125" 4 Amber, Blue, Red and/or White	1480.00
JV2****	56.25" 4 Amber, Blue, Red and/or White	1552.00
JV0****	NEW 62.375" 4 Amber, Blue, Red and/or White	1646.00
	D JY WeCan® Series Super-LED®, Includes Four Corner Linear-LED® Modules with 6 Super-LED®s Per Mod	lule.
JY4****	44" 4 Amber, Blue, Red and/or White	1306.00
JY8****	50.125" 4 Amber, Blue, Red and/or White	1372.00
JY2****	56.25" 4 Amber, Blue, Red and/or White	1444.00
JY0****	NEW 62.375" 4 Amber, Blue, Red and/or White	1541.00
Justice	® WeCan® Series Options	
JDC*	One CON3™, Amber, Blue, Red or White	99.00
JDH*	One LTR3™, for Use in Center Section Only, Red, Blue or Amber	99.00
JDL*	One LIN6™, Amber, Amber, Blue, Red or White	159.00
JDL#	One DUO™ LIN6™, Red/Amber or Blue/Amber, For use in Rear of Bar as a DUO™ Traffic Advisor	168.00
JTLS1	Two LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment	111.00
JALF1	Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment	111.00
JDLF**	Two Red, Blue and/or Amber Flashing LR11 Super-LED® Modules in Alley Light Positions, with 15° Horizontal Adjustment	220.00
JCTLS1	One LR11 Super-LED® Flashing Take-Down Light, for Single Center Section, with 15° Horizontal Adjustment	. 66.00
JCTLS1	Adjustment	111.00
JCTLS1	Horizontal Adjustment	111.00
JTDLED		220.00
JWLLED		220.00
JXALF1	Two Super-LED® External Alley Lights, for Standard End Section	296.00
JXALF**	End Section	234.00
JBTTLE		187.00
JTA2W	Two Wire Control Traffic Advisor™, Standard Feature if Appropriate Number of Lightheads are Purchased	
JTACNT	Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	545.00
JTACBL	Traffic Advisor™ Includes Internal and External Harness, for use with CCSRNTA3, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	220.00
WCC9S	Purchased with WeCan JV & JY Series Lightbars Only, Add	159.00
DELWC	CP Delete WeCan Control Point, for use with JV and JY Series Only - DEDUCT	39.00
JDSCBL	Driver Side Cable Exit, in Place of Passenger Side	
JBULK1	Bulk Package of 18 Justice® Series Lightbars, In Place of Standard Individually Boxed Lightbars- DEDUCT	60.00
	DEDUGI	

Justice® Super-LED® Competitor™ S	eries Lightbars	
Black Base with Clear Outer Lenses Sta	andard. Standard Current Switching with Sci	an-Lock™ Flash Patterns, Pattern Override
	ar Maunting Ontions, See Ontional Edge®	

= Mode and Fa	issenger Side Cable Exit. (For Mounting Options, See Optional Edge®, Justice® and Liberty ™ Mounting K	is).
Justice® "J	C" Competitor™ Series Super-LED®, Includes Four Corner Linear-LED® Modules with 9 Super-LED®s F	Per Module.
JC4****	44" 4 Amber, Blue, Red and/or White	1088.00
: JC8****	50.125" 4 Amber, Blue, Red and/or White	1172.00
JC2****	56.25" 4 Amber, Blue, Red and/or White	1253.00
JC0****	NEW 62.375" 4 Amber, Blue, Red and/or White	1349.00







No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	MODEL	DESCRIPTION	LIST
世	SLX§§§§0	Six Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace Symbol § with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. Driver Side Warning Lights Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard Warning For SX Series Only	1042.00
Ħ	SLY§§§§0	Five Linear Super-LED® Split Traffic Advisor™, Includes Control Head, Replace Symbol § with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max, For Low Current Series Only, Do Not Use on WeCan® Series	1224.00
Ħ	SLZ§§§§0	Six Linear Super-LED® Split Traffic Advisor™, Includes Control Head, Replace Symbol § with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max, For Low Current Series Only, Do Not Use on WeCan® Series	1388.00
iři	SPW§§§§0	Five DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "§" with Number of Warning LED Colors, Order Red/Blue/Amber, 5 Max. For SY & SZ Series Only	1480.00
ï	SPX§§§0	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "§" with Number of Warning LED Colors, Order Red/Blue/Amber, 6 Max. For SY & SZ Series Only	1776.00
Ħ	SPY§§§§0	Five DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "§" with Number of Warning LED Colors, Order Red/Blue/Amber, 5 Max. For WeCan® Models Only	1480.00
	SPZ§§§§0	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Warning LED Colors, Order Red/Blue/Amber, 6 Max. For WeCan® Models Only	1776.00
	DELDTACP	Delete WeCan Control Point, for use with SPZ DUO Traffic Advisor Option Only - DEDUCT	39.00
:	DELDUOCP	Delete WeCan Control Point, for use with SB Series Lightbars Only - DEDUCT	39.00
	DELWCCP	Delete WeCan Control Point, for use with SW, SV and SR Series Only - DEDUCT	39.00
	DELTALD1	Delete TACTALD1 from 6-8 Light LED Traffic Advisor™ - DEDUCT	100.00
	WCC9SUB	Substitute WCC9 WeCan® Controller for WeCan Electronic Control Point Module. When Purchased with WeCan SW & SR Series Lightbars Only, (Not for use with DUO™ Lightbars, including DUO Traffic Advisors™) Add	159.00
	SLXXPAT	Criss/Cross Flash Pattern of End Linear-LED's, For SX Series Only, Do Not Use on SW Series	132.00
Ħ	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom Emitters Section for Pricing	
Ħ	SX795H	Installation (Pre-wired) of 795H in a Liberty™ Series Lightbar, No Charge when Purchased with 795H	
iii	SX795HLR	Two LR11 Super-LED® Flashing Take-Down Lights and Installation (Pre-wired) of 795H (795H Purchased Separately), Center Mount Option Only When Purchased with Liberty™ Lightbars	269.00
ij	SX795L**	Two LR11 Super-LED® Flashing Lights (Red/Blue and/or Amber) and Installation of 795H (795H Purchased Separately), Center Mount Option Only, When Purchased with Liberty™ Lightbars	220.00
ii	SZDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For SY and SZ Duo™ Lightbars Only	61.00
iii	SWDSCBL	Driver Side Cable Exit, Includes 20' Power Cable and Control Cable, For WewCan® Series Only, Do Not Use on Low Current Series	61.00
Ħ	SLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For Low Current Series Only, Do Not Use on WeCan® Series	52.00
Ħ	WCQDPLUG	Quick Disconnect Plug for WeCan® Lightbars Only	373.00
ļ	SLPHOTO	Photo Cell Option for Hi/Low Power, For SY, SZ, SP and SX Series Only	43.00
Elifornia en esta de la compansión de la	SWPHOTO	Photo Cell Option for Hi/Low Power, WeCan Series Lightbars only.	43.00
Ħ.	SOLARPNL	Solar Panel to Reduce Parasitic Draw. For LC (Low Current) Lightbars with Passenger Side Cable Exit	653.00
	SOLARPWC	Solar Panel to Reduce Parasitic Draw. For WeCan® Lightbars with Passenger Side Cable Exit	653.00
	SXBULK18	Bulk Package of 18 LFL Liberty™ Series Lightbars, In Place of Standard Individually Boxed Lightbars - DEDUCT	60.00

Liberty TRIO Series Super-LED Lightbars
Includes Four Corner 3-Color Modules, LR11 Alley Lights and Clear Lenses. 44" Lightbar Offers Nine 3-Color Inboard Modules and a Single Dual LR11 Take-Down Light. 48" and 52" Lightbars Offers Ten 3-Color Inboard Modules and Two Single LR11 Take-Down Lights.

TRIO1 WeC	an Series Super-LED Lightbars, Red	and Blue Warning with White Illumination
S341	43.125"	5675.00
S381	48.5"	5975.00
S321	54"	5975.00
TRIO2 WeC	an Series Super-LED Lightbars, Rec	and Blue Warning with Amber Traffic Advisor™ and White Illumination
S342	43.125"	5675.00
S382	48.5"	5975.00
S322	54"	5975.00
TRIO3 WeC	an Series Super-LED Lightbars, Red	and Blue Warning with Green Command Corners and White Illumination Inboard
S343	43.125"	5882.00
S383	48.5"	6182.00
S323	54"	6182.00

SB4####	43.125", Split Color Corners, 4 Amber, Blue, Red or White	2130.00	
SB8####	48.5", 4 Split Color Corners Amber, Blue, Red or White	2130.00	
SB2####	54", 4 Split Color Corners Amber, Blue, Red or White	2130.00	•
Liberty™ SR	NeCan® Series Super-LED®, Includes Four Extra High Intensity Extended Corner Modules with Indepe		
Each Lighthea SR4****	d 43.125", 4 Amber, Blue, Red and/or White	1005.00	
SR8****	45.125 , 4 Amber, Blue, Red and/or White	1835.00	
SR2****	54", 4 Amber, Blue, Red and/or White	1835.00	
	WeCan® Series Super-LED, Includes Four Extended Corner Linear-LED® Modules with Independent C	1835.00	
Lighthead.	Wecamo Series Super-LED, includes Four Extended Contel Linear-LED® Modules with Independent C	ontrol of Each	
SW4****	43.125", 4 Amber, Blue, Red and/or White	1624.00	LETERAL
SW8****	48.50", 4 Amber, Blue, Red and/or White	1624.00	
SW2****	54", 4 Amber, Blue, Red and/or White	1624.00	
Liberty™ SY 5 Modules	eries Super-LED®, Includes Four Extended Corner Linear-LED Modules for use with Optional Duo™ C	olor Inboard	
SY4****	43.125", 4 Amber, Blue, Red and/or White	1761.00	LHIBBAT
SY8****	48.5", 4 Amber, Blue, Red and/or White	1761.00	-
SY2****.	54", 4 Amber, Blue, Red and/or White	1761.00	
	ingle Color Series Super-LED®, Includes Four Extra High Intensity Single Color Extended Corner Line		
	e with Optional Duo™ Color Inboard Modules	ai-LLDe .	
SZ4****	43.125", 4 Amber, Blue, Red and/or White	1973.00	i gita mari
SZ8****	48.5", 4 Amber, Blue, Red and/or White	1973.00	*
SZ2****	54", 4 Amber, Blue, Red and/or White	1973.00	
	uo Color Series Super-LED®, Includes Four Extra High Intensity Extended Duo Color Corner Linear-Li		
use with Option	al Duo™ Color Inboard Modules		
SZ4####	43.125", Split Color Corners, 4 Amber, Blue, Red and/or White	2026.00	
SZ8####	48.5", Split Color Corners, 4 Amber, Blue, Red and/or White	2026.00	
SZ2####	54", Split Color Corners, 4 Amber, Blue, Red and/or White	2026.00	
	eries Super-LED®, Includes Four Extra High Intensity Extended Corner Modules		
SP4****	43.125", 4 Amber, Blue, Red and/or White	1732.00	JULEMAN
SP8****	48.5", 4 Amber, Blue, Red and/or White	1732.00	
SP2****	54", 4 Amber, Blue, Red and/or White	1732.00	
	eries Super-LED®, Includes Four Extended Corner Linear-LED® Modules.		
SX4****	43.125", 4 Amber, Blue, Red and/or White	1521.00	
SX8****	48.50", 4 Amber, Blue, Red and/or White	1521.00	
SX2****	54", 4 Amber, Blue, Red and/or White	1521.00	
_iberty™ Serie			•
SLD**	Two Amber, Blue, Red and/or White, Inboard Super-LED® Directional Lightheads	330.00	
SLZ#	One Duo [™] Color Inboard Super-LED® Directional Lighthead, Amber, Blue, Red and/or White, For	297.00	
SALUED	SA, SB, SY and SZ Series Only	000.00	
SXTDLED SXWLLED	Two Super High Intensity LED Take-Down Lights Two Super High Intensity LED Work Lights	392.00	
SRALF1	Two Super High Intensity LED Work Lights Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment, for Liberty Series	392.00	
INALE I	without Screw Holes in the Top, SW, SR, SY and SZ only	125.00	
SPALF1	Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment, for Liberty Series	125.00	
n ALI I	without Screw Holes in the Top, SP, SX and SL Series Only	125.00	
SXTLS1	Two LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment	125.00	
XTLS1D	Two Dual LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment	223.00	
XTLS1D*	Two Dual ERT1 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment & One Linear-	429.00	
	LED', Amber, Blue or Red, Center Option Only, Clear Outer Lens	423.00	
SWBTTLED	Two LED Brake/Tail/Turn Lights for SW Series Only, Do Not Use with SX Series	182.00	
SLTALN5L	Five Linear-LED' Traffic Advisor, Requires No Special Control Head	813.00	
SLTALN6L	Six Linear-LED' Traffic Advisor, Requires No Special Control Head	975.00	
LTALN5	Five Linear Super-LED® Traffic Advisor™, Includes Control Head, For Low Current Series Only,	1170.00	
	Do Not Use on WeCan® Series		
LTALN6	Six Linear Super-LED® Traffic Advisor™, Includes Control Head, For Low Current Series Only, Do Not Use on WeCan® Series	1332.00	
02222/4/4/2	de Commente de la comprese del la comprese de la comprese de la comprese del la comprese de la comprese della comprese de la comprese della c	960.00	
3WW§§§§0	Five Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace	869.00	İ
	Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For WeCan® Series Only	:	
WX§§§§0	Six Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace	1042.00	
22220	Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For	1042.00	
	WeCan® Series Only		
LW§§§§0	Five Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace	1042.00	
	Symbol § with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. Driver Side	1074.00	
	Warning Lights Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard		

Warning For SX Series Only

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

† (to be discontinued, check availability)

| Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green | Green |



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

1 - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	MODEL	DESCRIPTION	LIST
	FLH2CC	Two Halogen Flashing Take-Down Lights	160.00
3	FLALY	Two Halogen Flashing Alley Lights for FL or FV Series Only, Do Not Use with FC, FX or FW Series	96.00
	FLWL2	Two Halogen Work Lights, DO NOT Use with FC Series Lightbars	160.00
	FWBTTLED	Two LED Brake/Tail/Turn Lights for FV or FW Series Only, Do Not Use With FC, FL or FX Series	250.00
	FLCRUZ**	Four LED Cruise Lights, Amber, Blue, White and/or Red for FL Series Only, Do Not Use with FX, FV or FW Series	178.00
	FLTALN5	Five Linear Super-LED® Traffic Advisor™, Includes Control Head	1260.00
	FLTALN6	Six Linear Super-LED® Traffic Advisor™, Includes Control Head	1491.00
	FLTALN5L	Five Linear Super-LED® Traffic Advisor™, Two Wire Control, Requires No Special Control Head	1121.00
	FLTALN6L	Six Linear Super-LED® Traffic Advisor™, Two Wire Control, Requires No Special Control Head	1343.00
	FCW§§§§0	Five Linear Super-LED®, Duplex Traffic Advisor™ Requires No Special Control Head, Replace Symbol "§" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For FC Series Only	1178.00
and the control of	FCX§§§§0	Six Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol "§" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For FC Series Only	1410.00
	FLW§§§§0	Five Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol § with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For FW & FV Series Only	1178.00
	FLX§§§§0	Six Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol "§" with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For FW & FV Series Only	1410.00
	FLY§§§§0	Five Linear Super-LED® Duplex Traffic Advisor™, Includes Control Head, Replace Symbol § with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 5 Max ADD	1319.00
	FLZ§§§§0	Six Linear Super-LED® Duplex Traffic Advisor™, Includes Control Head, Replace Symbol § with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 6 Max ADD	1549.00
	DELWCCP	Delete WeCan Control Point, for use with FC, FW and FV Series Only - DEDUCT	39.00
	WCC9SUB	Substitute WCC9 WeCan® Controller for WeCan Electronic Control Point Module. When Purchased with WeCan FC, FW & FV Series Lightbars Only, (Not for use with DUO™ Lightbar) Add	159.00
	DELTALD1	Delete TACTALD1 from 6-8 Light LED Traffic Advisor™ - DEDUCT	100:00
	FLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For FL or FX Series Only	52.00
	FWDSCBL	Driver Side Cable Exit, Includes 20' Power and Ground Cable, For FV or FW Series Only, Do Not Use on FL or FX Series	61.00
<u>††_</u>	FCDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For FC Series Only	61.00
	WCQDPLUG	Quick Disconnect Plug for WeCan® Lightbars Only	373.00
	9LLTH	Custom Length up to 82" (Insert Required Length in Model # 60", 66", 72", 77", or 82") - ADD	290.00
	9LLTH	Custom Length 88"+ (Insert Required Length in Model # 88", 93", or 98") - ADD	399.00
	FLBULK18	Bulk Package of 18 Edge® Ultra Freedom® Series Lightbars, In Place of Standard Individually Boxed Lightbars - DEDUCT	60.00
††	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom™ Emitters Section for Pricing	
iii	FX795H	Installation (Pre-wired) of 795H in a Freedom™ Lightbar, No Charge when Purchased with 795H, Center Mount Option Only	
††	FX795HLR	Two LR11 Super-LED® Flashing Take-Down Lights and Installation (Pre-wired) of 795H (795H Purchased Separately), Center Mount Option Only When Purchased with Freedom™ Lightbar	269.00
fi	FX795L**	Two LR11 Super-LED® Flashing Lights (Red/Blue and/or Amber) and Installation of 795H (795H Purchased Separately), Center Mount Option Only, When Purchased with Freedom™ Lightbars	220.00
tt	PF_#LB#	Pioneer™ Lightbar Mount. Refer to Pioneer Series & Pioneer Plus™ Series Lightbar Mount for Models and Pricing	
iii	SOLARPNL	Solar Panel to Reduce Parasitic Draw. For LC (Low Current) Lightbars with Passenger Side Cable Exit	653.00
	SOLARPWC	Solar Panel to Reduce Parasitic Draw. For WeCan® Lightbars with Passenger Side Cable Exit	653.00

Liberty™ Super-LED® Series Lightbars
Clear Outer Lens and Clear Dividers. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable Exit (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Liberty SA W Inboard Modu	leCan® Series Super-LED®, Includes Four Extended Corner Linear-LED Mode	ules for use with Optional Duo™ Color
SA4***	43.125", 4 Amber, Blue, Red and/or White	1865.00
SA8****	48.5", 4 Amber, Blue, Red and/or White	1865.00
SA2****	54", 4 Amber, Blue, Red and/or White	1865.00
•	/eCan® Single Color Series Super-LED®, Includes Four Extra High Intensity Se with Optional Duo™ Color Inboard modules.	Single Color Extended Corner Linear-LE
•		Single Color Extended Corner Linear-LE
Modules for u	se with Optional Duo™ Color Inboard modules.	•

	IZ35LR86	Dodge Charger, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers	1145.00
	IZ35LRZ	Dodge Charger, 2011-2012, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor	1427.00
	IZ35LRZ6	Dodge Charger, 2011-2012, Six Lamp Traffic Advisor with Four End Flashers	1439.00
	IZ35LRZ8	Dodge Charger, 2011-2012, Eight Lamp Traffic Advisor with Two End Flashers	1439.00
	IZ38LR8	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor	1133.00
-	IZ38LR86	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, 2011, Six Lamp Traffic Advisor with 2 End Flashers	1145.00
	IZ38LRZ	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor	1427.00
	IZ38LRZ6	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Six Lamp Traffic Advisor with Four End Flashers	1439.00
-	IZ38LRZ8	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Eight Lamp Traffic Advisor with Two End Flashers	1439.00
	IZP§§§§0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthead, No Charge When Ordered with Inner Edge®	

20	т	\mathbf{a}	7	П	10
arrive)	3459	SAME.	BEARIN	C.	Gir.

Outer Edge® Rear Facing Upper Exterior Mount Super-LED® Lightbar Series, For Chevy Tahoe/Suburban, 2008-2012, Eight

Lamp. Replace §	with Number of Color LEDs Required. Order of colors are Red, Blue, Amber or White.	
OE13UR8	Eight Linear-LED' Modules, Two Piece, Programmable for Warning or 8 Lamp Traffic Advisor™	1268.00
OE13UR8T	Eight Linear-LED' Modules, Six Lamp Traffic Advisor™ with Two End Flashers, Two Piece	1289.00
OZP§§§§0	Eight Super-LED® Linear Modules, No Charge When Ordered with Outer Edge. Replace symbol	
	(§) in Model Number of Each Color LED Lighthead Desired, Order of Colors are Red, Blue, Amber	
	& White	

Outer Edge® Rear Pillar, Exterior Mount Super-LED® Lightbar Series, For Chevy Tahoe, 2010-2012, Eight Lamps, Replace symbol § with number of color LEDs required. Order of colors are Red, Blue, Amber or White

3	nade of the control of the cont	
RP13**	Rear Pillar Outer Edge®, insert colors of the two Vertex's.	1268.00
RP§§§00	Six Super-LED Linear Modules, no charge when ordered with the Rear Pillar Outer Edge®. Insert	1
	the colors of the six Linear Lighthead.	



Clear Outer Lens and Clear Dividers. Insert the Split Color or Single Color Required. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable Exit (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Edge® Ultra	a Freedom™ II FC Series Super-LED® Lightbars, Includes Four Extended Corner Over/Under Linear Sup	er-LED
Modules with	h Independent Control of Upper and Lower Levels of Each Lighthead.	
FC4####	44.375", Amber, Blue, Red and/or White Split or Single Color Combinations	2372.00
FC8####	49.75", Amber, Blue, Red and/or White Split or Single Color Combinations	2372.00

55", Amber, Blue, Red and/or White Split or Single Color Combinations FC2#### 2372.00 Edge® Ultra Freedom™ FW WeCan® Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® Modules with Independent Control of Each Lighthead

with threbetine if	Somior of Each Eighthead.	
FW4****	43.375", 4 Amber, Blue, Red and/or White	1875.00
FW8****	49.75", 4 Amber, Blue, Red and/or White	1875.00
FW2****	55", 4 Amber, Amber, Blue, Red and/or White	1875.00

undeheuneur	Sollion of Each Eighthead.		
FV4****	43.375", 4 Amber, Blue, Red and/or White	1676.00	
FV8****	49.75", 4 Amber, Blue, Red and/or White	1676.00	
FV2****	55", 4 Amber, Blue, Red and/or White	1676.00	
Edge® Ultra Freedom™ FX Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® Modules.			

Edge® Ultra Fr	eedom™ FX Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® N	lodule	S.
FX4****	43.375", 4 Amber, Blue, Red and/or White		1771.00
FX8****	49.75", 4 Amber, Blue, Red and/or White		1771.00
FX2****	55" 4 Amber Blue Red and/or White		1771 00

	FW4****	43.375", 4 Amber, Blue, Red and/or White	1875.00
	FW8****	49.75", 4 Amber, Blue, Red and/or White	1875.00
	FW2****	55", 4 Amber, Amber, Blue, Red and/or White	1875.00
	Edge® Ultra	Freedom™ FV WeCan® Series Super-LED® Lightbars, Includes Four Corner Linear Super-LED® Mo	odules with
	Independent	Control of Each Lighthead.	
	FV4****	43.375", 4 Amber, Blue, Red and/or White	1676.00
	FV8****	49.75", 4 Amber, Blue, Red and/or White	1676.00
	FV2****	55", 4 Amber, Blue, Red and/or White	1676.00
Va. 12.00	Edge® Ultra	Freedom™ FX Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® Mo	odules.
	FX4****	43.375", 4 Amber, Blue, Red and/or White	1771.00
	FX8****	49.75", 4 Amber, Blue, Red and/or White	1771.00
	FX2****	55", 4 Amber, Blue, Red and/or White	1771.00
77	Edge® Ultra	Freedom™ FL Series Super-LED® Lightbars, Includes Two Front Corner Linear Super-LED® Module	s.
	FL4**00	44.375", 2 Corner Super-LEDs Amber, Blue, Red or White	1225.00
1.000000	FL8**00	49.75", 2 Corner Super-LEDs Amber, Blue, Red or White	1225.00
	FL2**00	55", 2 Corner Super-LEDs Amber, Blue, Red or White	1225.00
******	Edge® Ultra	Freedom™ FL Series Super-LED® Lightbars, Includes Four Corner Linear Super-LED® Modules.	
	FL4****	44.375", 4 Amber, Blue, Red and/or White	1572.00
	FL8****	49.75", 4 Amber, Blue, Red and/or White	1572.00
	FL2****	55", 4 Amber, Blue, Red and/or White	1572.00
	Edge® Ultra	Freedom™ Series Options	
	FLD**	2 Amber, Blue, Red and/or White, Inboard Directional Super-LED® Lightheads	454.00
,	FLD##	2 (4 Duplex) Amber, Blue, Red and/or White Split-Color Combination, Inboard Super-LED®	476.00
		Martin For Continuous	

Edge® Ultra Free	dom™ Series Options	
FL2****	55", 4 Amber, Blue, Red and/or White	1572.00
FL8****	49.75", 4 Amber, Blue, Red and/or White	1572.00
FL4****	44.3/5", 4 Amber, Blue, Red and/or White	1572.00

Lugeo oitia i	rection deries options	
FLD**	2 Amber, Blue, Red and/or White, Inboard Directional Super-LED® Lightheads	454.00
FLD##	2 (4 Duplex) Amber, Blue, Red and/or White Split-Color Combination, Inboard Super-LED®	476.00
	Module, for FC Series Only	
FXALF1	Two I R11 Super-I FD® Flashing Alley Lights, with 15" Horizontal Adjustment	149 00

FXTLS1	Two LR11 Super-LED® Flashing Take Down Lights, with 15' Horizontal Adjustment	149.00
FXTLS1D	Two Dual LR11 Super-LED® Flashing Take-Down Lights, with 15° Horizontal Adjustment	370.00
	(Replaces FLTDLED)	
FXALF1D	Two Dual LR11 Super-LED® Flashing Alley Lights, with 15° Horizontal Adjustment	370.00

FXALF1D Two Dual LR11 Super-LED® Flashing Alley Lights, with 15° Horizontal Adjustment All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory. * Replace symbol in mode\number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

! Indicate length desired: 5foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

















[#] Replace symbol in mode number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear † (to be discontinued, che & availability) 📓 (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber



No. PL13.0WL

DESCRIPTION

MODEL

IZ19UFZ

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

LIST

1247.00

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

Ford Fusion, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and

- 1	IZ19UFZ	Ford Fusion, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1247.00
	17041 157	Passenger Side Units (No Take-Downs) Ford Expedition, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-	1462.00
	IZ31UFZ	Downs	
	IZ31UFX	Ford Expedition, 2011-2012, Twelve 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-	1506.00
	17001 1545	Downs Ford Taurus 2011-2012 and Police Interceptor 2013, Four 6-LED Lamps, Upper Front Passenger	669.00
	IZ38UF4P	Side Unit Only, with One LED Flashing/Take-Down	
i i	IZ38UF5P	Ford Taurus 2011-2012 and Police Interceptor 2013, Five 6-LED Lamps, Upper Front Passenger Side Unit Only, (No LED Take-Down)	669.00
	IZ38UF8	Ford Taurus 2011-2012 and Police Interceptor 2013, Eight 6-LED Lamps, Upper Front Unit, Two	1247.00
	1230010	Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in	
	17201157	Each Housing) Ford Taurus 2011-2012 and Police Interceptor 2013, Ten 6-LED Lamps, Upper Front Unit, Two	1247.00
	IZ38UFZ	Piece, Individual Driver and Passenger Side Units (No Take-Downs)	
	IZP§§§§0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthead, No Charge When	
	Innar Edgo® Low	Ordered with Inner Edge® Profile 6-LED Upper Front Series with See-Through Mirrored Shroud on Driver's Side Housing	Only, Super
	I ED@ Lighthoods	Includes Low Power, Scan-Lock™ Flash Patterns and Mounting Hardware, Standard. Red, Blue, Amb	er or White.
	IM06UF8	Chevy Impala, 2005-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1426.00
	IMOOOI O	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) and See- Through Mirrored Shroud on Driver's Side Only	
	IM06UFZ	Chevy Impala, 2005-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1426.00
	IMIOOOI &	Passenger Side Units (No Take-Down), with See-Through Mirrored Shroud on Driver's Side Only	
	IM13UF8	Chevy Silverado, 2008-2011, Suburban/Tahoe, 2007-2012, Two Piece, Eight 6-LED Lamps,	1426.00
		Upper Front Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-	
	1844-21-10-7	Downs (One in Each Housing) Chevy Silverado, 2008-2011, Suburban/Tahoe, 2007-2012, Ten 6-LED Lamps, Upper Front Unit,	1426.00
	IM13UFZ	Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	, ,_,,,
	IM35UF8	Dodge Charger, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1426.00
	ANIOUCI U	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) and See-	2.5
		Through Mirrored Shroud on Driver's Side Only	
	IM35UFZ	Dodge Charger, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1426.00
		and Passenger Side Units (No Take-Down), with See-Through Mirrored Shroud on Driver's Side	
		Only	1426.00
	IM38UF8	Ford Taurus 2011-2012 and Police Interceptor 2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in	1420.00
		Each Housing) and See-Through Mirrored Shroud on Driver's Side Only	
	IM38UFZ	Ford Taurus 2011-2012 and Police Interceptor 2013, Ten 6-LED Lamps, Upper Front Unit, Two	1426.00
	11110001 2	Piece, Individual Driver and Passenger Side Units (No Take-Downs) and See-Through Mirrored	
		Shroud on Driver's Side Only	
	IZP§§§§0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthead, No Charge When	
	I Edwa Dan	Ordered with Inner Edge® Facing Lower Linear-LED® Series, Six or Eight Linear-LED® and Mounting Kit, Standard, Replace	8 with Num
	of Color I EDs Rea	uired. Order of colors are Red, Blue, Amber or White.	3
	106LR6L	Chevy Impala, 2005-2012, Six Linear-LED' Lower Rear Unit, Programmable for Warning or 6	1020.00
		Lamp Traffic Advisor™	
	I06LR8L	Chevy Impala, 2005-2012, Eight Linear-LED' Lower Rear Unit, Programmable for Warning or 8	1133.00
	IOCI DOLT	Lamp Traffic Advisor™ Chevy Impala, 2005-2012, Six Lamp Linear-LED' Traffic Advisor™ with Two End Flashers, Lower	1145.00
	I06LR8LT	Rear Unit	
	I35LR6L	Dodge Charger, 2011-2012, Six Linear-LED' Lower Rear Unit, Programmable for Warning or 6	1020.00
		Lamp Traffic Advisor™	
	135LR8L	Dodge Charger, 2011-2012, Eight Linear-LED' Lower Rear Unit, Programmable for Warning or 8	1133.00
		Lamp Traffic Advisor™	4445.00
		Dodge Charger, 2011-2012, Six Lamp Linear-LED' Traffic Advisor™ with Two End Flashers,	1145.00
	135LR8LT		
		Lower Rear Unit	
	135LR8LT ILP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner	
The state of the s	ILP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 106LR Only	
	ILP§§§§0 IEP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 106LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar. For I35LR Series Only	
	ILP§§§§0 IEP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 106LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and M	Mounting Kit
	ILP§§§§0 IEP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 106LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 135LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, Al	mber or Wh
The state of the s	ILP§§§§0 IEP§§§§0	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I06LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, Al Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor	mber of Wh 1133.00
The state of the s	ILP§§§§0 IEP§§§§0 Inner Edge® Low Insert Color of LEE	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I06LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, Al Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers	mber or Wh 1133.00 1145.00
	ILP§§§§0 IEP§§§§0 Inner Edge® Low Insert Color of LED IZ37LR8 IZ37LR86 IZ37LRZ	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I06LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № 0 Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, At Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 Iamp Traffic Advisor Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers Chevy Caprice, 2011-2012, Ten Lamp, Programmable for Warning or 8 Iamp Traffic Advisor	mber or Wh 1133.00 1145.00 1427.00
	ILP§§§§0 IEP§§§§0 Inner Edge® Low Insert Color of LED IZ37LR8 IZ37LR86 IZ37LRZ IZ37LRZ	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 106LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For 135LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № 0 Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, At Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers Chevy Caprice, 2011-2012, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with Four End Flashers	mber or Wh 1133.00 1145.00 1427.00 1439.00
	ILP§§§§0 IEP§§§§0 Inner Edge® Low Insert Color of LED IZ37LR8 IZ37LR86 IZ37LRZ	Lower Rear Unit 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I06LR Only 6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and № 0 Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, At Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 Iamp Traffic Advisor Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers Chevy Caprice, 2011-2012, Ten Lamp, Programmable for Warning or 8 Iamp Traffic Advisor	Mounting Kit mber or Wh 1133.00 1145.00 1427.00 1439.00 1439.00

IZ13UF8	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	1247.00
IZ13UFZ	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	1247.00
IZ30UFZ	Chevy Silverado, Chevy Suburban and a Chevy Tahoe, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	1462.00
IZ30UFX	Chevy Silverado, Chevy Suburban and a Chevy Tahoe, 2011-2012, Twelve 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	1506.00
IZ35UF4P	Dodge Charger, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	669.00
IZ35UF5P	Dodge Charger, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take- Down)	669.00
IZ35UF8	Dodge Charger, 2011-2012, Eight 6-LED Lamps, Upper Front Unit. Two Piece, Individual Driver	1247.00
IZ35UFZ	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) Dodge Charger, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1247.00
IZ36UF4P	and Passenger Side Units (No Take-Down) Dodge Durango, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with	669.00
IZ36UF5P	One LED Flashing/Take-Down Dodge Durango, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No	669.00
IZ36UF8	Take-Down) Dodge Durango, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1247.00
IZ36UFZ	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) Dodge Durango, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1247.00
IZ08UF4P	and Passenger Side Units (No Take-Down) Ford Expedition, 2006-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One	***************************************
IZ08UF5P	LED Flashing/Take-Down Ford Expedition, 2006-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No	669.00
IZ08UF8	Take-Down)	669.00
	Ford Expedition, 2006-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	1247.00
IZ08UFZ	Ford Expedition, 2006-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	1247.00
IZ34UF4P	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	669.00
IZ34UF5P	Ford Explorer, 2011-2012 and Utility Police Interceptor, 2013, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	669.00
IZ34UF8	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	1247.00
IZ34UFZ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	1247.00
IZ41UF4P	Ford F150, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	669.00
IZ41UF5P	Ford F150, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No LED Take- Down)	669.00
IZ41UF8	Ford F150, 2011, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	1247.00
IZ41UFZ	Ford F150, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	1247.00
IZ39UF4P	Ford F250/F350, 2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	669.00
IZ39UF5P	Ford F250/F350, 2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No LED Take-Down)	669.00
IZ39UF8	Ford F250/F350, 2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1247.00
IZ39UFZ	Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) Ford F250/F350, 2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	1247.00
Z33UF4P	Ford F-250/350, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED	669.00
Z33UF5P	Flashing/Take-Down Ford F-250/350, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only, (No LED Take-	669.00
Z33UF8	Down) Ford F-250/350, 2011, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1247.00
Z33UFZ	Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) Ford F-250/350, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1247.00
Z19UF4P	Passenger Side Units (No Take-Downs) Ford Fusion, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED	669.00
Z19UF5P	Flashing/Take-Down Ford Fusion, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	669.00





No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

+ Frice List. - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	LIST
I35UFZ	Dodge Charger, 2011-2012, Ten 3-LED Lamps, Upper Front Unit Two Piece, Individual Driver and	951.00
	Passenger Side Units (No Take-Down)	
108UF4P	Ford Expedition, 2006-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One	529.00
	LED Flashing/Take-Down	
108UF5P	Ford Expedition, 2006-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No	529.00
	Take-Down)	
108UF8	Ford Expedition, 2006-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	951.00
	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	
108UFZ	Ford Expedition, 2006-2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	951.00
	and Passenger Side Units (No Take-Down)	
I39UF4P	Ford F250/F350, 2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED	529.00
	Flashing/Take-Down	
I39UF5P	Ford F250/F350, 2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, (No Take-	529.00
	Down)	
139UF8	Ford F250/F350, 2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	951.00
10001 0	Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	551.55
I39UFZ	Ford F250/F350, 2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	951.00
10001 2	Passenger Side Units (No Take-Downs)	001.00
I41UF4P	Ford F150, 2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED	529.00
1410141	Flashing/Take-Down	023.00
I41UF5P	Ford F150, 2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	529.00
141UF8	Ford F150, 2012, Five 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	951.00
141000	Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	951.00
1441107		054.00
I41UFZ	Ford F150, 2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	951.00
I34UF4P	Passenger Side Units (No Take-Downs) Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Four 3-LED Lamps, Upper Front	529.00
1340142		529.00
IOALIECD	Passenger Side Unit Only, with One LED Flashing/Take-Down	E20.00
I34UF5P	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Five 3-LED Lamps, Upper Front	529.00
	Passenger Side Unit Only (No Take-Down)	
134UF8	Ford Explorer, 2011-2012 and 2013 Utility Police Interceptor, Eight 3-LED Lamps, Upper Front	951.00
	Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs	
	(One in Each Housing)	
I34UFZ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Ten 3-LED Lamps, Upper Front	951.00
	Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	
I38UF4P	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Four 3-LED Lamps, Upper Front	529.00
	Passenger Side Unit Only, with One LED Flashing/Take-Down	
I38UF5P	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Five 3-LED Lamps, Upper Front Passenger	529.00
	Side Unit Only, (No Take-Down)	
138UF8	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Eight 3-LED Lamps, Upper Front Unit, Two	951.00
	Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in	
	Each Housing)	
I38UFZ	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Ten 3-LED Lamps, Upper Front Unit, Two	951.00
	Piece, Individual Driver and Passenger Side Units (No Take-Downs)	
IUP§§§§0	Low Profile 3-LED Lamps. Insert Number of each Color of LED Lighthead, No Charge When	
	Ordered with Low-Profile Inner Edge®	
Inner Edge® L	. <mark>ow-Profile 6-LED Upper Front Series</mark> , Super-LED® Lightheads, Includes Low Power, Scan-Lock™ Flas	h Patterns a
Mounting Hard	ware, Standard. Red, Blue, Amber or White.	
IZ37UF4P	Chevy Caprice, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One	669.00
	LED Flashing/Take-Down	
IZ37UF5P	Chevy Caprice, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-	669.00
	Down)	
IZ37UF8	Chevy Caprice, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1247.00
	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	
IZ37UFZ	Chevy Caprice, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and	1247.00
	Passenger Side Units (No Take-Down)	
IZ06UF4P	Chevy Impala, 2005-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One	669.00
	LED Flashing/Take-Down	- 20.00
IZ06UF5P	Chevy Impala, 2005-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-	669.00
: :::::::::::::::::::::::::::::::::::::	Down)	555.00
IZ06UF8	Chevy Impala, 2005-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver	1247.00
. 120001 0	and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	1271.00
1706UE7	Chayu Impola 2005-2012 Ten 6.LED Lamps Hoper Front Unit Two Piece Individual Driver and	1247.00

Chevy Impala, 2005-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and

Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012 and Chevy Tahoe, 2007-2012, Four 6-

LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Five

6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)

Passenger Side Units (No Take-Down)

1247.00

669.00

669.00

Lightbars

IZ06UFZ

IZ13UF4P

IZ13UF5P

Options for Mini Justice® Series, Take-Down and Alley Lights for Permanent Mount Models Only.

JDC*	One CON3™, Red, Blue and/or Amber	99.00
JDH*	One LTR3™, Red, Blue and/or Amber. Only for use with Take-Down Lights	99.00
MJTDALL1	Four LR11 Super-LEDs, Two Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15°	273.00
	Horizontal Adjustment, For Permanent Models Only (Replaces M.ITDAL)	

Meeting NFPA 1901 Zone "A" Upper Lighting Requirements, For Available Options, Contact Factory. (For Mounting Options, See Optional Edge® & Centurion™ Mounting Kits).

NFPA Edge® Ultra Freedom™ & LFL Liberty™ LED Lightbars, ZONE "A" UPPER, All Models Include Clear Outer Lens and

	Permanent Mount		
	FN55VLED	55", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	2676.00
	FN60VLED	60", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	2894.00
	FN72VLED	72", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	2894.00
Η̈́	FN55QLED	55", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	2676.00
iii	FN60QLED	60", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	2894.00
ij	FN72QLED	72", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	2894.00
	FNMINI	Two 24" Mini-Freedoms, Each Lightbar Consists of Two Front Corner Red Linear-LED's, One White Front Linear-LED and One End Red Linear-LED'. Sold in Pairs Only	3492.00
	SLN2VLED	54" LFL Liberty, Four Corner Red Linear-LED's and Four Front Linear-LEDs (2 Red/2 White)	2502.00
ΪÏ	SLN2QLED	54" LFL Liberty, Two Front Corner Red Linear-LED's and Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	2502.00
	NFPA Justice® So	eries Super-LED®, ZONE "A" UPPER, All Models Include Clear Outer Lens and Permanent Mount.	STANDARD CO. LAPT To. a Color Secured
THE	JE2NFPA ·	56", Four Corner Red Linear-LED's, Six Front CON3™s (4 Red & 2 White)	1756.00
	JE0NFPA	62", Four Corner Red Linear-LED's, Six Front CON3™s (4 Red & 2 White)	1837.00
	Options for NFPA	Lightbars	***************************************
	MKEZ7	1-1/2" Permanent Mount / ALL	
	MK8H	5" Permanent Mount (Cast Aluminum) / ALL / ALL	52.00



52.00

77.00

Inner Edge® Series Lightbars

MK9S

MK20S

Interior Lightbar, Includes Super-LED® Lightheads and Mounting Hardware.

Slide Bolt Brackets For Flat Surface Mounting (2 ea.) 48"/52"

Slide Bolt Brackets For Flat Surface Mounting (3 ea.) 60"/72"

Inner Edge® Low-Profile 3-LED Upper Front Series, Super-LED® Lightheads, Includes Extra TIR3™ & LIN3™ Lenses for Customization, Low Power, Scan-Lock™ Flash Patterns and Mounting Kit, Standard (California Pattern Included), Replace § with

Number of Col	or LEDs Required. Order of colors is Red, Blue, Amber or White	3 WIGH
 I37UF4P	Chevy Caprice, 2011-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	529.00
 I37UF5P	Chevy Caprice, 2011-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take- Down)	529.00
 137UF8	Chevy Caprice, 2011-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	951.00
 I37UFZ	Chevy Caprice, 2011-2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	951.00
 I06UF4P	Chevy Impala, 2005-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	529.00
 I06UF5P	Chevy Impala, 2005-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take- Down)	529.00
106UF8	Chevy Impala, 2005-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	951.00
 I06UFZ	Chevy Impala, 2005-2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	951.00
 I13UF4P	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 and Silverado, 2008-2011, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	529.00
I13UF5P	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	529.00
I13UF8	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	951.00
 I13UFZ	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	951.00
 I35UF4P	Dodge Charger, 2011-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	529.00
I35UF5P	Dodge Charger, 2011-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take- Down)	529.00
I35UF8	Dodge Charger, 2011-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	951.00



All models are 12 Volt 0.C. only unless otherwise noted above. For other voltages contact factory.

^{*} Replace symbol in m del number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

[#] Replace symbol in madel number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear
† (to be discontinued, check availability)

[Indicate length desires: 5 foot, 6 foot, 7 foot or 8 foot

\$ Indicates Lower Price

| Indicates Lower Price | J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	MODEL	DESCRIPTION	LIST
	Responder® I	LP Series Lightbars, Aluminum Base, with Color Outer Dome Standard on Single Color Models.	
	R1LPHP*	Six CON3™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	517.00
} :	R1LPHM*	Six CON3™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	540.00
]	R1LPHV*	Six CON3™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	570.00
1	R2LPHP*	Six LIN6™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	682.00
	R2LPHM*	Six LIN6™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	704.00
ļ	R2LPHV*	Six LIN6™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	725.00
	Options for M colors is Red, I	ultr-Color Responder® LP Series, Replace § with Number of Color LEDs Required (Maximum Six Mo Blue, Amber, For White Contact Factory For Pricing.	odules). Order of
:	R1§§§00	Six CON3™ Super-LED® Modules, Insert Color, No Charge When Ordered with R1 Split Color Models	
,	R2§§§00	Six LIN6™ Super-LED® Modules, Insert Color, No Charge When Ordered with R2 Split Color Models	


	otating and Super-LED®. ID Series Lightbars	
R2HDP*	Two Rotators, Diamond Mirror, Permanent Mount	247.00
R2HDM*	Two Rotators, Diamond Mirror, Magnet Mount	276.00
R10HDP*	Six Super-LED® Modules, Amber, Blue or Red, Permanent Mount	1230.00
R10HDM*	Six Super-LED® Modules, Amber, Blue or Red, Magnetic Mount	1254.00
R10HDV*	Six Super-LED® Modules, Amber, Blue or Red, Magnetic/Suction Cup Mount	1276.00
RDXMM90	90 Pound Pull Magnet Mount Kit with Cord & Plug	47.00
INSTLRDX	Installation of RDXMM90 on Permanent Mount RHD Series	13.00
CF*	Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only), Each	6.00



Mini 9M Series Strobe	Lightbars	
Mini 9M Series	Lightbars, Permanent Mount Models with 15' Cable.	171 - 11 17-11
9MMEDGEP	Permanent Mount, 2 Front & 2 Rear Strobes	917.00
9MMEDGEM	Magnetic Mount, 2 Front & 2 Rear Strobes	917.00
Options for Mir	ni Edge® 9M Series Lightbars, Permanent Mount Models Only.	
9MTD2	Two Halogen Take-Down Lights	111.00
9MALY	Two Halogen Alley Lights .	111.00



LED		
	Itra Freedom™ Series Lightbars, 28.25" Long with 4 Linear-LEDs®, Permanent Mount I LED Color Placement at Time of Order.	Models with 15' Passenger Side
FT8****P	Permanent Mount, Amber, Blue, Red and/or White	1426.00
FT8****M	Magnetic Mount, Amber, Blue, Red and/or White	1426.00
	Itra Freedom™ Front Facing Series Lightbars, 28.25" Long with 2 Linear-LEDs®. Perm e Cable. Inboard Lightheads Sold Separately.	nanent Mount Models with 15'
FT8**00F	Front Facing, Permanent Mount, Amber, Blue, Red and/or White	879.00



FT8****M	Magnetic Mount, Amber, Blue, Red and/or White	1426.00
	Jitra Freedom™ Front Facing Series Lightbars, 28.25" Long with 2 Linear-LEDs®. Pern	nanent Mount Models with 15'
Passenger Si	de Cable. Inboard Lightheads Sold Separately.	
FT8**00F	Front Facing, Permanent Mount, Amber, Blue, Red and/or White	879.00
Options for N	Aini Ultra Freedom™ Series Lightbars, Up to Four Linear-LED® modules in the Magneti	c or Permanent Mount Models
and a Maximu	ım Two Halogen Lamps in the Permanent Mount Models Only.	
FTTD2	Two Halogen Take-Down Lights, not for use with FTALY	96.00
FTALY	Two Halogen Alley Lights, not for use with FTTD2	96.00
FTD**	Two 400 Series Linear-LEDs, Amber, Blue, Red or White	547.00
FTD****	Four 400 Series Linear-LEDs, Amber, Blue, Red or White	838.00



Mini Liberty™ Series Lightbars
LED, Low Current Switching SL Series
Mini LFL Liberty™ Series Lightbars, 22" with 4 Linear-LED®s. Permanent Mount Models with 15' Passenger Side Cable, Specify LED

WITH EFF LIDERLY	Series Lightbars, 22 with 4 Elifedi ELEBest 1 Stiffelian Models Mar. 15 1 Series	,
Color Placement at		
 LT2****P	Permanent Mount, Amber, Blue, Red and/or White	1331.00
	Magnetic Mount, Amber, Blue, Red and/or White	1331.00
 Mini LFL Liberty	Series Lightbar Accessories, For LT2****P Only.	
 LTALY	Two Halogen Alley Lights	111.00
 LTTD1	One Front Facing Halogen Take-Down Light	56.00



Mini Justice®	JY Series, Includes Four Linear6™ Corner Modules. Permanent Mount Models with 15' Cable.	
MJY****P	Permanent Mount, Red, Blue and/or Amber	846.00
MJY****M	Magnetic Mount, Red, Blue and/or Amber	725.00
M IY****V	Mannetic/Suction Mount, Red. Blue and/or Amber	768.00

Lightbars, Mini

Century™ Se	Century™ Series Mini Lightbars		
Century™ Se	ries LED Mini Lightbars with Aluminum Base with Color Outer Dome, Unless Specified		
MC11P*	NEW 11", Permanent Mount, Amber, Blue or Red	323.00	
MC11M*	NEW 11", Magnet Mount, Amber, Blue or Red	346.00	
MC11S*	NEW 11", Stud Mount, Amber, Blue or Red	346.00	
MC16P*	NEW 16", Permanent Mount, Amber, Blue or Red	363.00	
MC16M*	NEW 16", Magnet Mount, Amber, Blue or Red	386.00	
MC16V*	NEW 16", Vacuum/Magnet Mount, Amber, Blue or Red	416.00	
MC16S*	NEW 16", Stud Mount, Amber, Blue or Red	386.00	
MC16PJ	NEW 16", Permanent Mount, Driver Side Red, Passenger Side Blue with Clear Dome	363.00	
MC16MJ	NEW 16", Magnet Mount, Driver Side Red, Passenger Side Blue with Clear Dome	386.00	
MC16VJ	NEW 16", Vacuum/Magnetic Mount, Driver Side Red, Passenger Side Blue with Clear Dome	416.00	
MC16SJ	NEW 16", Stud Mount, Driver Side Red, Passenger Side Blue with Clear Dome	386.00	
MC16PF	NEW 16", Permanent Mount, Driver Side Amber, Passenger Side White with Clear Dome	363.00	
MC16MF	NEW 16", Magnet Mount, Driver Side Amber, Passenger Side White with Clear Dome	386.00	
MC16VF	NEW 16", Vacuum/Magnetic Mount, Driver Side Amber, Passenger Side White with Clear Dome	416.00	
MC16SF	NEW 16", Stud Mount, Driver Side Amber, Passenger Side White with Clear Dome	386.00	
MC23P*	NEW 23", Permanent Mount, Amber, Blue or Red	535.00	
MC23M*	NEW 23", Magnet Mount, Amber, Blue or Red	558.00	
MC23V*	NEW 23", Vacuum/Magnet Mount, Amber, Blue or Red	587.00	
MC23S*	NEW 23", Stud Mount, Amber, Blue or Red	558.00	



G1P*		234.00
G1M*		255.00
G1V*	Two 135 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount	275.00
G2P*		234.00
G2M*	Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic Mount	255.00
G2V*	Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount	275.00
G7P*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Color Outer Dome	301.00
G7M*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Color Outer Dome	329.00
G7V*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic/Suction Mount, 12/24 VDC, Color Outer Dome	. 350.00
G7PC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	301.00
G7MC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	329.00
G7VC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic/Suction Mount.	350.00
Options for G		
KCF*	Color Filter Kit For G1 & G2 Series Only, Customer Installed, Each	7.00
G1MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only	47.00
G7MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G7 & G8 Series Only	47.00
INSTLRDX	Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series	13.00
	Rotating & Si Guardian M Si G1P* G1M* G1V* G2P* G2M* G2V* G7P* G7M* G7V* G7PC** G7MC** Options for G1 KCF* G1MM90 G7MM90	G1M* Two 135 RPM Rotators, Diamond Mirrors, Magnetic Mount G1V* Two 135 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount G2P* Two High Speed 175 RPM Rotators, Diamond Mirrors, Permanent Mount G2M* Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic Mount G2V* Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount G7P* Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Color Outer Dome G7M* Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Color Outer Dome G7V* Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic/Suction Mount, 12/24 VDC, Color Outer Dome G7PC** Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes G7MC** Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes G7VC** Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes Options for Guardian Series KCF* Color Filter Kit For G1 & G2 Series Only, Customer Installed. Each G1MM90 90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only G7MM90 90 lb. Magnetic Mount Kit with Cigar Plug for G7 & G8 Series Only



Responder® LP Series Mini Lightbars
Low Profile, Super-LED®. For Multiple Color Lightbars with Clear Outer Dome, Replace "*" with an "S" and use Lighting
Package R1 §§§00 for R1 Models and R2§§§00 for R2 Models. Replace Symbol "§" with the Number of Color LED Lightheads

	Required (Maximu	ım of Six). Order of Color is Red, Blue and Amber.			
******************	Responder® LP Duo™ Series Lightbars, Polycarbonate Base, with Clear Outer Dome.				
	RDLPPAB	Six DUO Amber/Blue Super-LED® Modules, Permanent Mount	1087.00		
	Responder@LP S	Series Lightbars, Polycarbonate Base, with Color Outer Dome Standard on Single Color Models.			
	R1LPP*	Six CON3™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	471.00		
	R1LPPF	Six CON3™ Super-LED® Modules, Permanent Mount, Driver Side Amber & Passenger Side White with Clear Dome	471.00		
	R1LPM*	Six CON3™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	495.00		
į	R1LPMF	Six CON3™ Super-LED® Modules, Magentic Mount, Driver Side Amber & Passenger Side White with Clear Dome	495.00		
	R1LPV*	Six CON3™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	517.00		
	R1LPVF	Six CON3™ Super-LED® Modules, Magentic/Suction Mount, Driver Side Amber & Passenger Side White with Clear Dome	517.00		
	R2LPP*	Six LIN6™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	610.00		
	R2LPM*	Six LIN6™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	633.00		
	R2LPV*	Six LIN6™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	654.00		







No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

100.00

100.00

41.00

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL TAZ86	DESCRIPTION Fight Lamp LINZS IN Super LED® Traffic Advisor IM 30 36" Long	LIST
TAZ86**	Eight Lamp LINZ6™ Super-LED® Traffic Advisor™, 30.36" Long Eight Lamp, Six Lamp LINZ6™ Super-LED® Traffic Advisor™ with Two End Flashing Super-LEDs, Red, Blue and/or Amber, 30.36" Long	1349.00 1363.00
Traffic Adviso	ളെ പ്രവാദ്യമാണ് പോട്ട പ്രവാദ്യായിലുന്നു. ഇത്രാവാ നെയ്യാനെ അവരാഗായ വേദ്യാവായായിലുന്നു. വിവാദ്യാവായ അവരായ അവരായാ	ers Standard.
TAL65	Six Lamp LED Traffic Advisor™, 36" Long	721.00
TAL85	Eight Lamp LED Traffic Advisor™, 46.82" Long	856.00
Traffic Adviso		
TANF65	Six Lamp Linear-LED' Traffic Advisor™, 34" Long	983.00
TANF85	Eight Lamp Linear-LED' Traffic Advisor™, 45.12" Long	1150.00
TANF85**	Six Lamp Linear-LED' Traffic Advisor™ with Two End Flashing Super-LED®s, Blue, Red and/or Amber, 45.12" Long	1162.00
TACF85	Eight Lamp CON3™ Super-LED® Traffic Advisor™, 45.12" Long	932.00
TACF85**	Eight Lamp CON3™ Super-LED® Traffic Advisor™ with 2 End Flashers, Red, Blue and/or Amber, 45.12" Long	943.00
TANBKT1	NEW Mounting Bracket, for top of Vehicle (Horizontal) Mounting	22.50
Traffic Adviso		i
TADF6	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, 37" Long	1605.00
TADF8	Eight DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, 45.12" Long	1720.00
TDP§§§00	Six or Eight DUO™ Super-LED® Modules, No Charge when Ordered with Duo Traffic Advisor, Replace Symbol §§§ with Number of Warning LED Colors, Order Red/Blue/Amber.	h.1
	r™, TIR6™ Super-LED® Low Profile, 2.84" High x 2.25" Deep Housing, Six Super-LED®s Per Panel. nnecters Standard.	NOM MITU
TAM65	Six Lamp Super-LED® Traffic Advisor™, 36" Long	1162.00
TAM85	Eight Lamp Super-LED® Traffic Advisor™, 46.82" Long	1405.00
TAM85**	Six Lamp Super-LED® Traffic Advisor™ with Two End Flashing Super-LED®s, Blue, Red and/or Amber, 46.82" Long	1416.00
Traffic Adviso		
TA637A	500 Series, Six Lamp Halogen Traffic Advisor, Rectangular Aluminum Housing, 33" Long	643.00
TA837A	500 Series, Eight Lamp Halogen Traffic Advisor, Rectangular Aluminum Housing, 43 1/4" Long	673.00
TA4437M	500 Series, Eight Lamp Traffic Advisor, TIR6™ Super-LED®s, Rectangular Aluminum Housing, Two Piece, 22 7/8"	1626.00
TA870A	700 Series, Eight Lamp Halogen Traffic Advisor, Edge®+Plus™ Style Housing, 72"	1269.00
TA870L	700 Series, Eight Lamp 5mm LED Traffic Advisor, Edge®+Plus™ Style Housing, 72"	2024.00
Traffic Advisor	™ LED, Wireless Remote Control, Models Include a 30' 14 Gauge TPR Power Cable and a Wireless	Remote
Controller.		
RF6016L!	600 Series, 16 LED Lamps, One Piece, Arrow Head Style	4131.00
	·™, Arrow Head Style, Halogen & LED Models, Includes TACTRL3A Unless Noted.	
TA1252L	500 Series, 12 LED Lamps, One Piece	1967.00
TA1652L	500 Series,16 LED Lamps, One Piece	2196.00
TA8852H	500 Series, 16 Halogen Lamps, Two Piece	1720.00
TA1660L!	600 Series, 16 LED Lamps, One Piece, Serial Communicator, Includes TACTRL2 (Replaces TA1664L!), One 2 Conductor 20 Gauge & One 2 Conductor 10 Gauge Cable	4242.00
TA1664H!	600 Series, 16 Halogen Lightheads, Arrow Head style, 16 Conductor Cable	1798.00
	*** Accessories	
TAPVC15	15' Traffic Advisor™ Extension Cable for TA637A and TA837A	112.00
TAPVC25	25' Traffic Advisor™ Extension Cable for TA637A and TA837A	179.00
TAPVC35	35' Traffic Advisor™ Extension Cable for TA637A and TA837A	208.00
TAPVC50	50' Traffic Advisor™ Extension Cable for TA637A and TA837A	292.00
STAPVC30	Substitute 30' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	93.00
STAPVC35	Substitute 35' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	121.00
STAPVC40	Substitute 40' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	153.00
STAPVC50	Substitute 50' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	208.00
TATPR20	20' Extension Cable for TA870A & TA870L	192.00
TACTLD1	Control Head Only for Five to Eight Lamp LED Traffic Advisors ONLY, Includes Remote Flash Control and End Lamp Enable/Disable Feature	402.00
TACTRL1A	Control Head Only for Six and Eight Lamp Halogen Light Array with Remote Flash Control & End Lamp Enable/Disable Feature	402.00
TACTRL3A	Control Head Only for Sixteen Lamp Halogen/LED Light Array, Non Diagnostix™, Meets Federal Standards	402.00
DELTACIA	Poloto TACTEL 1A from 6 to 9 Light Hologon Troffic Advisor M. DEDUCT	100.00

Delete TACTRL1A from 6 to 8 Light Halogen Traffic Advisor™ - DEDUCT

NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, For TAD8, TADP8,

Delete TACTLD1 from 6 to 8 Light LED Traffic Advisor™ - DEDUCT

TAM83 & TAZ86 Only



DELTAC1A

DELTALD1

DBKT6

SAK47	NEW Dodge Ram 1500,		36.00
SAK48		2012, Driver Side	36.00

Siren Speakers, Other

100 Watt and Accessories, Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare

Single and Dual Speaker, for Ambulances, 100 WATT or 200 WATT.

Sirigie and Di	iai Speaker, for Ambulances, 100 WATT OF 200 WATT.	
SA31I01P	UnderPro™ Single Speaker for International 4300/4400 Series, 2001-2011, Passenger Side	425.00
SA31I01D	UnderPro™ Single Speaker for International 4300/4400 Series, 2001-2011, Driver Side	425.00
SA32C06	UnderPro™ Dual Speaker for 2006-2011 Chevrolet Express Van	805.00
Speakers, Sir	en	
SA340TS	SA-340TS	342.00
SA340STS	SA-340STS	342.00
SA350M	Motorcycle Siren Speaker, 100 Watts	588.00
SA40	Lo-Pro™ Speaker for Edge® 9M Lightbars	517.00
SA41	Lo-Pro™ Speaker Kit for Customer-Supplied Driver	318.00
Replacement	Speaker Drivers	
SD210RX	Replacement 100 Watt Speaker Driver for SA314 Series (Replaces SA1530)	278.00
SD370 -	Replacement 100 Watt Speaker Driver with Adapter (Replaces SD500 Only)	278.00
SD210R	Replacement 100 Watt Speaker Driver for SA370, SA1412 & SA1515	278.00
	SA31101P SA31101D SA32C06 Speakers, Sin SA340TS SA340STS SA350M SA40 SA41 Replacement SD210RX SD370	SA31101D UnderPro™ Single Speaker for International 4300/4400 Series, 2001-2011, Driver Side SA32C06 UnderPro™ Dual Speaker for 2006-2011 Chevrolet Express Van Speakers, Siren SA340TS SA-340TS SA340STS SA-340STS SA350M Motorcycle Siren Speaker, 100 Watts SA40 Lo-Pro™ Speaker for Edge® 9M Lightbars SA41 Lo-Pro™ Speaker Kit for Customer-Supplied Driver Replacement Speaker Drivers SD210RX Replacement 100 Watt Speaker Driver with Adapter (Replaces SD500 Only)



Back-Up Alarms, Electronic

Back-Up Alarm	S	
WBUA107	Back-Up Alarm, 107dB, 12-24 VDC	54.00
WBUA97	Back-Up Alarm, 97dB, 12-24 VDC	42.00
WBUA112	Back-Up Alarm, 87-112dB, 12-24 VDC, Self-Adjusting	114.00
WBUA112C	Back-Up Alarm, 112 dB, 12-24 VDC	70.00



Safety Site™ & Emitters

W20SS

TAZ66

GII Opticom	** Emitters			
795H	Self-Contained LED IR Opticom Emitter for F	reedom™, Liberty™ and 4500 Series Lig	htbars,	1370.00
	Factory Installed Only	· · · · · ·		ĺ
Safety Site™,	Super-LED® Traffic Control Light.	, , , , , , , , , , , , , , , , , , , ,	ALCOHOL: U. C. A. H. C. C. ANDREW CONTRACTOR OF THE CO.	
W20SSRK	5 Red Module Kit, Includes Carrying Bag			485.00



90.00

1057.00

Traffic Advisor™ Series & Accessories

Red Module, Each

All Models include Control Head for Light Array (Unless Specified), Programmable Flash Patterns Standard on TACTRL1A and TACTLD1, allows for Remote Activation of the "Flash Pattern" and End Lamp Enable/Disable Feature.

Dominator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three

	Super-LED@s Per	Panel.	
	TAD6	Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.36" Long, Less Control Head	536.00
	TAD8	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	669.00
it	TAD8**	Eight Lamp TIR3™ Super-LED® Traffic Advisor™with Two End Flashing LEDs, Blue, Red and/or Amber, 30.36" Long, Less Control Head	680.00
	TADCTL1	TAD/TADP Series Control Head Only	130.00
	TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	15.50
	TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	15.50
101230 101101	Dominator™ Plus	s Traffic Advisor™, LiNZ6™ Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" De	ep Housing,
	Six Super-LEDs P	er Lamp.	



-	Dominator™ Plus	Traffic Advisor™, LINZ6™ Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" D	eep Housing,
	Six Super-LEDs Pe	er Lamp.	
	TADP6	Six Lamp LINZ6™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head	920.00
	TADP8	Eight Lamp LINZ6™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	1200.00
l	TADP8**	Eight Lamp, Six Lamp LINZ6™ Super-LED® Traffic Advisor™ with Two End Flashing LEDs, Blue,	1215.00
l		Red and/or Amber, 30.36" Long, Less Control Head	
ľ	TADPRET	Fight Lamp LINZ6 Super-LED® Traffic Advisor™ 37.37" Long Includes Rear Deck Mounting for	1235 00

TADP8**	Eight Lamp, Six Lamp LINZ6™ Super-LED® Traffic Advisor™ with Two End Flashing LEDs, Blue, Red and/or Amber, 30.36" Long, Less Control Head	1215.00
TADP8FT	Eight Lamp LINZ6 Super-LED® Traffic Advisor™, 37.37" Long, Includes Rear Deck Mounting for 2011 Ford Taurus.	1235.00
TADCTL1	TAD/TADP Series Control Head Only	130.00
TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	15.50
TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	15.50
Traffic Advisor™	, TIR3™, Super-LED®, 1.74" High x 2.17" Deep Housing, Three Super-LEDs® Per Panel.	
TAM63	Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long	704.00
TAM83	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long	860.00
TAM83**	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber	870.00
TAM8348	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 48" Long	1192.00



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

Traffic Advisor™, LINZ6™, Super-LED®, 1.74" High x 2.17" Deep Housing, Six LEDs Per Panel. Six Lamp LINZ6™ Super-LED® Traffic Advisor™, 23.26" Long

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

† (to be discontinued, check availability) (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber ! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	LIST
EPSL2S9	Full Function (Up to Two 100 Watt Speakers). Microphone with Volume Control Knob, Includes	529.00
	CA Title 13 Compliant Tones, 4 Position Slide Switch and 9 Switches (replaces EPSL2S7)	
HHS Series Si	rens, Hand-Held Siren, With 9 Relays for Switching. Will Operate up to Two 100 Watt Speakers.	
HHS2200	Siren Amplifier with Hand-Held Controller, Includes Programming Software	570.00
Gamma™ Sire	en Series, 100 WATT, 16 Scan-Lock™ Siren Tones	
GAMMA2	Hands-Free Siren with Two Auxiliary Switches	226.00
Sirens, Water	proof & Options(For Marine & Motorcycle Use).	
WPA112	Waterproof Siren Amplifier, For a Single 100 Watt Speaker	432.00
WPA1	Full Function Control Head Only, Weather Resistant, with a 7-1/2' Cable, for Handlebar and	393.00
	Surface Mounting (Motorcycle)	
BETA2BKT	Mounting Bracket for BETA2, WPA1 and WPA2 Only, Flange Mount	36.50
WPA2	Full Function Control Head Only, Weather Resistant, 20' Cable, Flush/Surface Mount (Marine)	436.00
WPA3BM	Full Function Control Head with Waterproof Switches and Microphone Jack, 20' Cable, Bail Mount (Marine)	455.00
WS321	Siren for Harley-Davidson® Wiring Harness, For a Single 100 Watt Speaker	580.00
WSMIC321	Microphone for WS321	144.00
WS321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2012 Harley Davidson Road King and Electra-Glide Police Motorcycle	54.00
Power Air Hor	n & Power Air Horn Plus Series and Option	
PAH112	Air Horn Tone Only Siren, For a Single 100 Watt Speaker	206.00
PAP112	Air Horn Tone Plus Public Address Siren, Includes Microphone, For a Single 100 Watt Speaker	247.00
PAPEXT15	15' Microphone Extension Cable for PAP112 Only	25.50













WSSC Series S	iren, Combination Siren/Speaker, One Piece.	
WSSC30	30 Watt Siren and Speaker Combination	213.00
WSSPA30	Same as WSSC30, Includes Public Address	318.00
WSSC30HK	Harness Kit for Synchronization of two WSSC30s	36.00

Siren Speakers, SA315 & SA314 Projector™ Series


100 Watt Bumper/Concealed/Flange Mounted Speakers. Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.

		are material, without notice.	
	SA122FM Serie	es, Cast Aluminum Speaker, Flange Mount.	
	SA122FMP	Polished Aluminum Finish	439.00
	SA314 Series,	Small Profile, Cast Aluminum Speaker, 6.4" H x 6.17" W x 3.14" D.	to the contract of the contrac
,,	SA314A	122dB Speaker, Natural Aluminum Finish	353.00
	SA314B	122dB Speaker, Aluminum with Black Epoxy-Coated Finish	383.00
//	Optional Moun	ting Brackets for SA314 Series	No. of Contract of
	SABKT1	Ford Explorer, 2002-2009, Chevy Suburban/Tahoe, 2004-2006, Universal	36.00
	SABKT9	Universal/Swivel Bail Type Mount Bracket	36.00
	SABKT21	Chevy Impala, 2006-2012	36.00
	SABKT24	Chevy Suburban, 2007-2012, and Chevy Tahoe, 2007-2012	36.00
	SA315 Series,	Small Round Profile, Composite Speaker, 6.5" H x 6.5" W x 2.9" D.	4
	SA315P	123dB Speaker, Nylon Composite	314.00
	Optional Moun	ting Brackets for SA315 Series	
	SAK1	Ford Explorer, 2002-2010, Chevy Suburban/Tahoe, 2004-2006, Universal	36.00
	SAK5	Chevy Suburban/Tahoe, 2000-2003, Chevrolet Avalanche, 2002-2009, GMC Envoy, 2004-2011	36.00
	SAK9	Heavy-Duty Universal/Swivel Bail Type Mounting Bracket	36.00
	SAK11	Chevy Trail Blazer, 2002-2011	36.00
	SAK17	Ford Crown Victoria, 2003-2011, Quick Installation	36.00
	SAK20	Ford Escape, 2011-2012	36.00
	SAK23	Ford Expedition, 2007-2011	36.00
	SAK24	Chevy Suburban, 2007-2012, and Chevy Tahoe/Silverado, 2007-2012	36.00
	SAK25	Chevy Express Van, 2006-2011	36.00
	SAK32	Ford E350/E450, 2008-2012, Driver or Passenger Side	36.00
	SAK34	Chevy Impala, 2006-2011, Howler Compatible, Replaces SAK21	36.00
	SAK37	Dodge Charger, 2011-2012	36.00
	SAK38	Ford Fusion, 2010-2011	36.00
	SAK39	Ford Taurus, 2010-2012 and Police Interceptor, 2013	36.00
	SAK40	Ford F250/F350, 2011-2012, Passenger Side	36.00
	SAK41	Ford F250/F350, 2011-2012, Driver side	36.00
	SAK42	Dodge 4500, 2011-2012, Passenger Side	36.00
	SAK43	Dodge 4500, 2011-2012, Driver Side	36.00
	SAK44	NEW Ford Explorer, 2011-2012 and 2013 Ford Police Interceptor Utility	36.00
	SAK45	Chevy Caprice, 2011-2012	36.00
	SAK46	Chevy Impala, 2012	36.00

Sirens, Switches & Speakers

HOWLER12	Ford F250-F550 Super-Duty, 2011-2012, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER13	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Siren Amplifier with Two Speakers and Mounting Brackets, Driver Side Bracket Includes Built-in Mounting for a SA315P Speaker	725.0
HOWLER14	Dodge 4500, 2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.0
		725.0
HOWLER15	Dodge Charger (not for V6), 2011-2012, Siren Amplifier with Two Speakers and Mounting Brackets	725.0
CenCom Sappl	hire, Remote Siren & Control Center and Options, 5 Year Warranty on Amplifier	
CCSRN3	3-Position Slide Switch and 18 Push Button Control Head with Amplifier Control Module with pigtails, Microphone with CCMICX20 included (Replaces CCSRN2)	1341.0
CCSRN32	NEW 3-Position Progressive Push Button Switches and 18 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	1341.0
CCSRN33	NEW Single Master Push Button Switch and 18 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	1341.0
CCSRN34	NEW 3-Position Slide Switch and 6 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	1341.0
CCSRN35	NEW 3-Position Progressive Push Button Switches and 9 Push Button Hand Held Control Head with Amplifier Module with Pigtails, and CCMICX20	1341.0
CCSRNTA3	Same as CCSRN3, with Traffic Advisor™ Module (Replaces CCSRNTA2)	1570.00
CCSRNT32	NEW Same as CCSRN32, with Traffic Advisor™ Module	1570.00
A1444-4- 1- 12		1570.0
CCSRNT33	NEW Same as CCSRN33, with Traffic Advisor™ Module	
CCSRNT34	NEW Same as CCSRN34, with Traffic Advisor™ Module	1570.00
CCSRNT35	NEW Same as CCSRN35, with Traffic Advisor™ Module	1570.00
CCTRIM	Trim Ring Option, for Semi-Flush Mounting of Control Head	53.0
295SLS and 295 Warranty, Stand and Availability.	5HFS Hands-Free Sirens, with Diagnostix™ & SI TEST® (Except 295HFSA7/A8). All 295HFS Models I lard. For Removable Microphones, Hi/Low Tones and/or 24 Volts DC, Contact Factory for Exact Model N	Numbers, P
295SLSA1	Siren Amplifier with 17 Scan-Lock™ Siren Tones	435.0
295HFS2	Remote Siren Amplifier (Flush Mount Head)	615.00
295HFS2X	295HFS2 with Dual Amplifiers, Meets California Title 13 Requirements	1126.00
295HFS3	Remote Siren Amplifier (Surface Mount Head)	653.00
295HFS4	Remote Siren Amplifier with 9-Switch Light Control (Surface Mount Head)	864.00
295HFSA5	Single Unit Siren with 9-Switch Light Control and Low Current Switching, now with Park Kill &	663.00
295HFSA5 295SLSA6	Timed-Out Relay Single Unit Siren with 9-Switch Light Control and Standard Switching, now with Park Kill & Timed	645.00
pg (Out Relay with 17 Scan-Lock™ Siren Tones (Replaces 295HFSA6)	
295HFSA7	Remote Dual Siren Amplifier, with Flush Mount Control Head, Meets CA Title 13	876.00
295HFSC9	Self-Contained 200 Watt Dual Full Function Siren, with Removable Microphone	699.00
295HFSDA	Second Amplifier (Kit) for Dual Siren Amplifier Use (295HFS2/3/4 Only)	384.00
295SL Series Si	irens, Full Function Hands-Free Siren, with Scan-Lock™ Siren Tones.	
295SL100	Full Function Siren (Up to Two 100 Watt Speakers) and Heavy-Duty Microphone, 12 VDC (Replaces 295HF100 and WS2100)	376.00
295SL101	Full Function (Up to Two 100 Watt Speakers) and Heavy-Duty Plug-in Microphone with Volume Control Knob, 12 VDC	433.00
WPKM1	Park Kill Connection Modules, 30 Amp	60.00
Alpha™ Siren S	peries	
ALPHA12S	Self-Contained Siren, with Faceplate Switches, Selectable Four Tone Hands-Free Siren, For Single 100 Watt Speaker	276.00
ALPHASL	Remote Siren, for use with Remote Switches (Purchased Separately), Selectable Four Tone Hands-Free Siren, For a Single 100 Watt Speaker (Replaces the ALPHA12R)	243.00
Optional Remot	te Switches for Alpha™ Siren Series For ALPHA12R, ALPHA12M and ALPHA22M Only.	
ALPHA1	Single On/Off Switch for use with Hands-Free Operation	31.50
ALPHA2	Single On/Off Hands-Free Activation Plus Momentary Switch for Air Horn	31.50
ALPHA3	TONE 1/Off/TONE 2 Switch Operation Plus Momentary Switch for Air Horn	31.50
ALPHA4	Three Switch Operation, One On/Off, One TONE 1/Hands-Free/TONE 2, One Momentary Switch for Airhorn	57.00
ALPHA5	3 Position Toggle Switch, Controls 3 Siren Tones and other Warning Lights or Device Functions. Contacts Rated at 30 Amps (not for ALPHA12M)	79.00
Beta™ Siren Se	ries, Selectable Siren Tone, Radio Repeat, Public Address and Options.	
	Full Function Remote Siren, for use with Remote Switches (Purchased Separately), For a Single 100 Watt Speaker	245.00
	Full Function Control Head Only, with 15' Interconnect Harness	181.00
BETA112R		323.00
BETA112R BETA1		
BETA112R BETA1 BETA2	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount	
BETA112R BETA1 BETA2 BETA2BKT	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount Mounting Bracket for BETA2 and WPA1 Only, Flange Mount	36.50
BETA112R BETA1 BETA2 BETA2BKT BETAMIC	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount Mounting Bracket for BETA2 and WPA1 Only, Flange Mount Remote Mic for use with BETA112 (for use with Customer-Supplied Switches)	36.50
BETA112R BETA1 BETA2 BETA2BKT BETAMIC Epsilon™ Serie	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount Mounting Bracket for BETA2 and WPA1 Only, Flange Mount Remote Mic for use with BETA112 (for use with Customer-Supplied Switches) s Siren, Full Function Hands-Free with Diagnostix™ and 9 Scan-Lock™ Siren Tones.	36.50 146.00
BETA112R BETA1 BETA2 BETA2BKT BETAMIC	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount Mounting Bracket for BETA2 and WPA1 Only, Flange Mount Remote Mic for use with BETA112 (for use with Customer-Supplied Switches)	36.50
















No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	MODEL	DESCRIPTION	LIST
ti	SA350MH	100 Watt Siren Speaker for Harley-Davidson® Wiring Harness (Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.)	667.00
11	WS321	100 Watt Siren for Harley-Davidson® Wiring Harness	580.00
	WSMIC321	Microphone for WS321	144.00
Ħ	WS321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2012 Harley Davidson Road King and Electra-Glide Police Motorcycle	54.00
Ħ	M04ZB	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five Blue LINZ6™s (Replaces M01TB/M01LB)	736.00
††	M04ZJ	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five LINZ6™s, Blue Outboard and Center and Two Red in the Center Sections (Replaces M01TJ/M01LJ)	736.00
ΤΪ	M04ZJ2	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five LINZ6™s, Red Outboard and Center and Two Blue in the Center Sections (Replaces M01TJ2/M01LJ2)	736.00
iri	M04ZR	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five Red LINZ6™s (Replaces M01TR/M01LR)	736.00
††	M05ZB	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five Blue LINZ6s (Replaces M03TB/M03LB)	736.00
Ħ	M05ZJ	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five LINZ6™s, Blue Outboard and Center and Two Red in the Center Sections (Replaces M03TJ/M03LJ)	736.00
	M05ZJ2	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five LINZ6s, Red Outboard and Center and Two Blue in the Center Sections (Replaces M03TJ2/M03LJ2)	736.00
tit	M05ZR	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five Red LINZ6s (Replaces M03TR/M03LR)	736.00

Sirens, Switches & Speakers

WCC9	atrol Centers and Switches	
	WeCan® Controller, 3 Position Slide and 6 Push Buttons, for WeCan Lightbars Only (Not for use with DUO™ Lightbars)	286.00
PCC8R	8 Position Key Pad with Remote Relay Module, Three 20 Amp and Five 10 Amp Relays	318.00
PCCS9RV	The state of the s	259.00
PCCS9NP	Programmable Switch Control for Delta™, 9M, Liberty™ & Ultra Freedom™ Lightbars (Low Current Switching), Replaces PCCS9N & PCCS9N1	290.00
PCC4W	Switch Box with Four 25 AMP SPST Switches, Lighted	115.00
PCC6W	Switch Box with Six 25 AMP SPST Switches, Lighted	156.00
PCC6W1	NEW Similar to PCC6W, Except Last On/Off Switch is Replaced with a Momentary Switch	156.00
PCC10W	Switch Box with Ten 25 AMP SPST Switches, Lighted	196.00
PCC10W1	NEW Similar to PCC10W, Except Last On/Off Switch is Replaced with a Momentary Switch	196.00
1SWITCH	1 Switch Bracket with Switch of Your Choice	53.00
2SWITCH	2 Switch Bracket with Switches of Your Choice	97.00
3SWITCH	3 Switch Bracket with Switches of Your Choice	115.00
4SWITCH	4 Switch Bracket with Switches of Your Choice	156.00
PC1	PC-1 Switch, Lighted SPST, 15 AMP Contacts	33.50
PC2	PC-2 Switch, Momentary SPST, 15 AMP Contacts	33.50
PC3	PC-3 Switch, Lighted SPDT, 15 AMP Contacts	33.50
PC4	PC-4 Switch, SPDT, On-On, 15 AMP Contacts	33.50
PC5	PC-5 Switch, DPDT, 15 AMP Contacts	33.50
PC5S	PC-5S Switch, DPDT, 15 Amp Contacts, for Strobe Hi/Off/Low Operation	33.50



Siren Ampinie	rs, Ampliners & Airnorns	
Howler™ Low Purchased Sep	Frequency Tone Siren, Includes Siren Amplifier and Speaker(s), Works in Conjunction with Existing Sire arately.	n Systems
HWLCC11	Chevy Caprice, 2011, Siren Amplifier with One Speaker, Includes Mounting Bracket	580.00
HWLFT11	Ford Taurus, 2010-2011 and Police Interceptor, 2013, Siren Amplifier with One Speaker, Includes Mounting Bracket	580.00
HWLCI12	Chevy Impala, 2012, Siren Amplifier with One Speaker, Includes Mounting Bracket, Requires SA315P with SAK46 Purchased Separately	580.00
HOWLER2	Ford Expedition, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER4	Ford E-Series, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER5	NEW Chevy Suburban 1/2 Ton, 2008-2012 and Chevy Tahoe, 2008-2012, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER7	Chevy Impala, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER9	NEW Chevy 2500/3500 Silverado and Chevy Suburban 3/4 Ton, 2009-2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.00
HOWLER11	Chevy Express G-Series, 2011, Siren Amplifier with Two Speakers and Mounting Brackets	725.00



5.141, 5.15	
417.77 C	
5 mm - 1 mm	
10000	
71.74	

ff RBI	KTHD4R	Harley-Davidson®, 2008-2012, Under Radio Box Mounting Bracket Kit (When Used with Whelen Boxes Only), for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes RFLANGEC, Curb Side. Each	18.50
†† RBI	KTHD5	Harley-Davidson®, 2008-2012, (FLHP Road King Only) Under Headlight Mounting Bracket Kit, for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes RFLANGEC. Each	25.50
†† RBI	KTHD6	Harley-Davidson®, 2008-2012, Passing/Fog Light Mounting Bracket Kit, for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel. Each	22.50
2E*	00Z*R	Extended Lens, Super-LED®, Amber, Blue, Red or White	182.00
2F*	00Z*R	Flat Lens, Super-LED®, Amber, Blue, Red or White	182.00
PAF	R36ES*	PAR-36 Strobe, Extended Wide Angle Lens	142.00
502	2000*R	500 Series Strobe, Requires Optional Mounting Kit, Extension Cable Purchased Separately	123.00
50*	00F*R	500 Series 5mm LED, Red or Amber, Requires Optional Mounting Kit	88.00
50*(00F*R	500 Series 5mm LED, Blue or White, Requires Optional Mounting Kit	180.00
5FL	ANGEB	500 Series Black Trim Ring Kit	9.00
Congression and Artist Art 1997	ANGEC	500 Series Chrome-Plated Trim Ring Kit	15.50
5GF	ROMMET	500 Series Grommet Mount Kit	8.00
5HS	SGB1	500 Series 7/8" to 1" Round Bar Mount Kit	213.00
5HS	SGB125	500 Series 1.25" Round Bar Mount Kit	213.00
5HS	SGPED	500 Series Pedestal Swivel Mount Kit	192.00
5S*	00F*R	500 Series 5mm Self/Surface Mount Red or Amber with 14 Scan-Lock™ Flash Patterns	88.00
The administration where the control	00F*R	500 Series 5mm Self/Surface Mount Blue or White with 14 Scan-Lock™ Flash Patterns	180.00
5SF	R00XRR	500 Series 5mm Self/Surface Mount Brake/Tail/Turn	91.00
402	.000*R	400 Series Strobe without Flange, Extension Cable Purchased Separately	131.00
4EF	LANGE	400 Series Optional Chrome-Plated Trim Ring	15.50
	DL*P	Low Dome, Strobe, Perm/Pipe Mount	292.00
WP	A112	Waterproof 100 Watt Siren Amplifier	432.00
WP	A1	Full Function Control Head Only, Weather Resistant for WPA Amp, Includes a 7-1/2' Cable, for Handlebar and Surface Mounting (Motorcycle)	393.00
WS	321	100 Watt Siren for Harley-Davidson® Wiring Harness	580.00
WS WS	MIC321	Microphone for WS321	144.00
	321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2010 Harley Davidson Road King and Electra-Glide Police Motorcycle	54.00
ALF	PHA12SL	Remote Siren, for use with Remote Switches (Purchased Separately), Selectable Four Tone Hands-Free Siren, For a Single 100 Watt Speaker (Replaces the ALPHA12R)	243.00
BET	TA112R	100 Watt Full Function Remote Siren (Must Be Mounted Flat), For Use with Remote Switches (Purchased Separately)	245.00
BET	ГА2	Full Function Control Head Only, Weather Resistant, 20 Ft. Cable, Surface Mount	323.00
SAS	350M	Motorcycle Siren Speaker, 100 Watts (Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.)	588.00

	Choose the Mot	orcycle Box Opening Preference, Lighting Package and Options.	
'	Motorcycle Sys	tem. Includes Black Box. Adapter Plate to Mount to a 2009-2010 Harley Police Package, Separation Pla	te, Strip-Lite ^T
	LED Brake/Tail/7	Furn, Flasher, Terminal Block with Fuses and 12 VDC Receptacle. For White Boxes Contact Factory for	Pricing and
	Availability.	wages a second transfer of the control of the contr	
ti	M4B6R	Motorcycle Box Configured with Six M4 Series, Right-Hand (Curb Side) Opening (Replaces MB6R)	3346.00
	M4B6L	Motorcycle Box Configured with Six M4 Series, Left-Hand (Road Side) Opening (Replaces MB6L)	3380.00
	M4B6B	Motorcycle Box Configured with Six M4 Series, Rear Opening (Replaces MB6B)	3380.00
COLUMN T-CON-	Motorcycle Sys	tem Box Lighting Package Options for Above, No Charge when Purchased with M4B6 Motorcycle Sy	stem. For
	White Super-LEI	D® Lightheads, Contact Factory for Pricing and Availability.	
Ħ	M4*****	Six M4 Series Over/Under Single Color Super-LED® Modules, Red, Blue and/or Amber, for M4B6	
		System Only	
Ħ	M4#######	Six M4 Series Over/Under Dual Color Super-LED® Modules, Red, Blue and/or Amber, for M4B6 System Only	
200000000000000000000000000000000000000	Options for Mol	orcycle Systems	
	2E*00Z*R	Extended Lens, Super-LED® Fairing Light, Amber, Red or Blue, Each	182.00
iii	50*03Z*R	500 Series TIR6™ Super-LED®, Requires Additional Purchase of M1FNDR, Amber, Red or Blue, Each	159.00
	M1FNDR	Fender Mounting Kit for Use with 50*03Z*R, Each	56.00
	M2FNDR	Fender Mounting Kit for Use with Two LINZ6s™, RS*02ZCRs or RS*03ZCRs, Each	56.00
	M4BSEP	Substitute Separation Plate with Battery Hole for Standard Solid Plate, Includes Battery Hold Downs, for M4B6 Series	139.00
	M1BATT	Motorcycle Battery, Requires Appropriate Separation Plate, Purchased Separately	352.00
	M4B6CHRG	Battery Charger Includes 120 VAC Receptacle, for M4B6R System Only, Factory Installed ONLY	332.00
		Battery Charger Includes 120 VAC Receptacle, for M4B6B system Only, Factory Installed ONLY	332.00





Ground Plane

M1GROUND

No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	MODEL	DESCRIPTION	LIST
	W441D14	3 Pins and Connector Kit, Waterproof (Deutsch®), for DOT TPR Cable	8.00
:	W442D	3 Sockets and Connector Kit, Waterproof (Deutsch®)	8.00
	W444D	2 Pins and Connector Kit, Waterproof (Deutsch®)	5.50
	W446D	2 Sockets and Connector Kit, Waterproof (Deutsch®)	5.50
	Waterproof C	onnector Kits, Installed, OPTIONAL, Substitute for AMP Mate-N-Lok® Connectors.	0.00
	W441DIN	Deutsch® 3 Pins and Connector Kit, Waterproof (Installed on Cable)	15.50
	W442DIN	Deutsch® 3 Sockets and Connector Kit, Waterproof (Installed on Lighthead)	15.50

	Tools, Crimpe	rs And Extractors	
	Tools		
	CRIMPD	Crimping Tool for Deutsch® Metal Terminals	394.00
	CRIMPAV	Crimping Tool for AMP Mate-N-Lok® Standard Terminals (Replaces CRIMPFT)	250.00
	CRIMPIV	Crimping Tool for Barrel Style Terminals	158.00
ii.	EXTRACT	Economical Extractor for both AMP Mate-N-Lok® Pins and Sockets	78.00
Ħ	PINPUSH	Heavy-Duty Extractor for AMP Mate-N-Lok® Pins	218.00
	SOCKPUSH	Heavy-Duty Extractor for AMP Mate-N-I ok® Sockets	101.00

Hide-A-Way Strobe Systems

Waterproof Connectors are Highly Recommended on These Systems

Systems, Hide-A-Way Strobe, See Hide-A-Way Strobe Tube and Systems Section Under Lightheads. See "Hide-A-Way Strobe Tube and Systems" Section under Lightheads

DOT Wing Plow Super-LED® Lightheads Wing Plow Super-LED® Lightheads, Includes TIR3™ Super-LED® Encapsulated in a Cast Housing and 20' Cable. WPLOW1A Amber, for use when Wing Plow is in Use 208.00 WPLOW2A Amber, for use when Wing Plow is Stowed 208.00 Includes 1-WPLOW1A and 1-WPLOW2A WPLOW3AA 386.00 Wing Plow LINZ6 Super-LED Lighthead, Encapsulated in a Cast Housing with 20' Cable WPLOWZ1A Amber, for use when Wing Plow is in Use 259.00 WPLOWZ2A Amber, for use when Wing Plow is Stowed 259.00 WPLOWZ3A Includes WPLOWZ1A and WPLOWZ2A 493.00



Motorcycle Warning Products "Only the items listed in the Motorcycle Warning sections are recommended for motorcycle use". The use of any other Whelen

	Motorcycle Wa	arning Products	
	UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and Synchronize Wire, 12/24 VDC	498.00
	UFM8	Eight Outlet Halogen/LED Flasher, 60 Watts per outlet, 2x2x2x2 Switching, 17 Selectable Flash Patterns	174.00
	RS*03ZCR	TIR3™ Super-LED® with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Horizontal Mounting, Amber, Blue, Red or White	94.00
	RV*03ZCR	TIR3™ Super-LED® with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Vertical Mounting, Amber, Blue, Red or White	94.00
	RS*02ZCR	LIN3™ with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Horizontal Mounting, Amber, Blue, Red or White	105.00
	RFLANGCD	Deep, Chrome-Plated Mounting Flange for TIR3™ and/or LIN3™ Lightheads	15.50
	RFLANG2B	Black, Dual Surface Mount Flange Kit for Two TIR3™ and/or LIN3™ Lightheads	13.50
	RFLANG2C	Chrome-Plated, Dual Surface Mount Flange Kit for Two TIR3™ and/or LIN3™ Lightheads	18.50
	RBKTHD1	Harley-Davidson®, 2008-2012, Side Windshield Mounting Bracket Kit, for use with One LINZ6™ or RV TIR3™, Stainless Steel, Includes RFLANGEC. Each	18.50
	RBKTHD2	Harley-Davidson®, 2008-2012, Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two LINZ6™, RS TIR3™s and/or LIN3™s, Stainless Steel, Includes RFLANG2C. Each	31.50
	RBKTHD3	Harley-Davidson®, 2008-2012, Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two LINZ6™, RS TIR3™s and/or LIN3™s, Stainless Steel, Includes RFLANG2C. Each	37.00
	RBKTHD3D	Harley Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 4 TIR3, LINZ6 and/or LIN3 Lightheads, Stainless Steel, Includes 2 RFLANG2C, Each	73.00
20000			

Harley-Davidson®, 2008-2012, Under Radio Box Mounting Bracket Kit (When Used with Whelen

Boxes Only), for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes

RFLANGEC, Road Side. Each



Systems - DOT & Motorcycle



18.50

RBKTHD4L

	*	
200	7.364	1045
1 151515	COLT.	
10.00	Stort.	
11.5.6		11.
		- 1
		100
200.0		1.00
W. 707	Alexander.	
		4.11
		ш
	14.	
		LΩ
243,532,00		10000
1 40.752		

:	LINZ6K	Split Amber/Red Lighthead, Horizontal Mount	154.00
	LINZ6J	Split Blue/Red Lighthead, Horizontal Mount	154.00
	LINZ6D	Split White/Red Lighthead, Horizontal Mount	154.00
	LINZ61	Horizontal Mount, Amber/Amber Split	155.00
	LINZ62	Horizontal Mount, Blue/Blue Split	155.00
	LINZ65	Horizontal Mount, Red/Red Split	155.00
:	LINZ6FC	Optional Deep Chrome-Plated Mounting Flange Kit	15.50
	RFLANGCD	Optional, Deep, Chrome-Plated Mounting Flange Kit	15.50
	RFLANGEC	Optional Chrome-Plated Mounting Flange Kit	15.50
	RFLANGEA	Optional Cast Aluminum Mounting Flange Kit	27.50
	RFLANG2B	Optional Black, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	13.50
	RFLANG2C	Optional Chrome-Plated, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lighthead	18.50
.,	RBKTHD1	Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each	18.50
	RBKTHD2	Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	31.50
	RBKTHD3	Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	37.00
	RBKTHD4L	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Road Side,	18.50
	RBKTHD4R	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Curb Side, Each	18.50
	RBKTHD5	Harley-Davidson® Under Headlight Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Each	
	RBKTHD6	Harley-Davidson® Passing/Fog Light Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Each	22.50
	RGROMMET	Grommet Mount Kit for LINZ6™	7.00
		Optional Dodge Charger Trunk Mount Bracket for 2 LINZ6™ Lightheads, Pair	21.50
	L6BKT3	Optional 46 Degree Push Bumper Bracket, Each	14.50
	L6BKT5	Optional Under-the-Side View Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing	18.50
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	RBKT1	Optional Mounting Bracket for 1 LINZ6™ Lighthead (Consider Using LIN3™ Mounting Flange, Purchased Separately)	11.50
	RBKT2	Optional Mounting Bracket for 2 LINZ6™ Lightheads (Consider Using LIN3™ Mounting Flange, Purchased Separately)	20.50
	RBKT5	Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing (Consider Using LIN3™ Mounting Flange, Purchased Separately)	15.50
	RBKT6	Optional License Plate Bracket for 2 LINZ6™s, Horizontal Mount (Consider Using LIN3™ Mounting Flange, Purchased Separately)	22.50
	RBKT7	Optional License Plate Bracket for 2 LINZ6™s, Vertical Mount (Consider Using LIN3™ Mounting Flance, Purchased Separately)	22.50
	RBKT8B	Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair (Consider Using LIN3™ Mounting Flange, Purchased Separately)	24.50
	RBKT8C	Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair (Consider Using LIN3™ Mounting Flange, Purchased Separately)	29.50
ti	LIN4KIT	Mounting Kit to convert LINZ6™ Series to mount in SS*02ZCR/LIN4 location, includes black flange	20.50

Galiles, Exter	sions And Connector Kits	
Shielded Thre	e Conductor Extension Cables	
EXT15	Fifteen Foot Extension Cable with AMP Mate-N-Lok® Connectors	36.00
EXT20	Twenty Foot Extension Cable with AMP Mate-N-Lok® Connectors	45.00
EXT25	Twenty-Five Foot Extension Cable with AMP Mate-N-Lok® Connectors	57.00
EXT30	Thirty Foot Extension Cable with AMP Mate-N-Lok® Connectors	64.00
EXT40	Forty Foot Extension Cable with AMP Mate-N-Lok® Connectors	78.00
Substitute Lo	nger Shielded Cables, For Standard 15' Cable, Where Applicable.	
SEXT20	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable	8.00
SEXT25	Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable	18.00
SEXT30	Substitute Thirty Foot Cable for Standard Fifteen Foot Cable	28.50
Substitute Lo	nger Shielded Cables, For Standard 15' Cable with Waterproof Connector on Lighthead Side of Cable Or guires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side).	ily, Where
Substitute Lo Applicable (Re SEXT20D	quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors	lly, Where 8.00
Applicable (Re	quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side).	
Applicable (Re SEXT20D	Quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only	8.00 18.00
Applicable (ReSEXT20D	Quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only	8.00
Applicable (Re SEXT20D SEXT25D	Quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable Only	8.00 18.00
Applicable (Re SEXT20D SEXT25D Connector Ki A441A	quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable Only Substitute Twent	8.00 18.00 3.50
Applicable (Re SEXT20D SEXT25D Connector Ki A441A A442A	quires Purchase of Lighthead & Cable with Deutsch® Waterproof Connector on Lighthead Side). Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthead Side of Cable Only Samuel Standard Fifteen Foot Cab	8.00 18.00 3.50 3.50



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL PBSLFCB	DESCRIPTION NEW Brow Mount Bracket Contact Mount for M3 Excitable and Date of the Date of	LIST
PBSLFLR	NEW Brow Mount Bracket, Center Mount for M2 Freightliner, Black, for PSL2 Only	.08
PBSLFLRB	NEW Brow Mount Bracket, Left and Right Side Mounts for M2 Freightliner, White, for PSL2 Only	155.0
	NEW Brow Mount Bracket, Left and Right Side Mounts for M2 Freightliner, Black, for PSL2 Only	155.0
PBSLFIC	NEW Brow Mount Bracket, Center Mount for International Chassis, White, for PSL2 Only	80.0
PBSLICB	NEW Brow Mount Bracket, Center Mount for International Chassis, Black, for PSL2 Only	80.0
PBSLIR	NEW Brow Mount Bracket, Left and Right Side Mounts for International Chassis, White, for PSL2 Only	155.0
PBSLILRB	NEW Brow Mount Bracket, Left and Right Side Mounts for International Chassis, Black, for PSL2 Only	155.0
SideKick™ Si in Red, Blue, A	uper-LED® Fender Lights, Black Housing, Includes Driver and Passenger Side Housing with ION Lighth Amber and/or White	eads. Avail
SK01**	Ford Police Interceptor, 2013	1010
SK01JJ	Ford Police Interceptor, 2013, Two Split Red/Blue Lightheads	484.0
SK01W**	Ford Police Interceptor, 2013, Wide Angle	484.0
SK01WJJ	Ford Police Interceptor, 2013, Two Split Red/Blue Lightheads, Wide Angle	484.0
SK02**	Chevy Caprice, 2011-2012	484.0
SK02JJ	Characteristics 2011-2012	484.0
SK02W**	Chevy Caprice, 2011-2012, Two Split Red/Blue Lightheads	484.0
CONTRACTOR	Chevy Caprice, 2011-2012, Wide Angle	484.0
SK02WJJ	Chevy Caprice, 2011-2012, Two Split Red/Blue Lightheads, Wide Angle	484.0
Strip-Lite™ St	uper-LED® & 5mm LED Series, Surface Mount, Color LEDs with Color Outer Lens.	
PS*00F*R	5mm, Amber or Red, 14 Flash Patterns including Steady-Burn	124.0
PSB00FBR	5mm, Blue, 14 Flash Patterns including Steady-Burn	219.00
PSC00FCR	5mm, White, 14 Flash Patterns including Steady-Burn	
PSR00XRR	5mm, Brake/Tail, with 2 Flash Patterns	338.00
PSRASXCR	5mm, Brake/Tail with Amber Turn Signal	124.00
PSTANK	5mm, Water Tank Status Light, Steady-Burn Green, Blue, Amber & Red LEDs. Requires	134.00
	Customer-Supplied Sensors	227.00
PSC0ADCR	Super-LED® Compartment Light, Intensity Level 2, Frosted Lens	87.00
PSC0CDCR	Super-LED® Compartment Light, Intensity Level 3, Frosted Lens	
PSBKT451	45° Mounting Bracket for 1 Strip-Lite™ Compartment Light	132.00
PSBKT1	Guard for use with or without Single Angle Bracket	22.00
TIR3™ & LIN3¹	M Series Super-LED® Lightheads and Options, Surface Mount, Color Super-LED® with Clear Outer Le	31.50 ens, 3.5" W
I.I TXI.Z D.	Includes Black Flange. Scan-Lock™ Flash Patterns including Steady-Burn and Synchronize Feature	
RS 022CR	LIN3 M, Horizontal Mounting, Amber, Blue, Red or White	105.00
RS*03ZCR	TIR3™, Horizontal Mounting, Amber, Blue, Red or White	94.00
RV*03ZCR	TIR3™, Vertical Mounting, Amber, Blue, Red or White	94.00
RFLANGCD	Optional, Deep, Chrome-Plated Mounting Flange Kit	15.50
RFLANGEC	† Optional Chrome-Plated Mounting Flange Kit	15.50
RFLANGEA	Optional Cast Aluminum Mounting Flange Kit	ATTEMPT AND ADDRESS COURSE OF COME
RFLANG2B	Optional Black, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	27.50
RFLANG2C	Optional Chrome-Plated, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	13.50
RGROMMET	Grommet Mount Kit for TIR3™ and LIN3™	18.50
RBKT1	Original Marria Daniel (1977) and LINS	7.00
RBKT2	Optional Mounting Bracket for 1 RS TIR3™ or LIN3™ Lighthead (Not for Use with RV series)	the analysis are also as a second second second
KDK (Z		the analysis are also as a second second second
	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV	the analysis are also as a second second second
IDI/T#	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series)	11.50
a contract of the contract of	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™	11.50 20.50
BKT5	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing	11.50 20.50 36.00
BKT5	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing	11.50 20.50 36.00 15.50
BKT5 BKT6	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount	11.50 20.50 36.00 15.50 22.50
BKT5 BKT6 BKT7	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount	11.50 20.50 36.00 15.50 22.50 22.50
RBKT5 RBKT6 BKT7 BKT8B	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair	11.50 20.50 36.00 15.50 22.50 22.50 24.50
BKT5 BKT6 BKT7 BKT8B BKT8C	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011. Chrome, Pair	11.50 20.50 36.00 15.50 22.50 22.50 24.50 29.50
BKT5 BKT6 BKT7 BKT8B BKT8C BKTHD1	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each	11.50 20.50 36.00 15.50 22.50 22.50 24.50
RBKT5 RBKT6 RBKT7 RBKT8B RBKT8C BKTHD1 BKTHD2	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANGEC, Each	11.50 20.50 36.00 15.50 22.50 22.50 24.50 29.50
RBKT5 RBKT6 RBKT7 RBKT8B RBKT8C RBKTHD1 RBKTHD2 RBKTHD3	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	11.50 20.50 36.00 15.50 22.50 22.50 24.50 29.50 18.50
RBKT4 RBKT5 RBKT6 RBKT7 RBKT8B RBKT8C RBKTHD1 RBKTHD2 RBKTHD3 RKTHD4L	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Gue Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANG2C, Road Side, Each	11.50 20.50 36.00 15.50 22.50 24.50 29.50 18.50
RBKT5 RBKT6 RBKT7 RBKT8B RBKT8C RBKTHD1 RBKTHD2 RBKTHD3 RBKTHD4L RBKTHD4R	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional, Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Road Side, Each Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Curb Side, Each	11.50 20.50 36.00 15.50 22.50 22.50 24.50 29.50 18.50 31.50
RBKT5 RBKT6 RBKT7 RBKT8B RBKT8C RBKTHD1 RBKTHD2 RBKTHD3 RBKTHD4L	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series) Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™ Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair Harley-Davidson® Gue Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANG2C, Road Side, Each	11.50 20.50 36.00 15.50 22.50 22.50 24.50 29.50 18.50 37.00

LINZ6™ Series Linear Super-LED® Lightheads and Options, Surface Mount, Color Super-LED with Clear Outer Lens, 4" W x 2" H x

1-9/16" D, Includes Black Flange. Scan-Lock™ Flash Patterns Including Steady-Burn and Synchronize Feature.

Horizontal Mount, Amber, Blue, Red or White







149.00

LINZ6*

PBAINTC	Brow Mount Brackets, Center Mount for International 4300, 4400, 7400 and Terrastar Chassis (Dual Pioneer Only)	155.00
PFLASH	Flasher with Steady-Burn Override Multiple Flash Patterns	103.00
Pioneer™ and	Pioneer Plus™ Series, Includes Handle and Pole/Pedestal Mount Adapter, White Housing, 12 VDC	unless noted
Super-LED® Sp	ot/Flood Lights.	
PFA1P	Single Panel Pioneer with Pole/Pedestal Mount Adapter	849.00
PFA1P1	Single Panel Pioneer with Pole/Pedestal Mount Adapter and On/Off Switch	874.00
PFP1P	Single Panel Pioneer Plus with Pole/Pedestal Mount Adapter	1056.00
PFP1P1	Single Panel Pioneer Plus with Pole/Pedestal Mount Adapter and On/Off Switch	1081.00
PFA2P	Dual Panel Pioneer with Pole/Pedestal Mount Adapter	1313.00
PFA2P1	Dual Panel Pioneer with Pole/Pedestal Mount Adapter and On/Off Switch	1339.00
PFP2P	Dual Panel Pioneer Plus with Pole/Pedestal Mount Adapter	1672.00
PFP2P1	Dual Panel Pioneer Plus with Pole/Pedestal Mount Adapter and On/Off Switch	1697.00
PSP1P	Single Panel Pioneer Plus. 8° Spotlight with Pole/Pedestal Mount Adapter	1056.00
PSP1P1	Single Panel Pioneer Plus, 8° Spotlight with Pole/Pedestal Mount Adapter and On/Off Switch	1081.00
SP1AP	NEW Single Panel Pioneer Plus, 8° Spotlight, 120 VAC, with Pole/Pedestal Mount Adapter	1139.00
PSP1AP1	NEW Single Panel Pioneer Plus, 8° Spotlight, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	1165.00
PCP2P	Dual Panel Pioneer Plus, Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter	1672.00
PCP2P2	Dual Panel Pioneer Plus, Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter and Two On/Off Switches for Individual Control of Lightheads	1723.00
FP1AP	Single Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter	1223.00
PFP1AP1	Single Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	1248.00
PFP2AP	Dual Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter	1950.00
PFP2AP1	Dual Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	1975.00
PBAPEDD	Pedestal Mount Kit for Pioneer with Pole/Pedestal Mount Adapter	302.00
PBAPEDA .	Pedestal Mount Kit for 120VAC Pioneer with Pole/Pedestal Mount Adapter	302.00
PCP2AP	NEW Dual Panel Pioneer Plus™ Combination Flood/8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter	1975.00
PCP2AP1	NEW Dual Panel Pioneer Plus™ Combination Flood/8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter and On/Off Switch	1975.00
PCP3P	NEW Pioneer Plus Max™ Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter	1995.00
PCP3P1	NEW Pioneer Plus Max™ Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter and On/Off Switch es & Pioneer Plus™ Series, Lightbar Mount, Super-LED® Floodlight, Includes Permanent Mounting	2020.00

ight

	Lightbar Purchase	d Separately and May Prevent the Use of Other Options.	
	PFA1LB1	1 Single PFA1 Pioneer Center Mounted for 55" and Up	1366.00
	PFA1LB2	2 Single PFA1 Pioneers with Mounting Brackets for 72" and Up	2190.00
11	AND ADDRESS OF A STATE OF THE PARTY OF THE P	1 Single PFP1 Pioneer Center Mounted for 55" and Up	1576.00
	PFP1LB2	2 Single PFP1 Pioneers with Mounting Brackets for 72" and Up	2612.00
		1 Dual PFA2 Pioneer Center Mounted for 55" and Up	1881.00
	PFA2LB2	2 Dual PFA2 Pioneers with Mounting Brackets for 72" and Up	3323.00
		1 Dual PFP2 Pioneer Center Mounted for 55" and Up	2242.00
1500 013 157 1500	PFP2LB2	2 Dual PFP2 Pioneers with Mounting Brackets for 72" and Up	4045.00
	Polo Assemblies	For Pole Assemblies, See Separate Pole Assemblies Price List	
	r ole Assemblics,	For Pole Assemblies, See Separate Pole Assemblies Price List	

Dionogr Sliml	For Pole Assemblies, See Separate Pole Assemblies Price List ine™ Series, 12 VDC, Super-LED®. Standard Spotlight includes Interchangeable Flood/Flood Len	is and the
Includes a Cor	nbination Spot/Flood Light Lens	
PSL1B	NEW Single Panel, Bail/Stud Mount, White Housing	
PSL1BB	NEW Single Panel, Bail/Stud Mount, Black Housing	
PSL1P	NEW Single Panel, Low Profile Pedestal/Swivel Mount, White Housing	
PSL1PB	NEW Single Panel, Low Profile Pedestal/Swivel Mount, Black Housing	
PSL1R	NEW Single Panel, Semi-Recessed, Chrome Flange Mount, White Housing	
PSL1RB	NEW Single Panel, Semi-Recessed, Chrome Flange Mount, Black Housing	anametra at clara ca c
PSL1R5	NEW Single Panel, Semi-Recessed 15° Angle Chrome Flange Mount, White Housing	
PSL1R5B	NEW Single Panel, Semi-Recessed 15° Angle Chrome Flange Mount, Black Housing	
PSL2B	NEW Dual Panel, Bail/Stud Mount, White Housing	
PSL2BB	NEW Dual Panel, Bail/Stud Mount, Black Housing	
PSL2P	NEW Dual Panel, Low Profile Pedestal/Swivel Mount, White Housing	
PSL2PB	NEW Dual Panel, Low Profile Pedestal/Swivel Mount, Black Housing	
PSL2R	NEW Dual Panel, Semi-Recessed, Chrome Flange Mount, White Housing	
PSL2RB	NEW Dual Panel, Semi-Recessed, Chrome Flange Mount, Black Housing	
PSI 2R5	NEW Dual Panel, Semi-Recessed 15° Angle Chrome Flange Mount, White Housing	
PSL2R5B	NEW Dual Panel, Semi-Recessed 15° Angle Chrome Flange Mount, Black Housing	

Combination Floo	74,000	00400
PSL2	NEW Dual Panel, White Housing, Mounting Purchased Separately	824.00
	NEW Dual Panel, Black Housing, Mounting Purchased Separately	824.00
PBSLFC	NEW Brow Mount Bracket, Center Mount for M2 Freightliner, White, for PSL2 Only	80.00
FBSLIC	IATAA DIOM MOGUE DIGOROF, Course Magnetics	











No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.


PAR-46 Sup	DESCRIPTION eer-LED® Steady-Burn Floodlights, Spotlights and Combination Spot Light and Warning Light	LIST
P46SLC	PAR-46, 12 VDC, Replacement, 2° Spot Light	249.0
P46FL*	PAR-46, 12 VDC, Replacement, 8° Spotlight, Amber, Blue, Red or White (Steady-Burn)	249.0
P46WL*	PAR-46, 12 VDC, Replacement, 20° High x 60° Wide Floodlight Pattern, Amber, Blue, Red or White (Steady-Burn)	249.0
P46SLCHG	PAR-46, Spotlight 12 VDC, Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware	276.0
P46HHS	PAR-46, Super-LED® Hand Held Spotlight, 12 VDC, Includes Cigar Cord, On/Off Switch and Magnet	466.0
P46S2*	PAR-46, 12 VDC, Replacement, 8° Spot Light with Blue or Red Warning. For Unity Spot Light Mounting Only. One Wire Control for Spot and Warning	329.0
P46S2X	NEW PAR46 12 VDC, Replacement, California Steady Red and 8° Spot Light, for Unity Spot Light Mounting Only. One Wire Control of Steady Red and Spot Light	329.00
P46S2*3	PAR-46, 12 VDC, Replacement, 8° Spot Light with Blue or Red Warning. For Unity Spot Light Mounting. One Wire Color Control for Spot, Warning and Alternate Flash of Spot/Warning	329.00
P46S3*H	PAR-46, 12 VDC, 8° Spot Light with Blue or Red Warning. Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware. Independent Control of Spot light and Warning Light with Spot Light Override	355.00
Perimeter Er	hancement Light, Super-LED, Steady White	
PELCC	Chrome Flange, White	196.00
PELCB	Black Flange, White	196.00
Micro Pionee	r™ Series, Super-LED® Work/Scene Light, Includes Mounting Bracket and 3 Additional Interchangeable	e Ontic I ens
MLRM	Bail/Stud Mount, White Housing	403.00
MPBB	Bail/Stud Mount, Black Housing	403.00
MPPW	NEW Low Profile Pedestal/Swivel Mount, White Housing	549.00
MPPWCS	NEW Low Profile Pedestal/Swivel Mount, White Housing with Chrome Cover and On/Off Switch	549.00
MPPB	NEW Low Profile Pedestal/Swivel Mount, Black Housing	549.00
MPPBBS	NEW Low Profile Pedestal/Swivel Mount, Black Housing with Black Cover and On/Off Switch	549.00
MPPBCS	NEW Low Profile Pedestal/Swivel Mount, Black Housing with Chrome Cover and On/Off Switch	549.00
MPRW	Straight Recessed Mount, White	399.00
MPRB	Straight Recessed Mount, Black	399.00
MPR15W	15 Degree Recessed Mount, White	399.00
Pioneer™ Se Optional Mour	15 Degree Recessed Mount, Black ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight	399.00 equires
Pioneer™ Se Optional Mour PFA1 PFA1LP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount	399.00 equires 614.00 764.00
Pioneer™ Se. Optional Mour PFA1 PFA1LP PFP1	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight	399.00 equires 614.00 764.00 824.00
Pioneer™ Se. Optional Mour PFA1 PFA1LP PFP1 PFP1LP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount	399.00 lequires 614.00 764.00 824.00 974.00
Pioneer™ Se. Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight	399.00 dequires 614.00 764.00 824.00 974.00
Pioneer™ Se. Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2 PSP1	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8°	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 824.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2 PSP1 PSP1LP PSP1 PSP1LP PSP1 PSP1LP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 824.00 974.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2 PSP1 PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8°	399.00 dequires 614.00 764.00 824.00 974.00 1077.00 1438.00 824.00 974.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2 PSP1 PSP1LP PTP1 PTP1LP PTP1LP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R ting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2°	399.00 dequires 614.00 764.00 824.00 974.00 1077.00 1438.00 824.00 974.00 824.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1LP PFA2 PFP2 PSP1 PSP1LP PTP1 PTP1LP PTP1 PTP1LP PTP1LP PTP1LP PTP1LP PFP1AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer™ Floodlight Single Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 824.00 974.00 1438.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1LP PFA2 PSP1 PSP1LP PTP1 PTP1LP PTP1 PTP1LP PTP1LP PTP1LP PTP1LP PSP1AC PSP1AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 824.00 974.00 1438.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PSP1 PSP1LP PTP1 PTP1LP PCP2 PFP1AC PSP1AC PSP1ALP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Roodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL® Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 824.00 974.00 1438.00 989.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFA2 PFP2 PSP1LP PSP1LP PTP1 PTP1 PTP1 PTP1AC PSP1AC PSP1AC PSP1ALP PFP2AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Spotlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 824.00 974.00 824.00 974.00 1438.00 989.00 1438.00 989.00 1139.00 1716.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1LP PFA2 PFP2 PSP1 PSP1LP PTP1 PTP1 PTP1LP PCP2 PFP1AC PSP1AC PSP1ALP PFP2AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 824.00 974.00 1438.00 989.00 989.00 1139.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PTP1 PTP1LP PCP2 PSP1AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved	399.00 lequires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 974.00 1438.00 989.00 1438.00 989.00 1139.00 1716.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PSP1LP PTP1 PTP1LP PCP2 PSP1AC PSP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved	399.00 Requires 614.00 764.00 824.00 974.00 1438.00 824.00 974.00 1438.00 974.00 1438.00 1438.00 1438.00 1438.00 1438.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PTP1 PTP1LP PCP2 PSP1AC PSP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Pioneer Plus™ Combination Flood and 8° Spotlight Deneer™ & Pioneer Plus™ Series	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 974.00 9824.00 974.00 1138.00 989.00 1139.00 1716.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PTP1 PTP1 PTP1 PCP2 PSP1AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Ponael Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Deneer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius	399.00 Requires 614.00 764.00 824.00 974.00 1438.00 824.00 974.00 1438.00 974.00 1438.00 1438.00 1438.00 1438.00 1438.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1AC	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Oneer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Brow Mounting Bracket, 3" Radius	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 974.00 1438.00 974.00 1438.00 1716.00 1716.00 1845.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP11 PFP1LP PFA2 PFP2 PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1LP PSP1AC PSP	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer™ Floodlight Dual Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PSP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Brow Mounting Bracket, 3" Radius Brow Mounting Bracket, 3" Radius Bail Mount Bracket, White, For Single Pioneer™ (PFA1/PFP1)	399.00 Requires 614.00 764.00 824.00 974.00 1438.00 974.00 824.00 974.00 1438.00 974.00 1438.00 1716.00 1716.00 1845.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP11 PFP1LP PFA2 PFP2 PSP1 PSP1LP PTP1LP PTP1LP PCP2 PFP1AC PSP1AC PSP1AC PSP1AC PSP1AC PSP1AC PSP1AC PCP2AFS PCP2AFS PCP2AFS PCP3 Options for Pi PBA0127 PBA0130 PBA106 PBA206	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Riting Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer ™ Floodlight Dual Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PSP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dineer™ & Pioneer Plus™ Combination Flood and 8° Spotlight Dineer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Bail Mount Bracket, White, For Single Pioneer™ (PFA1/PFP1) Bail Mount Bracket, White, For Dual Pioneer™ (PFA1/PFP2)	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 1438.00 989.00 1139.00 1716.00 1716.00 1845.00 161.00 97.00 109.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP11 PFP1LP PFA2 PFP2 PSP1 PSP1LP PTP1 PTP1LP PCP2 PFP1AC PSP1AC PSP1AC PSP1ALP PCP2ASF PCP2ASF PCP2ASF PCP3 Pd1AC PCP3 PA0130 PBA0130 PBA106 PBA206 PBA106V	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer ™ Floodlight Dual Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dineer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Bail Mount Bracket, White, For Single Pioneer™ (PFA1/PFP1) Bail Mount Bracket, White, For Dual Pioneer™ (PFA1/PFP2) Vertical Bail Mount Bracket, White, For Single Pioneer™ 399.00 Requires 614.00 764.00 824.00 974.00 1077.00 824.00 974.00 824.00 974.00 1438.00 989.00 1438.00 1716.00 1716.00 1845.00 161.00 97.00 109.00 97.00	
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PFP2 PSP1LP PTP1 PTP1LP PCP2 PSP1AC PSP1AC PSP1AC PSP1ALP PCP2 PFP2AC PSP1AC PSP1AC PSP1ALP PFP2AC PSP1AC PSP1ALP PFP2AC P	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer Plus™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dineer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Brow Mounting Bracket, 3" Radius Brow Mounting Bracket, White, For Single Pioneer™ (PFA1/PFP1) Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2) Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2)	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 824.00 974.00 824.00 974.00 1438.00 989.00 1438.00 1716.00 1716.00 1845.00 161.00 97.00 109.00 97.00
Optional Mour PFA1 PFA1LP PFA1LP PFP1 PFP1 PFP2 PSP1 PSP1LP PTP1 PTP1LP PCP2 PFP1AC PSP1AC PSP1ALP PCP2ASF PCP2ASF PCP2ASF PCP3 Dptions for Pi PBA106 PBA206	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer Plus™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™ Spotlight, 8°, 120 VAC, UL® Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dioneer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Brow Mounting Bracket, White, For Single Pioneer™ (PFA1/PFP1) Bail Mount Bracket, White, For Single Pioneer™ (PFA2/PFP2) Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2) Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2) Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2) Replaced by PBAPEDA or PBAPEDD, See Pole/Pedestal Pioneer™ Series	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 1438.00 974.00 1438.00 989.00 1139.00 1716.00 1716.00 1845.00 161.00 97.00 109.00
Pioneer™ Se Optional Mour PFA1 PFA1LP PFP1 PFP1 PFP2 PFP2 PSP1LP PTP1 PTP1 PTP1 PTP1 PTP1 PTP1 PTP1	ries and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. R titing Kit Purchased Separately. Single Panel Pioneer™ Floodlight NEW PFA1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Floodlight NEW PFP1 with Low Profile Pedestal/Swivel Mount Dual Panel Pioneer Plus™ Floodlight Dual Panel Pioneer Plus™ Floodlight Single Panel Pioneer Plus™ Spotlight, 8° NEW PSP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Single Panel Pioneer Plus™ Spotlight, 2° NEW PTP1 with Low Profile Pedestal/Swivel Mount Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Single Panel Pioneer Plus™, Spot Light, 8°, 120 VAC, UL Approved NEW PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved NEW Dual Panel Pioneer Plus™ Combination Flood and 8° Spotlight Dineer™ & Pioneer Plus™ Series Brow Mounting Bracket, 2.75" Radius Brow Mounting Bracket, 3" Radius Brow Mounting Bracket, White, For Single Pioneer™ (PFA1/PFP1) Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2) Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2)	399.00 Requires 614.00 764.00 824.00 974.00 1077.00 824.00 974.00 824.00 974.00 1438.00 989.00 1438.00 1716.00 1716.00 1845.00 161.00 97.00 109.00 97.00











:	M9#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	
	M9*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	329.00
	M9*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	329.00
	M9LZC	Scenelight, White, Includes Flange (Replaces M9ZC)	556.00
	M9BTTX	Brake/Tail/Turn	356.00
	M9T	Amber Turn	397.00
	M9BUW	Back-Up Light	415.00
	M9FC	Flange, Chrome	24.50
	regardagement accessor of a conference of the second contract of the	Common to the Common terror and the Common t	9.00
	M9FB	Flange, Black Flange, Chrome, Adapts M9 Warning to 900 Series Mounting	42.00
	M9FC900	Flange, Chrome, Adapts we warning to 900 Series Mounting	58.00
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	M9FCZ900	Flange Chrome, Adapts M9 Scenelight to 900 Series Mounting	64.00
	M9BRUSH	Brush Guard, Black	
	Micro Edge® (St	trobe & Super-LED®) & Micro LFL Lighthead Assemblies, Mirror Mount Bracket Sold Separately (v	viin zu Cable).
††	MC9MED2*	9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H	360.00
Ħ	MCFLED2*	Freedom™, Two Linear Super-LED®s with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber	723.00
Ti.	MCSLED2*	Micro LFL Liberty™, Two Linear Super-LED®s with Built-in Flasher, 9.5" L x 12" D x 2.5" H, Blue, Red and/or Amber	622.00
	Mirror Roam TM N	Mirror Mounted Super-LED® Series Lightheads, Includes 15' Cable with AMP Connectors, Textured	Black Finish,
	Sold in Daire Ave	allable in Blue, Red and/or Amber. For White Super-LEDs®, Contact Factory for Pricing.	,
		Chevy Caprice, 2011-2012	353.00
	MBCC11**	Chevy Caprice, 2011-2012 Chevy Caprice, 2011-2012, Two Split Red/Blue Lightheads	353.00
	MBCC11JJ		353.00
	MBDC11**	Dodge Charger, 2011-2012	353.00
	MBDC11JJ	Dodge Charger, 2011-2012, Two Split Red/Blue Lightheads	
	MBFT11**	Ford Taurus, 2011-2012 and Police Interceptor, 2013	353.00
	MBFT11JJ	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Two Split Red/Blue Lightheads	353.00
	MBFX11**	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013	353.00
	MBFX11JJ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Two Split Red/Blue Lightheads	353.00
	MBFF12**	Ford F150, 2012	353.00
	MRFF1211	Ford F150, 2012, Two Split Red/Blue Lightheads	353.00
	Mirror-Ream™	Mirror Mounted Linear Super-LED® Series Lightheads, Includes 15' Cable with AMP Connectors,	Textured Black
	Finish Sold in Pa	sirs, Available in Blue, Red and/or Amber. For White Super-LEDs®, Contact Factory for Pricing.	
.,	MBPI06**	Chevy Impala, 2006-2012	556.00
		Chevy Suburban & Silverado, 2007-2012 and Chevy Tahoe, 2007-2012	556.00
	MBPS07**	Dodge Charger, 2006-2010 and Magnum Police Packages, Fixed Mirror, 2005-2008	353.00
	MBPM05** MBPM05JJ	Dodge Charger, 2006-2010 and Magnum Police Packages, Fixed Mirror, 2005-2008, Two Split	375.00
		Red/Blue Lightheads	£
	Pan & Tilt™ Sup	per-LED® Spotlight	000.00
	PT360P	Permanent Mount with Wired Control	960.00
	PT360PW	Permanent Mount with Wireless Control	1010.00
	PT360F	Flange Mount with Wired Control	960.00
	PT360FW	Flange Mount with Wireless Control	1010.00
.,, .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PAR-36 Super-L	ED® Floodlights and Spotlights	
	P36SLC	PAR-36, 12/24 VDC, Replacement	186.00
	P36SLCHG	PAR-36, 12/24 VDC, Combination Spotlight/Floodlight. Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware	208.00
:	P36HHS	PAR-36, Super-LED® Hand Held Combination Spotlight/Floodlight, 12/24 VDC, Includes Cigar	393.00
	DADCCD	Cord, On/Off Switch and Magnet	1
	PAK-36 Round S	Super-LED® Work Light, Cast Aluminum and Includes Pedestal/Swivel Mount, Standard.	331.00
<u>L</u>	3PC0C0CD	White, Intensity Level 3, Deutsch Connector	
		Super-LED® Work Light with Pedestal/Swivel Mount, Built-in On/Off Switch and Removable "T" Ha	424.00
	PFBP12	12 Super-LED® Floodlight, Black Housing	424.00
	PFBP12C	12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	435.00
	PFBP6	6 Super-LED® Floodlight, Black Housing	360.00
	PFBP6C	6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	370.00
: i	DCDD12	12 Super-LED® Spotlight, Black Housing	424.00
	P38712		435.00
	PSBP12 PSBP12C	12 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	700.00
	PSBP12C	12 Super-LED® Spotlight, Black Housing with Chrome Rear Cover 6 Super-LED® Spotlight, Black Housing	360.00
	PSBP12C PSBP6	6 Super-LED® Spotlight, Black Housing	
	PSBP12C PSBP6 PSBP6C	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	360.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round S	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount.	360.00 370.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round S PFBS12	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing	360.00 370.00 286.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round S PFBS12 PFBS12C	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	360.00 370.00 286.00 296.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round 5 PFBS12 PFBS12C PFBS6	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 6 Super-LED® Floodlight, Black Housing	360.00 370.00 286.00 296.00 224.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round 5 PFBS12 PFBS12C PFBS6 PFBS6C	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 6 Super-LED® Floodlight, Black Housing 6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	360.00 370.00 286.00 296.00 224.00 234.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round 5 PFBS12 PFBS12C PFBS6 PFBS6C PSBS12	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 6 Super-LED® Floodlight, Black Housing 6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 12 Super-LED® Spotlight, Black Housing	360.00 370.00 286.00 296.00 224.00 234.00 286.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round 5 PFBS12 PFBS12C PFBS6 PFBS6C	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 6 Super-LED® Floodlight, Black Housing 6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 12 Super-LED® Spotlight, Black Housing 12 Super-LED® Spotlight, Black Housing	360.00 370.00 286.00 296.00 224.00 234.00 286.00 296.00
	PSBP12C PSBP6 PSBP6C PAR-36 Round 5 PFBS12 PFBS12C PFBS6 PFBS6C PSBS12	6 Super-LED® Spotlight, Black Housing 6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover Super-LED® Work Light with Stud/Swivel Mount. 12 Super-LED® Floodlight, Black Housing 12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 6 Super-LED® Floodlight, Black Housing 6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover 12 Super-LED® Spotlight, Black Housing	360.00 370.00 286.00 296.00 224.00 234.00 286.00















No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013


↓ 🌃 - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	LIST
M4 Series Linear	r Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flan	ges Available. 5-1/2" Long
x 3-3/8" High, Pro	otrudes 1-3/8".	

	x 3-3/8" High, P		······
	M4*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	180.00
	M4*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	180.00
	M4#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber & Red/Blue Only. Internal Flasher with Flash Patterns and Synchronize Feature	224.00
**********	M4D	Split Color with Clear Outer Lens, Side-By-Side, Red/White. Internal Flasher with Flash Patterns and Synchronize Feature	224.00
	M4*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	180.00
	M4*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	180.00
	M4FC	Flange, Chrome	15.50
	M4FB	Flange, Black	9.00
	M4FC400	Flange, Chrome, Adapts M4 to 400 Series Mounting	21.50
.,,	M4BRUSH	Brush Guard, Black	43.00
	M4IM2LRC	Intersector (Fender) Mount Chrome Housing for 2009-2011 Freightliner M2	66.00
	M4GM2LRC	Grille Mount Chrome Housing, For 2005-2011 Freightliner M2 Series, Pair	66.00
	M4BKT1	Optional Ford Crown Victoria Trunk Mount Bracket for M4 Lightheads, Pair	21.50
	MC Carian Lina	and the control of th	blo 6-3/4"

M6 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 6-3/4 Long x 4-5/16" High, Protrudes 1-3/8".

Long x 4-5/1	o riigii, Protrudes 1-576 .	
M6*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	219.00
M6*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	219.00
M6#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	240.00
M6*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	219.00
M6*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	219.00
M6BTT	Brake/Tail/Turn	159.00
M6T	Amber Turn Signal, Sequential Chevron Arrow without Flange with Multi-Flash Pattern	139.00
M6BUW	Back-Up Light	213.00
M6ZC	Gradient Scene Light	370.00
M6FC	Flange, Chrome	15.50
M6FB	Flange, Black	9.00
M6P15C	15° Angled Surface Mount Housing, Chrome	76.00
M6P15B	15° Angled Surface Mount Housing, Black	37.00
M6FC600	Flange, Chrome, Adapts M6 to 600 Series Mounting	23.50
M6BRUSH	Brush Guard, Black	43.00
M6HDLMTK	Headlight Mounting Kit for ATI & KD Housings, Includes Hardware	75.00
M6FCV2	Flange, Chrome, Two Light, Vertical, Lightheads Purchased Separately	107.00
M6FCV3	Flange, Chrome, Three Light, Vertical, Lightheads Purchased Separately	149.00
M6FCV4	Flange, Chrome, Four Light, Vertical, Lightheads Purchased Separately	213.00
M7 Series L	near Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Availab	le. 7-5/8"
	High, Protrudes 1-3/8".	




	Long x 3-3/6 mig	n, Fronuces 1-3/6.	
	M7*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	219.00
	M7*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	219.00
	M7#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	240.00
	M7*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	219.00
/*	M7*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	219.00
	M7FC	Flange, Chrome	15.50
	M7FB	Flange, Black	9.00
	M7FC700	Flange, Chrome, Adapts M7 to 700 Series Mounting	30.50
	M7BRUSH	Brush Guard, Black	43.00
	M7IC8C	Intersector (Fender) Mount Chrome Housing, For 2005-2008 Chevy 4500/5500 Series, Surface Mount, Pair	72.00
******	M7GCV8C	Grille Mount Chrome Housing, For 2006-2011 Chevy Express Van, Surface Mount, Pair	72.00
	M7ICV8C	Intersector (Fender) Mount Chrome Housing, For 2006-2011 Chevy Express Van, Surface Mount, Pair	72.00
		r Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Availab h, Protrudes 1-3/8".	e. 10-3/8"

Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize

Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and





329.00

329.00



M9*

M9*C

Synchronize Feature

	MIONMW	Wide Angle, Split Blue/Amber, White Housing	172.0
	IONK1W	Optional Swivel Mount Bracket, Black	30.5
	IONK1W	Optional Swivel Mount Bracket, White	30.5
	IONGROM	Grommet Mount Kit	7.0
	IONPEDE	Pedestal Mount Kit, Black	65.0
	IONPEDC	Pedestal Mount Kit, Chrome	71.0
	IONBKT1	NEW Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount	30.5
	Drice Availabili	Mount Series Super-LED®, Includes Scan-Lock™ Flash Patterns and a 4-Wire Pigtail. (For Green, C	Contact factor
		ty and Minimum Order Requirements)	
	IONSM*	Red, Blue, Amber or White, Black Housing	172.0
	IONSMJ	Split Red/Blue, Black Housing	172.0
	IONSMD	Split Red/Clear, Black Housing	172.0
,.,	IONSMM	Split Blue/Amber, Black Housing	172.0
	IONSMW*	Red, Blue, Amber or White, White Housing	172.0
	IONSMWJ	Split Red/Blue, White Housing	172.0
	IONSMWD	Split Red/Clear, White Housing	172.0
	IONSMWM	Split Blue/Amber, White Housing	172.0
	IONSMC*	NEW Red, Blue, Amber or White, Chrome Housing	192.0
	ION™ Wide An	gle Surface Mount Series Super-LED®, Includes Scan-Lock Flash Patterns and a 4-Wire Pigtail. (Fo	r Green, Con
		e, Availability and Minimum Order Requirements).	
	WIONSM*	Wide Angle, Red, Blue, Amber or White, Black Housing	172.0
	WIONSMJ	Wide Angle, Split Red/Blue, Black Housing	172.0
	WIONSMD	Wide Angle, Split Red/White, Black Housing	172.0
	NIONSMM	Wide Angle, Split Blue/Amber, Black Housing	172.0
-	NIONSMW*	Wide Angle, Red, Blue, Amber or White, White Housing	172.00
	MONSWWJ	Wide Angle, Split Red/Blue, White Housing	172.00
<u></u>	MONSMWĎ	Wide Angle, Split Red/White, White Housing	172.00
	MWMZNOIN	Wide Angle, Split Blue/Amber, White Housing	172.00
	WIONSMC*	Wide Angle, Red, Blue, Amber or White, Chrome-Plated	192.00
	WIONSMCD	Wide Angle, Split Red/White, Chrome-Plated	192.00
F	luorent™ Seri	es & Fluorent Plus™ Series Super-LED™ Tube Lighting, Includes Both "C" Clip and "P" Clip Moun	ing
F	-09C	9", Non-Frosted Lens	73.00
F	09PC	9" Plus, Non-Frosted Lens	83.00
F	18C	18", Non-Frosted Lens	104.00
F	18PC	18" Plus, Non-Frosted Lens	125.00
F	27C	27", Non-Frosted Lens	135.00
F	27PC	27" Plus, Non-Frosted Lens	166.00
F	36C	36", Non-Frosted Lens	176.00
F	36PC	36" Plus, Non-Frosted Lens	219.00
F	45C	45", Non-Frosted Lens	219.00
F	45PC	45" Plus, Non-Frosted Lens	269.00
F	54C	54", Non-Frosted Lens	269.00
F	54PC	54" Plus, Non-Frosted Lens	332.00
F	63C	63", Non-Frosted Lens	311.00
	63PC	63" Plus, Non-Frosted Lens	383.00
		r-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flange. 3-5/8" Long x	2-1/8" High
Ρ	rotrudes 1"	Long x	. =- no ingit.
*******	12*	Warning, Red, Blue, Amber or White	166.00
Μ	l2*C	Warning, Red, Blue or Amber with Clear Lens	166.00
	12#	Warning, Split Color with Clear Lens, Red/Amber and Red/Blue Only	171.00
	2D	Warning, Split Color with Clear Lens, Red/White	171.00
	2FC	Flange, Chrome	15.50
	2FB	Flange, Black	9.00
****	2GROM	Grommet Mount Kit	8.00
****	2PEDB	Pedestal Mount Kit, Black	or feature a faculture conservation.
• • • • • • • •	2PEDC	Pedestal Mount Kit. Chrome	65.00
		Series Super-LED® Surface Mount, Designed to meet NFPA and KKK specifications, Color Outer Le	71.00
S	pecified. Ontion	al Mounting Flange. 3-5/8" Long x 2-1/8" High x Protrudes 1"	iia, UIIIESS
	2W*	Warning, Wide Angle, Red, Blue, Amber or White	166 00
	2W*C	Warning, Wide Angle, Red, Blue or Amber, with Clear Lens	166.00
	2W#	Warning, Wide Angle, Red/Amber or Red/Blue Only	166.00
	2WD	Warning, Wide Angle, Red/Aniber of Red/Blue Only Warning, Wide Angle, Red/White	171.00
	2VVD 2FC		171.00
- 5-1 Ft Ft 10-1	2FB	Flange, Chrome	15.50
		Flange, Black	9.00
	2GROM	Grommet Mount Kit	8.00
. See . Company	2PEDB 2PEDC	Pedestal Mount Kit, Black	65.00
	2 1 16 °	Pedestal Mount Kit, Chrome	71.00











No. PL13.0WL

MODEL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

LIST

\$\displaysquare\$ - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	Vertex™ Compet	titor Series™ Super-LED® Light, Self-Contained Lighthead with 6" pigtail.	Lioi
	VTC6*	NEW Red, Blue, Amber or White	98.00
	VTCFB	Flange Kit, Surface Mount, Black	8.50
	VTCFC	Flange Kit, Surface Mount, Chrome	15.50
	Hide-A-Way Strol	be Tubes & Systems, HA238/HA239 Models Supplied with 15' Shielded Cable (Waterproof Connection)	ors are High
		n these Tubes & Systems), For Systems with Waterproof Connectors on Lighthead End, Contact Factor	ory for Pricir
	HA239C	Clear Strobe, Soft Plug-In with Flange	75.0
	HA239CD	Clear Strobe, Soft Plug-In with Flange, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable	97.0
	HA238C	Clear Strobe, Flange Mount	77.00
	HA238A	Amber Strobe, Flange Mount	107.0
	HA238CD	Clear Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable	99.00
	HA238AD	Amber Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable	126.00
	S30HACP	Clear Strobe Tube Only (Less Cable), Soft Plug-In with Flange	61.00
	S30HACPD	Clear Strobe Tube Only (Less Cable), Soft Plug-In with Flange, Deutsch® Waterproof Connector	73.00
	S30HAC	Clear Strobe Tube Only (Less Cable), Flange Mount	64.00
	S30HAA	Amber Strobe Tube Only (Less Cable), Flange Mount	91.00
	S30HACD	Clear Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector	75.00
_	S30HAAD	Amber Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector	101.00
	S240CC	CS240 Power Supply, Two HA238C (Replaces S220CC & S225CC)	276.00
	S660CCCC	CSP660 Power Supply with Four HA239C	389.00
	S660AAAA	CSP660 Power Supply with Four HA238A	519.00
	S690CCCC	CSP690 Power Supply with Four HA238C	437.00
- 5 -	S690CCAA	CSP690 Power Supply with Two HA238C & Two HA238A	496.00
	S690AAAA	CSP690 Power Supply with Four HA238A	556.00
		Round, Low Profile, Surface Mount Super-LED® Interior Light	
	60C0EHCR	Super-LED Ambulance Interior Light. 6" Round Surface Mount	196.00
	60C0EJCS	6 Diode Interior Light, White, Includes Switch	177.00
	60CREGCS	12 Diode Interior Light, Split White/Red, 6" Round Surface Mount, Includes Switches	196.00
٠.,	60CBEGCS	12 Diode Interior Light, Split White/Blue, 6" Round Surface Mount, Includes Switches	196.00
	80C0EHCR	Round, Super-LED® Ambulance Interior Lighthead Super-LED® Ambulance Interior Light. Fits Industry Standard 8" Cutout (Replaces 80C0EECR)	040.00
••••	80C0EJCR	Super-LED® Ambulance Interior Light. Fits industry standard 8" cutout.	318.00
· · ·	80CBEHCR	9 Diode, Super-LED® Interior Light, 6 White with Hi/Low and 3 Blue	172.00 318.00
٠	80CREHCR	9 Diode, Super-LED® Interior Light, 6 White with Hi/Low and 3 Red	318.00
511	80R0EKCR	3 Diode, Super-LED® Interior Light, RED	139.00
	80R0EJCR	6 Diode, Super-LED® Interior Light, RED	170.00
o A er	Interior Lights (Le	t a more applicable and a contract and Mank communication and a continuous contract and a contra	
1	8635CU	35 Watt Halogen Interior Dome Light, Rectangular	101.00
	86CE1	12 Diode, Super-LED® 8" x 6" Interior Light, White	397.00
	CL25C	Round Compartment Light, Clear, 25 Watt Halogen, Surface Mount	63.00
		er-LED® Universal Light, Includes Universal Mount, Scan-Lock™ Flash Patterns and a 4-wire Pigtail · Price, Availability and Minimum Order Requirements).	I. (For Gree
		Red, Blue, Amber or White, Black Housing	172.00
Ī	IONJ	Split Red/Blue, Black Housing	172.00
ľ	IOND	Split Red/White, Black Housing	172.00
	IONM	Split Blue/Amber, Black Housing	172.00
	IONW*	Red, Blue, Amber or White, White Housing	172.00
		Split Red/Blue, White Housing	172.00
	IONWD	Split Red/White, White Housing	172.00
!	IONWM	Split Blue/Amber, White Housing	172.00
	***************************************	Optional Swivel Mount Bracket, Black	30.50
· ģ	••• ••• •• • • • • • • • • • • • • • •	Optional Swivel Mount Bracket, White	30.50
er.		Grommet Mount Kit	7.00
100	t til kilomonisk site er mærer er	Pedestal Mount Kit, Black	65.00
		Pedestal Mount Kit, Chrome	71.00
	ION™ Wide Angle	NEW Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount Series Super-LED® Universal Light, Includes Universal Mount, Scan-Lock Flash Patterns and a 4-	30.50 Wire Pigtail.
ı	tenr Green Contact	t Factory for Price, Availability and Minimum Order Requirements).	
1		Wide Angle, Red, Blue, Amber or White, Black Housing	172.00
(WION*	and the set of the first of the set of the s	
)	WION* WIONJ	Wide Angle, Split Red/Blue, Black Housing	
) (MIOND MIOND	Wide Angle, Split Red/Blue, Black Housing Wide Angle, Split Red/White, Black Housing	172.00
) 	WIONJ WIOND WIONM	Wide Angle, Split Red/Blue, Black Housing Wide Angle, Split Red/White, Black Housing Wide Angle, Split Blue/Amber, Black Housing	172.00 172.00
 	WIONY WIOND WIONM WIONW*	Wide Angle, Split Red/Blue, Black Housing Wide Angle, Split Red/White, Black Housing	172.00 172.00 172.00 172.00 172.00











70C00WCR	Interior/Back-up Light, Maximum Intensity, with 14 Flash Patterns	418.0
70A00TAR	Amber Turn Signal, Sequential Chevron Arrow without Flange with Multi-Flash Pattern	126.0
y his hardey accounts to ensure the countries of	p-In Halogen Lightheads, Requires Optional Mounting Kit Purchased Separately (See Optional Mount	
70F000*R	Without Flange	112.0
70K000ZR	8-32 Degree Opti-Scenelight™, without Flange	125.0
70J000CR	27 Watt Back-up Light, without Flange	99.0
70X000RR	Brake/Tail/Turn	104.0
70X000TR	Amber Arrow, Left/Right	111.0
Options for 70) Series	
7FLANGEB	Black Flange Kit	9.0
7EFLANGE	Chrome-Plated Flange Kit	16.5
7EGRILP	Grille-Master™ Chrome Housing Kit with Swivel Bracket for Linear Strobe & LED Only	71.0
7EGRILB	Grille-Master™ Black Housing Kit with Swivel Bracket for Linear Strobe & LED Only	65.0
7PLAST1C	Composite Housing, One Lamp	72.0
7CAST1	Polished Cast Aluminum Housing, 1 Lamp (Not for use with 702*S0*U)	111.0
7CAST3	Polished Cast Aluminum Housing, 3 Lamps (Not for use with 702*S0*U)	218.0
73FKIT	Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts	6.0
		316.0
7GIKT1	Polished Grille Housing Kit for 4300/4400 International® Chassis Only, No Grille Modification	310.00
	Required, Pair	70.0
7GCV6LRC	Grille Mount Chrome Housing for 2006-2011 Chevy Express Van, Super-LED® & 5mm will	72.00
	Surface Mount, Pair	
81E Series - Li	near Strobe Lightheads, Surface Mount (DIRECTIONAL)	
81EC20*R	Strobe, Extension Cable Purchased Separately	237.00
810TRIM	Chrome-Plated Flange Cover	24.50
810 Series - Re	lampable Halogen Lightheads, Surface Mount (Less Cable)	
810CAA*R	Dual Halogen	214.00
810CA0ZR	8-32 Degree Halogen Scenelight	196.00
810TRIM	Chrome-Plated Flange Cover	24.50
	be Lightheads, DIRECTIONAL, Optional Mounting Purchased Separately (See Optional Mounting Sec	
902000*R	Linear Strobe without Flange, Extension Cable Purchased Separately	173.00
	er-LED® Lightheads, Surface Mount (Unless Specified), Color LEDs with Color Outer Lens (Unless Sp	ecillea).
n ar na reedste an in te anna bestimmen.	al Mounting Flange 90FLANGC & 90FLANGB Purchased Separately.	
90**5S*R	Amber, Blue, Red or White (Single Color Only), without Flange, Requires LED Flasher Purchased Separately	296.00
90**5F*R	Amber, Blue, Red or White (Single Color Only), Includes Internal Flasher with Flash Patterns, Steady-Burn and Hi/Low Power	296.00
90RA5FCR	1/2 Red, 1/2 Amber, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns,	296.00
0010101011	Independent On/Off Control of Each Level and Hi/Low Power	
90RB5FCR	1/2 Red, 1/2 Blue, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns,	296.00
CONDON ON	Independent On/Off Control of Each Level and Hi/Low Power	
90RC5FCR	1/2 Red, 1/2 White, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns,	296.00
3011031 011	Independent On/Off Control of Each Level and Hi/Low Power	200.00
OCCOENTS		524.00
9SC0ENZR	Gradient Opti-Scenelight™, Surface Mount, Includes Flange	
90FLANGB	Black Flange Kit for 900 Series Super-LED® Only	11.50
90FLANGC	Chrome-Plated Flange Kit for 900 Series Super-LED® Only	24.50
900 Series 5mm	n LED Brake/Tail & Turn, Lightheads, Surface Mount, Color LEDs with Color Outer Lens. Requires Op	tional Mour
	arately (See Optional Mounting Section).	
90A00TAR	Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right	249.00
	Arrow	
90R00BRR	Brake/Tail without Flange, Meets SAE Requirements	218.00
90R00XRR	Brake/Tall without Flange, Meets SAE Requirements	373.00
900 Series Sna	p-In Halogen Lightheads, Optional Mounting Kit Purchased Separately (See Optional Mounting Section	
90F000*R	Without Flange	107.00
	Without Flange Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models	146.00
のひにひひひろひ		er for anneance dance en en er
90E000ZR	27 Watt Back-Up Light, without Flange	104.00
90J000CR		128.00
90J000CR 90X000RR	Brake/Tail/Turn without Flange	141.00
90J000CR 90X000RR 90X000TR	Amber Arrow, Left/Right	
90J000CR 90X000RR 90X000TR	Amber Arrow, Left/Right DSeries (Except for Super-LED®)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
90J000CR 90X000RR 90X000TR	Amber Arrow, Left/Right Series (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series)	11.50
90J000CR 90X000RR 90X000TR Options for 900	Amber Arrow, Left/Right DSeries (Except for Super-LED®)	11.50
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE	Amber Arrow, Left/Right Series (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series)	11.50 24.50
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3	Amber Arrow, Left/Right Series (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side	11.50 24.50 78.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3	Amber Arrow, Left/Right Deries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side	11.50 24.50 78.00 78.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3	Amber Arrow, Left/Right Deries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side	11.50 24.50 78.00 78.00 78.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side	11.50 24.50 78.00 78.00 78.00 78.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3 97FKIT	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts	11.50 24.50 78.00 78.00 78.00 78.00 7.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3 97FKIT Vertex™ Super	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts LED® Light, Single Self-Contained Lighthead with 25 Scan-Lock™ Flash Patterns, Including Steady-Bi	11.50 24.50 78.00 78.00 78.00 78.00 7.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3 97FKIT Vertex™ Super VTX609*	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts LED® Light, Single Self-Contained Lighthead with 25 Scan-Lock™ Flash Patterns, Including Steady-Bu Red, Blue, Amber or White, 9' Cable	11.50 24.50 78.00 78.00 78.00 78.00 7.00 Jrn.
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3 97FKIT Vertex™ Super VTX609* VTX609#	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts LED® Light, Single Self-Contained Lighthead with 25 Scan-Lock™ Flash Patterns, Including Steady-Bi Red, Blue, Amber or White, 9' Cable Split Color, Red, Blue, White and/or Amber, with 9' Cable	11.50 24.50 78.00 78.00 78.00 78.00 7.00 urn. 129.00
90J000CR 90X000RR 90X000TR Options for 90C 9FLANGEB 9EFLANGE 87241L3 87241R3 87242L3 87242R3 97FKIT Vertex™ Super VTX609*	Amber Arrow, Left/Right DSeries (Except for Super-LED®) Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series) Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts LED® Light, Single Self-Contained Lighthead with 25 Scan-Lock™ Flash Patterns, Including Steady-Bu Red, Blue, Amber or White, 9' Cable	11.50 24.50 78.00 78.00 78.00 78.00 7.00













All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber, B = Blue; C = Clear/White; R = Red; G = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear, E = Blue/Clear, F = Amber/Clear, H = Green/Clear

† (to be discontinued, check availability)

| Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot | \$ Indicates Lower Price | \$ Ind



No. PL13.0WL

DESCRIPTION


508 Series - Relampable Halogen Lights, Surface Mount (Less Cable)


EFFECTIVE: December 18, 2012 VOID: June 30, 2013

LIST

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

	Kerampable nalogen Lights, Surface Mount (Less Cable)	
580CAA*R	Dual Halogen	230.00
580CAAZR	8-32 Degree Halogen Scenelight	196.00
508TRIM	Chrome-Plated Flange Cover	20.50
	inear Strobe, Lightheads, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See O	20.30
Section).	initial offobe, Eightheads, Birkeo Horke, requires optional mounting Kit Purchased Separately (See O	ptional Mour
602000*R	Without Flange, Extension Cable Purchased Separately	
	William Lange, Extension Cable Fulchased Separately	178.00
Manustine IVit	mm LED Brake/Tail, Turn, & Back-Up Lightheads, Surface Mount, Color LEDs with Color Outer Lens. R	equires Option
	Purchased Separately (See Optional Mounting Section).	
60A00TAR	Amber Turn Signal, Populated Arrow Shape without Flange, with Multiple Flash Patterns	137.00
60R00XRR	Brake/Taillight without Flange, with 2 Flash Patterns, Meets SAE Requirements	187.00
60R00BRR	Brake/Taillight without Flange, with 2 Flash Patterns, Meets SAE Requirements	97.00
60C00VCR	Interior/Back-up Light, Minimum Intensity	137.00
60C00WCR	Interior/Back-up Light, Maximum Intensity	491.00
control bearings and some many management	uper-LED® Lightheads, Surface Mount, Color LEDs with Color Outer Lens (Unless Specified). Requires (491.00
Mounting Kit	Purchased Separately (See Optional Mounting Section).	optional
60*02S*R		
and the first of the state of the same of	Amber, Blue, Red or White, without Flange, Requires LED Flasher Purchased Separately	186.00
60*02F*R	Amber, Blue, Red or White, Includes Internal Flasher with Flash Patterns, Steady-Burn and Hi/Low Power	186.00
60RA6FCR	1/2 Red, 1/2 Amber, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	229.00
	Independent On/Off Control of Each Side	
60BR6FCR	1/2 Red, 1/2 Blue, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	229.00
	Independent On/Off Control of Each Side	229.00
60RC6FCR	1/2 Red, 1/2 White, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	000.00
0011001011		229.00
EUCULI ZO	Independent On/Off Control of Each Side	
60C0ELZR	Gradient Opti-Scenelight™, Recess Mount	328.00
6SC0ENZR	Gradient Opti-Scenelight™, Surface Mount	296.00
600 Series Si	nap-In Halogen Lightheads, Requires Optional Mounting Kit Purchased Separately (See Optional Mountin	na Section).
60F000*R	Without Flange	120.00
60K000XR	26 Degree Opti-Scenelight™, without Flange	145.00
60K000YR	13 Degree Opti-Scenelight™, without Flange	
60J000CR	Back-up Light without Flange	145.00
60X000RR		111.00
	Brake/Tail/Turn	111.00
60X000TR	Amber Arrow, without Flange	116.00
Options for 6		
64FKIT	Mounting Kit to Convert 600 Series to Fit in Old-Style 64 Series Hole Cutouts	5.00
6FLANGEB	Black Flange Kit for 600 Series	8.50
6EFLANGE	Chrome-Plated Flange Kit for 600 Series	19.50
6EHDLTMK	Headlight Mounting Kit for ATI & KD Housing, Includes Bracket & Hardware (Lighthead Purchased	
	Separately)	29.50
PLAST3V	Flange, Chrome-Plated Three Light Vertical (Lightheads Purchased Seperately)	157.00
PLAST4V	Flange, Chrome-Plated Four Light Vertical (Lightheads Purchased Seperately)	221.00
PLAST4VL	Flange, Chrome-Plated Four Light Vertical, 5mm LED and Super-LED® Only (Lightheads	103.00
	Purchased Seperately)	100.00
CAST1L	Polished Aluminum Housing for Horizontal Mounting, 1 Lamp	114.00
CAST3	Polished Aluminum Housing for Vertical Mounting, 1 Lamp	
CAST3H		208.00
protection and make the contract of the contract of	Polished Aluminum Housing for Horizontal Mounting, 3 Lamp	225.00
CAST4V	Polished Aluminum Housing for Vertical Mounting, 4 Lamp	307.00
700 Series Lir	near Strobe Lightheads, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Opti	onal Mountir
Section).		
702000*R	Without Flange, Extension Cable Purchased Separately	167.00
700 Series Su	per-LED® Lightheads, Surface Mount, Color LEDs with Color Outer Lens (Unless Specified), Requires Or	otional
Mounting Kit P	urchased Separately (See Optional Mounting Section).	
70*02S*R	Amber, Blue, Red or White, without Flange, Requires LED Flasher Purchased Separately	186.00
70*02F*R	Amber, Blue, Red or White, Includes Internal Flasher with Flash Patterns, Steady-Burn and	186.00
•	Hi/Low Power	100.00
70RA6FCR		
AO IUPVIO	1/2 Red, 1/2 Amber, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	229.00
70000000	Independent On/Off Control of Each Side	
70BR6FCR	1/2 Red, 1/2 Blue, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	229.00
; ;	Independent On/Off Control of Each Side	
70RC6FCR	1/2 Red, 1/2 White, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and	229.00
	Independent On/Off Control of Each Side	
70C0ELZR	Gradient Opti-Scenelight™, Recess Mount	328.00
	m LED Brake/Tail/Turn & Back-Up Lightheads, Surface Mount, Color LEDs with Color Outer Lens. Requ	020.00 uiron On±:
Mounting Kit D	rchased Separately (See Optional Mounting Section).	ires Optiona
	archased deparately (See Optional Mounting Section).	
70R00BRR	Brake/Tail/Turn, Minimum Populated, Meets SAE Requirements, with 2 Flash Patterns	97.00
70R00XRR	Brake/Tail/Turn, Maximum Populated, Meets SAE Requirements, with 2 Flash Patterns	159.00
70C00VCR	Interior/Back-up Light Minimum Intensity	107.00









187.00

70C00VCR

Interior/Back-up Light, Minimum Intensity

- 1	4EGRILP	Grille-Master™ Chrome Housing with Swivel Bracket. Not for use with LED/Halogen Combination Models	71.0
	4EGRILB	Grille-Master™ Black Housing with Swivel Bracket. Not for use with LED/Halogen Combination Models	65.0
	4ILKT1	Polished Intersection Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only	171.0
	41LN 1 1	Strobe, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Kit Purchased Separately)	
		Strope, DIRECTIONAL, Requires Optional Mounting Kit Furchased Separately (See Optional Mount	123.0
i	502000*R	Strobe, Extension Cable Purchased Separately	
	Lock™ Flash Patte	Super-LED® Lightheads, Color LEDs with Color Outer Lens, Split Color Modules with Clear Outer rns, Plus Steady-Burn, and Synchronize Feature. Requires Optional Mounting Kit Purchased Separa	tens, Scan itely (See
	Optional Mounting	Section).	170 (
1	50*02Z*R	Amber, Blue, Red or White, For Horizontal Mounting	170.0
	50**2ZCR	Split Colors, Amber, Blue and/or Red, For Horizontal Mounting	176.0
	50AC2ZCR	Split Amber/White, For Horizontal Mounting	176.0
	50BC2ZCR	Split Blue/White, For Horizontal Mounting	176.0
H412	50CR2ZCR	Split White/Red, For Horizontal Mounting	176.0
	50CC2ZCR	Split White/White, For Horizontal Mounting	176.0
		Amber, Blue or Red, For Vertical Mounting	170.0
	5V*02Z*R	Super-LED®, Color LEDs with Color Outer Lens, Split Color Modules with Clear Outer Lens, Six Su	
	500 Series TIR61m	Super-LEDB, Color LEDS with Color Otter Lens, Split Color Mountes with Clear Otter Lens, Six Su	read Sanar
		Flash Patterns, including Steady and Synchronize Feature. Requires Optional Mounting Kit Purcha	aseu sepai
	(See Optional Mou		
	50*03Z*R	Amber, Blue, Red or White	159.0
11.0	50**3ZCR	Split Colors Amber, Blue, Red and/or White	165.0
	50AC3ZCR	Split Amber/White	165.0
-		Split Blue/White	165.0
-	50BC3ZCR	CONTRACTOR OF THE PROPERTY OF	165.0
2	50CR3ZCR	Split White/Red	165.0
ğ	50CC3ZCR	Split White/White	1.00.1
	500 Series 5mm L	ED Surface Mount, Color LEDs with Color Outer Lens. No Mounting Bracket Required.	
1	5S*00F*R	Red or Amber, with 14 Flash Patterns	98.8
÷	5S*00F*R	Blue or White, with 14 Flash Patterns	180.0
÷	5SR00XRR	Brake/Tail/Turn, with 2 Flash Patterns	91.0
÷	5SCA0CCR	Compartment Light, Clear Lens	170.0
	TOO Comits Commits	ED, Color LEDs with Color Outer Lens. Requires Optional Mounting Kit Purchased Separately (See	
		ED, COIDE LEDS WITH COIDE OUTSI LEIDS. MEQUIES OPTIONAL MOUNTING MET AICHASED SEPARATELY (GEE	Spaoriai
	Mounting Section).		. 00 /
1	50*00F*R	Red or Amber with 14 Flash Patterns	88.0
1	50*00F*R	Blue or White with 14 Flash Patterns	180.0
	50C000ZR	Gradient Opti-Scenelight™	219.0
	50R00XRR	Brake/Tail/Turn, with 2 Flash Patterns	91.0
	50C00WCR	Back-up	187.0
	500 Series Span-	n Halogen, Requires Optional Mounting Purchased Separately (See Optional Mounting Section).	
	50K000*R	Halogen	96.0
			73.0
	50X000RR	Brake/Tail/Turn	
		eries(For all 500 Series Lightheads, Except 5S & 5G Surface Mount Models).	
	5FLANGEB	Black Trim Ring, Kit	9.0
	5FLANGEC	Chrome-Plated Trim Ring, Kit	15.
T	5FLANGEP	Polished Aluminum Flange	36.
-3	5GROMMET	Grommet Mount Kit	8.6
-	5GBKT1	Optional "L" Bracket for use with Grommet Mount Lighthead Only, Each	19.
	* ******** ** ************ * * * * * *	Black Surface Mount Adapter, Strobe Only, Requires Flange Purchased Separately	8.8
	52SMAB		8.5
	5TSMAB	Black Surface Mount Adapter, TIR6™ Super-LED® Only	
	5TSMAC	Chrome-Plated Surface Mount Adapter, TIR6™ Super-LED® Only	15.
	5LSMAB	Black Surface Mount Adapter for Linear Super-LED® Only	15.
	5LSMAC	Chrome-Plated Surface Mount Adapter for Linear Super-LED® Only	25.0
•	5BRUSH	Aluminum Brush Guard, Includes Surface Mount Adapter for TIR6™ Super-LED® Series, 5mm	26.
		Requires Optional Flange Purchased Separately	
		Pedestal Swivel Mount Kit, Includes Housing and Flange	192.0
	5HSGPFD		213.0
1	5HSGPED	7/8" to 1" Round Bar Mount Kit Includes Housing and Flance	
-	5HSGB1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange	213 (
	5HSGB1 5HSGB125	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange	
	5HSGB1 5HSGB125 5BKT1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket	13.5
	5HSGB1 5HSGB125 5BKT1 5G Series Super-I	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange	13.5
	5HSGB1 5HSGB125 5BKT1 5G Series Super-I Options Available.	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only	13.5 Mounting
	5HSGB1 5HSGB125 5BKT1 5G Series Super-I	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns	13.5 Mounting 83.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super- Options Available. 5G*00F*R	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns	13.5 Mounting 83.0 77.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super- Options Available. 5G*00F*R 5GC0CCCR	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens	13.8 Mounting 83.0 77.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super- Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White	13.6 Mounting 83.0 77.0 111.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super-I Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR 5GFLANGC	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White Optional Surface Mount Chrome-Plated Flange Kit for 5G Series	13.5 Mounting 83.0 77.0 111.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super-Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR 5GFLANGC 5GFLANGB	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White Optional Surface Mount Chrome-Plated Flange Kit for 5G Series Optional Surface Mount Black Flange Kit for 5G Series	83.0 77.0 111.0 19.8 8.5
	5HSGB1 5HSGB125 5BKT1 5G Series Super-Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR 5GFLANGC 5GFLANGB 5GBKT1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White Optional Surface Mount Chrome-Plated Flange Kit for 5G Series Optional Surface Mount Black Flange Kit for 5G Series Optional "L" Bracket, For Use with Grommet Mount Lighthead Only, Each	13.5 Mounting 83.0 77.0 111.0
	5HSGB1 5HSGB125 5BKT1 5G Series Super-Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR 5GFLANGC 5GFLANGC 5GFLANGB 5GBKT1 508E Series - Line	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White Optional Surface Mount Chrome-Plated Flange Kit for 5G Series Optional Surface Mount Black Flange Kit for 5G Series Optional "L" Bracket, For Use with Grommet Mount Lighthead Only, Each ear Strobe, Surface Mount (DIRECTIONAL)	13.5 Mounting 83.0 77.0 111.0 19.5 8.5
	5HSGB1 5HSGB125 5BKT1 5G Series Super-Options Available. 5G*00F*R 5GC0CCCR 5GC00WCR 5GFLANGC 5GFLANGB 5GBKT1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange 1.25" Round Bar Mount Kit, Includes Housing and Flange Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket LED® and LED Grommet Mount Lightheads, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only 5mm LED Warning Light, Amber or Red with 14 Flash Patterns Super-LED®, Compartment Light, White Super-LEDs with Clear Lens 5mm LED Back-up Light, White Optional Surface Mount Chrome-Plated Flange Kit for 5G Series Optional Surface Mount Black Flange Kit for 5G Series Optional "L" Bracket, For Use with Grommet Mount Lighthead Only, Each	13.5 Mounting 83.0 77.0 111.0 19.5
























No. PL13.0WL

DESCRIPTION

MODEL


EFFECTIVE: December 18, 2012 VOID: June 30, 2013


LIST

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

•••••			LIST
	FEDC06ER	2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens, Synchronizable, Split Blue/White	196.00
	FDCT10*R		
	FDC110 K	2010-2012 Chevy Tahoe, Combination Interleaved White Super-LED Driving Light and Color Warning Light, with Clear Extended Lens, Red or Blue	239.00
	FDCT10JR	2010 2012 Chayu Tahaa Cambinatian Istada and Istada and Istada	
	1 001 1031	2010-2012 Chevy Tahoe, Combination Interleaved White Super-LED Driving Light and Blue over Red Warning Light, with Clear Extended Lens	249.00
	FDFP11*R	2011-2012 Ford Expedition, Combination Interleaved White Super-LED Driving Light and Color	000.00
		Warning Light, with Clear Extended Lens, Red or Blue	239.00
	FDFP11JR	2011-2012 Ford Expedition, Combination Interleaved White Super-LED Driving Light and Blue	240.00
		over Red Warning Light, with Clear Extended Lens	249.00
	FECT10*R	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Amber,	100.00
		Blue, Red or White	186.00
	FECT10JR	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split	400.00
		Red/Blue	196.00
*********	FECT10DR	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split	
		Red/White	196.00
	FECT10ER	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split	
		Blue/White	196.00
	FEFP11*R	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Amber, Blue, Red	
		or White	186.00
	FEFP11JR		
	FEFP11DR	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Red/Blue	196.00
	the property of the contract o	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Red/White	196.00
	FEFP11ER	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Blue/White	196.00
	2F*00Z*R	Flat Lens, Synchronizable, Amber, Blue, Red or White	182.00
	2E*00Z*R	Extended Lens, Synchronizable, Amber, Blue, Red or White	182.00
	2EJ00ZCR	Extended Lens, Synchronizable, Split Red/Blue	192.00
	2ED00ZCR	Extended Lens, Synchronizable, Split Red/White	192.00
	2EE00ZCR	Extended Lens, Synchronizable, Split Blue/White	
*****		e & 5mm LED Lightheads(DIRECTIONAL) Requires Optional Mounting Kit Purchased Separately, See	192.00
	Mounting Section	n	Optional
	201000*R	Strobe, Round, Flat Lens, Extension Cable Purchased Separately	
	20R00XRR	5mm LED. Protect Tell Communication Caule Purchased Separately	110.00
100000		5mm LED, Brake/Tail/Turn, Maximum Intensity	97.00
	Optional Mount	ing for 4" Round Series, Except FEDC06*R and 4" Round Super-LED®, Unless Specified.	,
	2FLANGEB	Black Surface Mount Trim Ring Kit (For LED Models Only)	8.50
	2FLANGEC	Chrome Surface Mount Trim Ring Kit (For LED Models Only)	15.50
******	2GROMMET	Grommet Mounting Kit (For Strobe, LED or Super-LED® Models)	7.00
	4" Round, 2G Se	eries Super-LED® & 5mm LED Grommet Mount Lightheads	
	2G*00F*R	5mm LED Warning Light with 14 Flash Patterns and Steady-Burn, Red or Amber, Includes	83.00
		Grommet	
	20C0CDCR	Compartment Light, Level 3 Intensity, Optional Mounting Kit Purchased Separately	132.00
	20C0CDCD	Compartment Light, Level 3 Intensity, with Deutsch® Connector, Optional Mounting Kit Purchased	143.00
		Separately	140.00
	2GFLANGC	Optional Surface Mount Chrome-Plated Flange Kit for 2G Series & Compartment Lights	15.50
	2GFLANGB	Optional Surface Mount Black Flange Kit for 2G Series & Compartment Lights	
	2GROMMET	Grommet Mounting Kit for 2G Compartment Lights Only	8.50
*****	2GBKT1	Optional "L" Bracket, For Use with Grommet Mount Lighthead Only, Each	7.00
		Strobe DIDECTIONAL Parries Office III	20.50
	40000enes Linea	r Strobe, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Combined Market 1977)	g Section).
	402000*R	Strobe, Without Flange, Extension Cable Purchased Separately	131.00
	400 Series Linea	r-LED® Super-LED®, Six Super-LED over Six Super-LED® with Individual Controls of Upper and Lowe	r Level.
	Requires Remote	Flasher, Purchased Separately (NOT TO BE USED AS A Steady-Burn LIGHT).	
	40**5SCR	Amber, Blue, Red and/or White	227.00
	400 Series Single	e Level Super-LED®, Includes Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady-Bu	rn with
	Synchronize Featt	ire.	
	40*02Z*R	Amber, Blue, Red or White	131.00
	400 Series 5mm I	LED Brake/Tail/Turn, Turn, & Back Up, Color LEDs with Color Outer Lens. Requires Optional Mountin	n Kit
	Purchased Separa	ately (See Optional Mounting Section).	y Mi
	40R00XRR	LED, Brake/Tail/Turn with 2 Flash Patterns Maximum Intensity	426.00
	40A00AAR	LED, Turn Light Amber	126.00
	40C00VCR	LED, Interior/Back-up Light, Minimum Intensity	126.00
		in Halogen, Requires Optional Mounting Purchased Separately.	181.00
			*** ****
	40J000⁺R	Without Flange	112.00
	Options for 400 S		
	4EFLANGE	Chrome-Plated Flange Kit (Not for use with Linear-LED' & Super-LED®), Surface Mount 5mm &	15.50
		Single Level Super-LED® Only	
	4FLANGEB	Black Flange Kit (not for use with Linear-LED' & Super-LED®), Surface Mount 5mm & Single	8.50
		Level Super-LED® Only	0.00
	4TSMAB	Black Super-LED® Surface Mount Adapter, Linear-LED' & Super-LED Only	18.00
	4TSMAC	Chrome-Plated Super-LED® Surface Mount Adapter, Linear-LED' & Super-LED Only	
		and the state of t	25.00









Offiver Sales Flat	ogen & LED Flashers	174.00
UFM8	Eight Outlet Halogen/LED Flasher, 60 Watts per outlet, 2x2x2x2 Switching, 17 Selectable Flash Patterns	
ULF44	Four Outlet, Four Channel LED Flasher, 60 Watts per Channel, More than 60 Scan-Lock™ Flash Patterns, Allowing for Alternating, Simultaneous and Synchronized Flashing Lightheads	87.00
AFL530	Certified LED Ambulance Flasher, 5 Outlet, 30 Watts	131.00
AFM560	Certified Ambulance Flasher, 5 Outlet, 60 Watts	235.00
AFM1660	Certified Ambulance Flasher, 16 Outlet, 60 Watts	235.00
	e & Taillight Flashers	
SSFPOS	100% Solid-State, Headlight/Grille Light Flasher, 2 Outlet, 160 Watts Per Outlet, 7 Flash Patterns, For Positive Switching Headlights (Replaces SSF2150)	76.00
SSFPOSI6	100% Solid-State, Headlight and Taillight Flasher, 2 Outlet, 160 Watts Per Outlet, Seven Flash Patterns, For 2006-2012 Chevy Impala, 2011-2012 Chevy Caprice and 2007-2012 Chevy Tahoe Police Package Vehicles, Includes Mating Plug, For Positive Switching Headlights	101.00
UHF2150A	Headlight/Grille Light Flasher with 4 Flash Patterns for Positive or Negative Headlight Switching (not for Chevy Impala)	67.00
Options for LE	D Lightheads	
LEDLOAD	In-line "Load" Resistor Kit to Interface with OEM Turn Signal Circuit	64.00
PROGRAM1	Scan-Lock Flash Pattern Programmer	104.00

Note: In the Model Number the 3rd and 4th Digit are for the LED or Super-LED Color. The 7th Digit is for the Lens Color. 0S Marker/Clearance, Illumination and Flashing LED Series, Chrome Housing, Size is 1" Wide x 1-1/2" Long.

White Illumination Light with Clear Lens and 45° Angled Chrome-Plated Bezel

2" Round 5mm LED Lightheads, Includes 2.5" Adapter for Customer Supplied 2.5" Grommet, 3" and 3.5" Flange Mount. Other

Compartment Light, Combination Blue/White, with Independent Control of Blue and White Light

Compartment Light, Combination Red/White, with Independent Control of Red and White Light

3.5" Round Super-LED® Lightheads with Clear Extended Lens, Scan-Lock Flash Patterns and Steady Burn, Requires Mounting

Combination Interleaved White Super-LED Driving Light with Red or Blue Warning Light, Clear

Combination Interleaved White Super-LED Driving Light with Blue over Red Warning Light, Clear

Optional Fog Light Mounting Kit for 2011-2012 Dodge Charger, Requires Optional Dodge OEM

Optional Fog Light Mounting Kit for 2011-2012 Ford Explorer and 2013 Police Interceptor Utility,

Fog Light Hardware and Bracket or the Fog Light Bezel, Purchased from Dodge

Requires Optional Ford OEM Fog Light Hardware and Bracket, Purchased from Ford 4" Round Super-LED® Lightheads, Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady-Burn, Includes Adapter for

2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens,

2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens,

2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens,

Lightheads, Directional Strobe, Super-LED®, LED, Halogen & Combination

0S*00MCR

0S*00FCR

0S*00FCR

0S*00SCR

0SB00SCR

0SC0EDCR

0AC0EDCR

T0*00M*R

T0CACCCR

TFLANGEB

TFLANGEC

3SC0CDCR

3SBCCDCR

3SRCCDCR

3SR0CDRR

3FLANGEC

3GROMMET

PAR28*

PAR28J

PAR28D

PAR28E

PAR28D*

PAR28DJ

P28DC11

P28FX11

FEDC06*R

FEDC06JR

FEDC06DR

Purchased Separately.

3S*00F*R

TGROM2

Optional Mounting for 2" Round Series

2" Grommet 3" Round Super-LED® Lightheads, Steady-Burn or Flashing.

Amber or Red Marker/Clearance Light with Clear Lens

Amber or Red with Single Flash and Clear Lens

Blue or White with Single Flash and Clear Lens

Amber or Red Steady-Burn and Clear Lens

Blue Steady-Burn and Clear Lens

White Illumination Light with Clear Lens

Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

Compartment Light, Intensity Level 3

Clearance Light, Amber or Red

Flange Kit, Surface Mount, Black

Compartment Light, White

Grommet Mounting Kit

Outer Lens

Outer Lens

Flange Kit, Surface Mount, Chrome

Flange Kit, Surface Mount, Chrome

Flashing, Single Pattern, Red, Blue or Amber

Red. Steady-Burn, Nighttime Illumination Lighting

Split Red/Blue Warning, with Synchronize Feature

Split Red/White Warning, with Synchronize Feature

Split Blue/White Warning, with Synchronize Feature

PAR36 Applications. Requires Optional Mounting Kit Purchased Separately (Except FE/FD Series).

Synchronizable, Amber, Blue, Red or White

Amber, Blue, Red or White Warning, with Synchronize Feature









25.50

25.50

36.00

25.50

36.00

36.00

38.00

29.50

47.00

8.50

15.50

7.00

71.00

71.00

78.00

78.00

71.00

11.50

7.00

178.00

188.00

188.00

188.00

231.00

241.00

8.00

8.00

186.00

196.00

196.00









Synchronizable, Split Red/Blue

Synchronizable, Split Red/White All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

^{*} Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

[#] Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear



No. PL13.0WL


EFFECTIVE: December 18, 2012 VOID: June 30, 2013

- Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	LIST
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	29.50
LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	39.50
DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	70.00
DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	70.00
A ST. CONTROL OF THE CONTROL OF THE CONTROL OF	per-LED® Beacon, Class 1 Amber, with Scan-Lock™ Flash Patterns	70.00
L10HAP	Amber High Dome, Perm/Pipe Hook Mount, 12 VDC	156.00
L10HAP4	Amber, Perm/Pipe Hook Mount, 24 VDC. High Dome	156.00
L10HAM	Amber, High Dome, Magnetic Mount, 12 VDC	
L10HAV	Amber, High Dome, Magnetic Modrit, 12 VDC Amber, High Dome, Magnetic/Suction Mount, 12 VDC	174.00
L10LAP	Amber Low Dome, Perm/Pipe Hook Mount, 12 VDC	174.00
		156.00
L10LAP4	Amber Low Dome, Perm/Pipe Hook Mount, 24 VDC	156.00
L10LAM	Amber, Low Dome, Magnetic Mount, 12 VDC	174.00
L10LAV	Amber, Low Dome, Magnetic/Suction Mount, 12 VDC	174.00
MIRROR20	Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	50.00
BBKT20	Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	50.00
BGL	Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons	37.00
BGH	Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	39.00
DCH	Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only	6.50
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	29.50
LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	39.50
DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	70.00
DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	70.00
L50 Series Sur	per-LED® Beacon, Polycarbonate Base	
L51*P	Class 1, Amber or White, Perm/Pipe Mount	328.00
L51*M	Class 1, Amber or White, Magnet Mount	344.00
L52*P	Class 2, Amber or White, Perm/Pipe Mount	208.00
L52*M	Class 2, Amber or White, Magnet Mount	225.00
L53AP	Class 3, Amber, Flat Mount, Single LED Beacon, Scan-Lock™ Flash Patterns including Steady- Burn and Cruise Mode	64.00
L53AM	Class 3, Amber, Magnet Mount, Single LED Beacon, Scan-Lock™ Flash Patterns including Steady-Burn and Cruise Mode	80.00
MIRROR15	Mirror Mount Bracket for 1500/L50 Series	48.00
BKT15	Shelf Mount Bracket for L50/1500 Series, Stainless Steel, Mounts to Flat Vertical Surface	48.00
L 40 Series Su p Scan-Lock™, P	per-LED®, Encapsulated Beacon, 12/24 VDC, California Title 13 (Amber) and Class 1, Cast Aluminum ermanent Mount Models with Hi/Low and Synchronization Feature, Red, Blue, Amber or White	
_40*P	Perm/Pipe Mount	420.00
L40*M	Magnetic Mount	440.00
L40*V	Magnetic/Suction Mount	450.00
L 41 Series Su p Models with Hi/l	per-LED®, Encapsulated Beacon, 12/24 VDC, Class 1, Cast Aluminum Base, Includes Scan-Lock™, Pe Low and Synchronization Feature, Red, Blue, Amber or White	
_41*P	Perm/Pipe Mount	306.00
.41*M	Magnetic Mount	327.00
_41*V	Magnetic/Suction Mount	337.00

	Universal® an	d Intelligent™ Power Supply Series	
	UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and Synchronize Wire, 12/24 VDC	498.00
	ISP94	Four Outlet, 90 Watt Output (115 Watt Input), with 16 Flash Patterns, Programmable Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit), 12 VDC	818.00
. ,	ISP188	Eight Outlet, 180 Watt Output (230 Watt Input), with 16 Flash Patterns, Programmable Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit), 12 VDC	1161.00
	Competitor™ Standard.	Series Strobe Power Supplies, Fully Encapsulated with 10 Scan-Lock™ Flash Patterns, 12/24 VDC & H	i/Low Featu
	CS240	Two Outlet, 40 Watt Output (54 Watts Input)	136.00
	Competitor™	Series Plus Strobe Power Supplies, 10 Scan-Lock™ Flash Patterns and Hi/Low Feature Standard.	
	CSP660	Six Outlet, 60 Watt Output (80 Watts Input), 12/24 VDC	219.00
	CSP690	Six Outlet, 90 Watt Output (120 Watts Input), 12 VDC	255.00
		trobe Systems, See Hide-A-Way Strobe Tube and Systems Section Under Lightheads.	
	000	See "Hide-A-Way Strobe Tube and Systems" Section Under Lightheads	





	MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Cord & Plug for 800/1200 Series	29.50
	DL2000*	Low Dome for 2000 Series	70.00
	HGDOMEH*	High Gain Dome for 800 & 1200 Series	81.00
	80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube, Each	76.00
	Requirements),	D Series and Options, Amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Assaults 2017)	ia minimum Oraci
:			438.00
	S360D*P S360D*B	12/24 VDC. Perm/Pipe Mount Branch Guard Mount	438.00 478.00

20 PM 40 PM	
201000000000000000000000000000000000000	
CD CD	
Control of the contro	3.7
	2
Un.	
TORSIVE YER	
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
550000000000000000000000000000000000000	
to Startbuller state of the same	
12011-120-1	

		400	-	يبثيوا		$\theta = 0.2$		DOM:	8-	w	73	м			\sim	м		8	
ш	-	2.7		•	-1	7	т.	n	м.	п	I P	n.		-	-	п.	т	г.	
3 ~				ч		٠,٠		-п	ж.	1-1		w	w	ш	٠.	ш	1.		

Synchronize Fe	patures.	
L31H*F	Amber, Blue, Red or White (Single Color Only) Flat Mount	575.00
L31H*F4	Amber, Blue or Red (Single Color Only) Flat Mount, 24 VDC	630.00
L31H*M	Amber, Blue, Red or White (Single Color Only) Magnet Mount	605.00
L31H*V	Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Cup Mount	612.00
L31HKF	Alternating Red/Amber 360°, Flat Mount, For Use in Marine Towing Operation	652.00
L31HRFN	Red, Meets NFPA Zone C Upper Requirements, Each	575.00
MIRROR20	Mirror Mount Bracket for 2000/2500/L31/L32/L21/L22/L51/L52 Series Beacons	50.00
BBKT30	Shelf Mount Bracket for L30 Series, Stainless Steel, Mounts to Flat Vertical Surface	50.00
L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	37.00
L360BGB	Branch Guard Kit for L31H Series	165.00

L31 Series Super-LED® Beacon, Class 1 High Dome - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and



L32 Series Super-LED® Beacon, Class 1 in Amber and Class 2 in Red & Blue, Low Dome - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and Synchronize Features.

	LOCK ", DILLOW	rower, Oruse and Synchronize realures.	
	L32L*F	Amber, Blue, Red or White (Single Color Only) Flat Mount	359.00
	L32L*F4	Amber, Blue or Red (Single Color Only) Flat Mount, 24 VDC	391.00
No. resident	L32L*M	Amber, Blue, Red or White (Single Color Only) Magnet Mount	389.00
	L32L*V	Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Cup Mount	395.00
	MIRROR20	Mirror Mount Bracket for 2000/2500/L31/L32/L21/L22/L51/L52 Series Beacons	50.00
	BBKT30	Shelf Mount Bracket for L30 Series, Stainless Steel, Mounts to Flat Vertical Surface	50.00
	L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	37.00
,	L21 Series Su	per-LED® Encapsulated, Class 1, Polycarbonate Base, Perm Mount Models with Scan-Lock™ F	lash Patterns.
	L21H*P	Amber or White, Perm/Pipe/"J" Hook Mount, High Dome	329.00







212.00

50.00

50.00

37.00

39.00

6.50

Vertical Surface

L22L*P4 MIRROR20

BBKT20

BGL

BGH

DCH

Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only

Amber, Blue, Red or White (Single Color), Perm/Pipe Mount, 24 VDC, Low Dome

Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat

Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons

Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacon Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

^{*} Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

[#] Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

^{† (}to be discontinued, check availability) (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber | Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

↓ 🛅 - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

CO.	
	*** F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	tirrii.
	tirrii.
200	MTH
1000000	HT.
10075.02	M
1927102	

MODEL B6LED Series, A	DESCRIPTION Amber, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Orc	LIST der Requirements).
B6MM**P	Super-LED Beacon with Polished Base, Upper Section & Directional Linear Super-LED® Lighthead in Lower Section, Amber, Blue and/or Red	1076.00
B6T Series, Amb	er, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Order	Requirements).
B6TM**1P	RB6T Rotating Beacon with Polished Base, Upper Section & Directional Linear-LED' in Lower Section, Amber, Blue or Red LED	539.00

1500 Spring S	2500 Series, 12/24 VDC Unless Specified. trobe Beacons	
1510*	10 Watt, Permanent Mount, 12/24 VDC SingleFlash	
1510M*	10 Watt, Permanent Mount, 12/24 VDC SingleFlash	13
BBKT15		14
MIRROR15	Shelf Mount Bracket for L50/1500 Series, Stainless Steel, Mounts to Flat Vertical Surface	4
``	Mirror Mount Bracket for 1500/L53 Series Beacons	4
FT1510 D1500*	Linear Tube for 1510 Series, Each	3
	Dome for 1500 & 1510 Series, Each	3
2013 & 2022 F	lash4™ Series Strobe Beacons - Polycarbonate Base, QuintFlash™ & Manual Hi/Low Unless Specifie	
2015LP*	15 Watt, Perm/Pipe Mount, Low Dome	12
2015LP*M	15 Watt, Magnetic Mount, Low Dome	14
2015LP*V	15 Watt, Magnetic/Suction Cup Mount, Low Dome	14
2015HP*	15 Watt, Perm/Pipe Mount, High Dome	12
2015HP*M	15 Watt, Magnetic Mount, High Dome	14
2015HP*V	15 Watt, Magnetic/Suction Cup Mount, High Dome	14
2022LP*	22 Watt, Perm/Pipe Mount, Low Dome	15
2022LP*M	22 Watt, Magnetic Mount, Low Dome	17
2022LP*V	22 Watt, Magnetic/Suction Cup Mount, Low Dome	17
2022HP*	22 Watt, Perm/Pipe Mount, High Dome	15
2022HP*M	22 Watt, Magnetic Mount, High Dome	17
2022HP*V	22 Watt, Magnetic/Suction Cup Mount, High Dome	17
2022AP*	22 West Describing Manual III at Describing A 1 C 122	4.0
	22 Watt, Perm/Pipe Mount, High Dome, Automatic Hi/Low	167 Wi Dow
2519 Series SI Override. Magr	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only.	Hi Pov
2519 Series St Override. Magr 2519LP*	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome	Hi Pov
2519 Series St Override. Magr 2519LP* 2519HP*	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome	17 17 17
2519 Series SI Override. Magr 2519LP* 2519HP* 2519LP*M	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome	17 17 17 19
2519 Series SI Override. Magr 2519LP* 2519HP* 2519LP*M 2519HP*M	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, Ligh Dome	17 17 17 19 19
2519 Series St Override. Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519HP*V	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome	17 17 17 19 19 19
2519 Series St Override. Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519LP*V 2519HP*V	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome	17 17 17 19 19 19
2519 Series St Override, Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519LP*V 2519HP*V 2519HP*V 2000 & 2500 St	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome	177 177 194 194 194 194
2519 Series St Override, Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519LP*V 2519HP*V 2000 & 2500 St MIRROR20	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome ries Parts & Accessories Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	177 177 194 194 194 194 50
2519 Series SI Override. Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519LP*V 2519HP*V 2000 & 2500 SI MIRROR20	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome wries Parts & Accessories Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	177 177 173 194 194 194 50
2519 Series SI Override. Magr 2519LP* 2519HP* 2519LP*M 2519HP*M 2519LP*V 2519HP*V 2000 & 2500 SI MIRROR20 3BKT20	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, M	177 177 194 194 194 50
2519 Series SI Override. Magr 2519LP* 2519HP*M 2519HP*M 2519HP*V 2519HP*V 2000 & 2500 SI MIRROR20 3BKT20 3GL 3GH	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome Interes Parts & Accessories Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	177 177 194 194 194 50 50
2519 Series SI Override. Magr 2519LP* 2519HP*M 2519HP*M 2519HP*V 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GL 3GH	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suct	177 177 194 194 194 50 50 37
2519 Series SI Override. Magr 2519LP* 2519HP*M 2519HP*M 2519HP*V 2519HP*V 2000 & 2500 SI MIRROR20 3BKT20 3GL 3GH	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome Interes Parts & Accessories Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	177 177 194 194 194 194 50 50 37 39
2519 Series SI Override. Magr 2519LP* 2519HP*M 2519HP*M 2519HP*V 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GL 3GH	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic Saccessories Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only 90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	173 173 194 194 194 50 50 37 39 6
2519 Series SI Override. Magr 2519LP* 2519HP* 2519HP*M 2519HP*W 2519HP*V 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GL 3GH DCH MMK	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic Secretary 19 Watt, Magnetic Secretary 19 Watt, Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	177 177 194 194 194 50 50 37 39 6
2519 Series SI Override. Magr 2519LP* 2519HP* 2519HP*M 2519HP*W 2519HP*V 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GH DCH MMK	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only 90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	177 177 194 194 194 194 50 50 37 39 6 29
2519 Series SI Override. Magr 2519LP* 2519HP* 2519HP*M 2519HP*W 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GH DCH MMK SK DH2000*	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic Suction Cup Mount, High Dome 19 Watt, Magnetic Mount to Tup Mount, High Dome 19 Watt, Magnetic Mount to Tup Mount, High Dome Beacons 10 Stell Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons 11 Stell Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series 11 Beacons 12 Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused 13 Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons 14 Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	177 177 194 194 194 194 50 50 37 39 6 29 70
2519 Series SI Override, Magr 2519LP* 2519HP* 2519HP*M 2519HP*W 2519HP*V 2000 & 2500 Si MIRROR20 3BKT20 3GL 3GH JOCH MMK LSK DH2000* DL2000*	robe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with etic Mount with CometFlash® and Hi Power Only. 19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome 19 Watt, Perm/Pipe/"J" Hook Mount, High Dome 19 Watt, Magnetic Mount, Low Dome 19 Watt, Magnetic Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, Low Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic/Suction Cup Mount, High Dome 19 Watt, Magnetic for 2000/2500/L10/L21/L22 Series Beacons Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only 90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	16. 1 Hi Pow 177 177 194 194 194 50 50 37 39 6 29 39 70 70 38

	ns, Self-Contained, HDP® ectable Flash Patterns.	
800D Series, A VDC.	amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Minimum Order R	lequirements), 12/24
800DH*P	High Dome, Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	292.00
800DL*P	Low Dome, Perm/Pipe Mount	292.00
800DL*M	Low Dome, Magnetic Mount	321.00
1200D Series, VDC.	Amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Minimum Order	Requirements), 12/24
1200DH*P	Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	366.00
Options for 80	0D and 1200D Series	
800BGH	Branch Guard for 800/1200 High Dome	43.00
BGH	High Dome Branch Guard	39.00
BGL	Low Dome Branch Guard for Model 800L Only	37.00



43LENS*	400 Series Color Lens for FLLED Series, Customer Installed, Each super-LED® Universal Light, Includes Universal Mount, Scan-Lock™ Flash Patterns and a 4-wire P	13.5 igtail /For Gree
ION™ Serie	s Super-LED® Universal Light, Includes Universal Mount, Scan-Lock "Flash Patterns and a 4-wire P	igtali. (For Gree
many and great a major terral or nation of the	ory for Price, Availability and Minimum Order Requirements).	170.0
ION*	Red, Blue, Amber or White, Black Housing	172.0
IONJ	Split Red/Blue, Black Housing	172.0
IOND	Split Red/White, Black Housing	172.0
IONM	Split Blue/Amber, Black Housing	172.0
IONW*	Red, Blue, Amber or White, White Housing	172.0
IONWJ	Split Red/Blue, White Housing	172.0
IONWD	Split Red/White, White Housing	172.0
	Split Blue/Amber, White Housing	172.0
IONWM		30.5
IONK1B	Optional Swivel Mount Bracket, Black	
IONK1W	Optional Swivel Mount Bracket, White	30.5
IONPEDB	Pedestal Mount Kit, Black	65.0
IONPEDC	Pedestal Mount Kit, Chrome	71.0
IONBKT1	NEW Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount	30.5
ION™ Wide	Angle Series Super-LED® Universal Light, Includes Universal Mount, Scan-Lock Flash Patterns and	a 4-Wire Pig T
/Ear Green (Contact Factory for Price, Availability and Minimum Order Requirements).	
	Wide Angle, Red, Blue, Amber or White, Black Housing	172.0
WION*		172.0
MIONJ	Wide Angle, Split Red/Blue, Black Housing	
WIOND	Wide Angle, Split Red/White, Black Housing	172.0
WIONM	Wide Angle, Split Blue/Amber, Black Housing	172.0
WIONW*	Wide Angle, Red, Blue, Amber or White, White Housing	172.0
WIONWJ	Wide Angle, Split Red/Blue, White Housing	172.0
WIONWD	Wide Angle, Split Red/White, White Housing	172.0
and the second of the second	Wide Angle, Split Blue/Amber, White Housing	172.0
•	Optional Swivel Mount Bracket, Black	30.5
IONK1B	The state of the s	30.5
IONK1W	Optional Swivel Mount Bracket, White	
IONGROM	Grommet Mount Kit	7.0
IONPEDB	Pedestal Mount Kit, Black	65.0
IONPEDC	Pedestal Mount Kit, Chrome	71.0
IONBKT1	NEW Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount	30.5
D-:-I-TM I in	ear Super-LED®, Includes Slide Mounting Bolts, Weather Resistant, Scan-Lock™ Flash Patterns. 2.35	" High v 1 83"
Raider Lii	erior or Exterior Use. Clear Outer Lens.	1 11g11 X 1.00
and the second s	A Linear LEDI C. C. Ambar Dive Dad or White with Synchronize Mire	254.0
R1*	1 Linear-LED', 5.5", Amber, Blue, Red or White, with Synchronize Wire	
R2**	2 Linear-LED', 11", Amber, Blue, Red and/or White	461.0
	LED Series, Dual 5mm LED Panels, Side-by-Side with Scan-Lock™ Flash Patterns, Includes a Cigar	Plug with On/C
Switch and C	alifornia Flash Patterns.	
SMLLAA	Amber/Amber	147.0
SMLLRR	Red/Red	147.0
SMLLBR	Blue/Red	147.0
SMLLBB	Blue/Blue	147.0
		147.0
SMLLBC	Blue/White	147.0
SMLLCR	White/Red	,
SlimLighter	M Super-LED® Series, Six Super-LED®s (per panel), Includes a Cigar Plug with an On/Off Switch and	Scan-Lock ™ I
Patterns, Sw	tch & Swivel Brackets with Suction Cups.	
SLPMM**	Amber, Blue, Red and/or White	380.0
SpitFire™ P	us LINZ6™ Super-LED® Series, Includes Integral Hood, Two Suction Cups and a Cigar Plug with an	On/Off and a S
Lock™ Flash	Pattern Switch. Available in Single Color or Split Colors.	
SFP1*	Amber, Blue, Red or White	145.0
Company of the contract of the	to the second se	156.0
SFP1G	Green	
SFP1J	Split Red/Blue	150.0
SFP1E	Split BlueWhite	150.0
SFP1D	Split Red/White	150.0
SpitFire™ IC	N™ Super-LED® Series, Includes Integral Hood, Two Suction Cups, Cigar Plug with On/Off and a Sca	an-Lock™ Flas
Pattern Switch		
SFION*	Red, Blue, Amber or White	176.0
Sang		176.00
SFIOND	Split RedWhite	176.0
SFIONJ	Split Red/Blue	alan in Juan Alan Indiana in 1988 - 198
SFIONE	Split BlueWhite	176.00
	,	
LED Halons	n, Rotating Beacons - Rota-Beam™ Series	
RR6 Series	Amber, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Orde	r Requirement
	Rota-Beam™ 6 Dual Reflector, 60 Watt Halogen, Permanent Mount	144.0
RB6T*P		119.0
: DDCU*D	Single Reflector, with 50 Watt Halogen Lamp, Perm/Pipe Mount	
RB6P*P		
RB6P*M	Single Reflector with 50 Watt Halogen Lamp, Magnet Mount Optional Magnet Mount Kit	155.00 48.00



















No. PL13.0WL

Dash/ Deck/ Visor, Directional

EFFECTIVE: December 18, 2012 VOID: June 30, 2013

+ To-Order Statement on Table of Contents Page of this Price List.

MODEL

DESCRIPTION

LIST

NAME* Spit Red-Blue or Red-White 208.00 Water Water Spit Red-Blue, Amber and for White 208.00 Water Water Super-LED® Series with Synchronize Feature, includes Scan-Lock™ Flash Patterns, Swizel/Ball Bracket and Sucion Cup, Hood, 4-Wire Polgali, (For Green, Cornical Feature, Includes Scan-Lock™ Flash Patterns, Swizel/Ball Bracket with Sucion Cup, Hood, 4-Wire Polgali, (For Green, Cornical Feature, For Hood, Assay Market Polgali, (For Green, Cornical Feature, For Hood, Assay Market Polgali, Assay Market	AMM11*	ittern Switch. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).	
WAPZ" Red. Bite. Amber ander White Wenger* WAPS Linear Super-LED® Series with Synchronize Feature, includes Scan-Lock** Flash Patterns, SwiveUBail Bracket with Suction Cup, Hood, 4-Wire Pigtail, (For Green, Cartlact Factory for Price, Availability and Minimum Order Requirements). White: Red. Bite, Amber ander White, with Synchronize Wire 363.00 WNS2" Red, Bite, Amber ander White, with Synchronize Wire 363.00 pitions for Avenger** Series UNBKT1** Low Profile Mounting (Headliner) Bracket for AVN1 Series 13,50 WNBKT1** Low Profile Mounting (Headliner) Bracket for AVN2 Series 15,00 WNBKT1** Low Profile Mounting (Headliner) Bracket for AVN2 Series 15,00 WNBKT3** Low Profile Mounting (Headliner) Bracket for AVN2 Series 15,00 WNBKT4** Adjustable Height Bracket Kit, for All Avengers ominiator** Pitts LINZE** Super-LED® Series, Includes Stide Bott Mounting, For Interior or Exterior Use. 1,24* High x 2,17* Deep rousing, Six Super-LED®s per Lamp. Replace symbol** Six Williams and White (i.e., DP22220 = 2 Red., 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red., 6 Blue, 0 Amber & 2 Phile. P2"** 2 LINZE***, 14,21**, Amber, Blue, Red and/or White 675,500 P2"** 4 LINZE***, 14,21**, Amber, Blue, Red and/or White 675,500 BY Six Six Super-LED®s and White (i.e., DP22200 = 2 Red., 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red., 6 Blue, 0 Amber & 2 Phile, P2"* 4 LINZE***, 14,21**, Amber, Blue, Red and/or White 675,500 BY Six	AVN1*	the contribution and the contribute and the contrib	196.00
Avenger** AVNS Linear Super-LED® Series with Synchronize Feature, Includes Scan-Lock** Pisath Patterns, SwinelBail Bracket with Sucian Cup. Hood, 4-Wire Patjall, For Gene, Constant Factory for Prince, Availability and Minimum Order Requirements). WAS1** Red, Blue, Amber or White, with Synchronize Wire 363.00 options for Avenger** Series 363.00 options for Avenger** Super-LED® series 763.00 options for Avenger** Series 363.00 options for Avenger** Series 363	to be a control of the control of		The state of the s
with Steichon Qup, Hood, A-Wire Piglail, (For Green, Contact Factory for Price, Availability and Minimum Order Requirements). WiNS1" Red, Blue, Amber and/or White, with Synchronize Wire 363.00 photons for Averager "Series 13.50 WhSK11 Low Profile Mounting (Headline) Bracket for AVN1 Series WHSK11 Low Profile Mounting (Headline) Bracket for AVN1 Series WHSK11 Low Profile Mounting (Headline) Bracket for AVN1 Series WHSK12 Visor Mounting Bracket (2 required for Dual Unit), Each 13.50 WHSK13 Visor Mounting Bracket (2 required for Dual Unit), Each 13.50 WHSK14 Adjustable Height Bracket (14), for All Avengers WHSK17 Adjustable Height Bracket (14), for All Avengers WHSK18 Avenger (14), And Avengers WHSK18 A		Red, Blue, Amber and/or white	342.00
\text{VMSIS"} Red, Blue, Amber or White, with Synchronize Wire 363.00 \text{VMSIS"} Red, Blue, Amber and/or White, with Synchronize Wire 363.00 \text{VMSIST2} Low Profile Mounting (Headliner) Bracket for AVN1 Series 1.5.00 \text{VMSIKT3} Low Profile Mounting (Headliner) Bracket for AVN2 Series 1.5.00 \text{VMSIKT3} Viscor Mounting Bracket (Fearliner) Bracket for AVN2 Series 1.5.00 \text{VMSIKT3} Viscor Mounting Bracket (Fearliner) Bracket for AVN2 Series 1.5.00 \text{VMSIKT3} Viscor Mounting Bracket (Fearliner) Bracket for AVN2 Series 1.5.00 \text{VMSIKT4} Adjustable Height Bracket (Kir, Ford) Avenagers 0.5.00 \text{VMSIKT3} Viscor Mounting Bracket (Fearliner) B	with Suction (Wish Head 4 Wish Dieteil (5-2 Cases Orabe to See Feature, Includes Scan-Lock™ Flash Patterns, S	wivel/Bail Bracket
NVSS2** Red, Blue, Amber and/or White, with Synchronize Wire pythosins for Avengers** Series NVBKT1 Low Profile Mounting (Headliner) Bracket for AVN1 Series (MBKT1 Low Profile Mounting Headliner) Bracket for AVN2 Series (13.50 NVBKT3 Low Profile Mounting Headliner) Bracket for AVN2 Series (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for All Avengers (15.00 NVBKT4 Adjustable Height Bracket Kit, for Bracket Kit for 2008 adjustable (15.00 NVBKT4 Adjustable Kit) (15.00	WILLI SUCTION (up, ricod, 4-vvire Pigtali. (For Green, Contact Factory for Price, Availability and Minimum Order Requir	rements).
Options for Avenger** Series VMBKT1 Low Profile Mounting (Headliner) Bracket for AVN1 Series 13.50 VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (3 required for Dual Unit), Each VMBKT3 Visor Mounting Bracket (3 required for Dual Unit), Each VMBKT4 Visor Mounting Bracket (3 required for Dual Unit), Each VMBKT4 Visor Mounting Bracket (3 required for Dual Visor), Each Visor (2 required (maximum 8 modules), Ord colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP6620 = 0 Red, 6 Blue, 0 Amber & 2 Visor (2 required (maximum 8 modules)), Ord colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP6620 = 0 Red, 6 Blue, 0 Amber & 2 Visor (2 required (maximum 8 modules)), Ord colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP6620 = 0 Red, 6 Blue, 0 Amber & 2 Visor (2 required (maximum 8 modules)), Ord (2 req	The second section of the second sections of the second		219.00
WABKT1 Low Profile Mounting (Headliner) Bracket for AVN1 Series 13.50 WABKT3 Visor Mounting Bracket (Z required for DVN2 Series 15.00 WABKT3 Visor Mounting Bracket (X required for Dval Unit), Each 13.50 WABKT4 Adjustable Height Bracket Kit, for All Avengers 45.00 Amber Ag 2 All		Red, Blue, Amber and/or White, with Synchronize Wire	363.00
WHBKT2 Low Profile Mounting Headliner) Bracket for AVN2 Series 15.00 WHBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each Adjustable Height Bracket (1), for All Avengers Bracket (2), for All Avengers Bracket (2), for All Avengers Bracket (2), for All Avengers Adjustable Height Bracket (1), for All Avengers Adjustable Height Bracket (1), for All Avengers Bracket ELD8s per Lamp. Replace symbol §* with runber of color LED lightheads required (maximum 8 modules). Ord colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White, DP06020 = 0 Red, 6	Options for A		
WBBKT3 Visor Mounting Bracket (2 required for Dual Unit), Each 45.00 WBBKT4 Adjustable Helgh Bracket Kif, for All Avengers 45.00 winnator™ Plus LINZ6™Super-LED® Series, includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74*High x 2.17*Deep outsides, Six Super-LED®s per Lamp. Replace symbol 5", with number of color LED lightheads required (maximum 8 modules). Ord 16 footing are Red, Blue, Amber and White (i.e., DPC2220 = 2 Red. 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 3 Red. Blue, Amber and White (i.e., DPC2220 = 2 Red. 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 3 Red. Blue, Red and/or White 4 LINZ6™, 23.26*, Amber, Blue, Red and/or White 625.00 PBS\$\$\$0 6 LINZ6™, 23.26*, Amber, Blue, Red and/or White 898.00 8 LINZ6™, 30.36*, Amber, Blue, Red and/or White 1162.00 8 RKT3 5 Swivel Mount Bracket Kif for DP2 & DP4 Series Only, Customer Installed 30.50 8 RKT4 1 "Angle Mounting Bracket Kif, for DP2 & DP4 Series Only, Customer Installed 32.00 8 RKT3 1 "Angle Mounting Bracket Kif for DP2 & DP4 Series Only, Customer Installed 33.00 8 RKT4 1 "Angle Mounting Bracket Kif for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 9 minator™ Plus Traffic Advisor™, LINZ6™ Super-LED Bet Low Profile, Control Head Optional. 1.74* High x 2.17* Deep Housing, SI per-LEDs per Lamp. 40.00 8 RKT4 40.00 PB Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36* Long, Less Control Head 40.00 9.00 PB Eight Lamp, LINZ6™ Super-LED Traffic Advisor™, 30.36* Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head 40.00 PB Eight Lamp, LINZ6™ Super-LED Traffic Advisor™, 30.36* Long, Less Control Head 40.00 PB Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36* Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head 40.00 PB Eight Lamp, 14.21*, Amber, Blue, Red and/or White 40.00 PB Eight Lamp (1844) Super-LED® Appress (1844) Super-LED® Appress (1844) Super-LED® Appress (1844) Super-LED® Appress (1844) Super-LED		Low Profile Mounting (Headliner) Bracket for AVN1 Series	13.50
WBBKT4 Adjusable Height Bracket Kit, for All Avengers 45.00 tominator** Plus LINZ6**Super-LED® Series, Includes Slide Bott Mounting, For Interior or Exterior Use, 1.74* High x 2.17* Deep tousing, Six Super-LED®s per Larrp. Replace symbol *§* with number of color LED lightheads required (maximum 8 modules). Ord rections are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Phite). P2*** 2 LINZ6***, 7.11*, Amber, Blue, Red and/or White 625.00 P4*** 4 LINZ5**, 14.21*, Amber, Blue, Red and/or White 625.00 P5\$\$\$\$0 6 LINZ6**, 23.26*, Amber, Blue, Red and/or White 880.00 P6\$\$\$\$0 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or White 9885850 8 LINZ6**, 30.36*, Amber, Blue, Red and/or Amber, Less Control Head 920.00 10 Linz6**, 10	er over the end of the same and and and		15.00
tominator*** Plus LINZ6***Super-LED® Series, includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74* High x 2.17** Deep lousing, Six Super-LED®s per Lamp. Replace symbol *§* with number of color LED lightheads required (maximum 8 modules). Ord for colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White.) P2*** 2 LINZ6***, 7.11**, Amber, Blue, Red and/or White 318.00 P4*** 4 LINZ5***, 14.21**, Amber, Blue, Red and/or White 625.00 P8\$§\$\$0 6 LINZ6**, 30.36**, Amber, Blue, Red and/or White 888.00 8 LINZ6**, 30.36**, Amber, Blue, Red and/or White 888.00 8 LINZ6**, 30.36**, Amber, Blue, Red and/or White 887.3 Swivel Mount Bracket Kit for DP2 & DP4 Series Only, Customer Installed 8 Swivel Mount Bracket Kit (tor DP2 & DP4 Series Only, Customer Installed 8 LINZ6**, 30.36**, Amber, Blue, Red and/or White 8 RT4 1 **Angle Mounting Bracket Kit (tor DP2 & DP4 Series Only, Customer Installed 8 LINZ6***, 30.36**, Amber, Blue, Red and/or White 9 Linz6**, 30.36**, Amber, Blue, Red and/or White 10 Linz6**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.36**, 30.30**, 30.30**, 30.30**, 30.30**, 30.36**, 30.36**, 30.36**, 30.36**, 30.30*	CONTRACTOR CONTRACTOR OF A CONTRACTOR OF		13.50
Gousing, six Super-LED®s per Lamp. Replace symbol % with number of color LED lightheads required (maximum & modules). Droth colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Mile. Colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Mile. Proceedings and the colors are colors. The colors are colors are colors and the colors are colors. The colors are colors are colors are colors. The colors are colors are colors are colors. The colors are colors. The colors are colors. The colors are co		Adjustable Height Bracket Kit, for All Avengers	45.00
Colors are Red, Blue, Amber and White (e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 Ph/hite) P2"	Jominator™	Plus LINZ6™Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" Hig	h x 2.17" Deep
P2" 2 LIN26™, 7.11", Amber, Blue, Red and/or White 318.00 P4"" 4 LIN26™, 14.21", Amber, Blue, Red and/or White 625.00 P6\$\$\$\$0 6 LIN26™, 23.26", Amber, Blue, Red and/or White 898.00 P6\$\$\$\$0 6 LIN26™, 23.26", Amber, Blue, Red and/or White 898.00 P6\$\$\$\$0 6 LIN26™, 30.36", Amber, Blue, Red and/or White 30.50 BKT3 3 Swivel Mount Bracket Kit for DP2.8 DP4 Series Only, Customer Installed 30.50 BKT4 "Angle Mounting Bracket Kit for 2008-2012 Chevy Tahoe and 2013 Police 23.00 BKT5 Upper Rear Window Mounting Bracket Kit for 2008-2012 Chevy Tahoe and 2013 Police 23.00 BKT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 Mominator "P Diss Traffic Advisor ", LIN26™Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Si per-LED® per Lamp. NDP8 Six Lamp LIN26™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Si per-LED® Epid Lamp, Six Lamp LIN26™ Super-LED® Low Profile, Control Head 920.00 NDP8 Eight Lamp, Six Lamp LIN26™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 920.00 NDP8 Eight Lamp, Six Lamp LIN26™ Super-LED® Super-LED® Low Six Lamp Lin26™ Super-LED® Low Super-LED® Low Super-LED® Low Lamp Lin26™ Super-LED® Super-LED® Series, Includes Side Bolt Mounting, For Interior Mount, TADP8 Only 41.00 Nominator "TR3™ Super-LED® Series, Includes Side Bolt Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, ree Super-LED® sper lamp, Replace symbol "§" with number of color LeD lightheads required (maximum 8 modules). Order of colors Red, Blue, Amber and White (a.e. D822200 ≥ 2 Red, 2 Blue, 2 Amber 8 2 White). 41.00 NIM36	lousing, Six S	uper-LED@s per Lamp. Replace symbol "\$" with number of color LED lightheads required (maximum	8 modules). Orde
P2" 2 LINZ6™ 7.11", Amber, Blue, Red and/or White 625.00	of colors are h	ed, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 B	lue, 0 Amber & 2
P4***		and the same of th	
P6§\$§\$0 8 LINZ6™ 23.26", Amber, Blue, Red and/or White 1162.00 BRT3 Swived Mount Bracket Kit for 192 8 DP4 Series Only, Customer Installed 30.50 Linz6™ 30.36", Amber, Blue, Red and/or White 1162.00 BRT3 Swived Mount Bracket Kit for 192 8 DP4 Series Only, Customer Installed 23.00 linterceptor Utility 23.00 linterceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 14.00 linterceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 15.00 linterceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 15.00 linterceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 16.10 linterceptor Utility New Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 16.10 linterceptor Utility New House Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Si uper-LEDs per Lamp. NDP8 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head 920.00 linter Signification (LEDs, Blue, Bred and/or Amber, Less Control Head 1200.00 linter Signification (LEDs, Blue, Bred and/or Amber, Less Control Head 1200.00 linter Signification (LEDs, Blue, Bred and/or Amber, Less Control Head 1200.00 linter Signification (LEDs, Blue, Bred and/or Amber, Less Control Head 1200.00 linter Signification (LEDs, Blue, Bred and/or Market for TADCTL1 15.50 linter Signification (LEDs, Blue, Bred and/or Minter Signification (LEDs, Blue, Profile, Control Head Only 15.50 linter Tira3™ Super-LED® Series, Includes Signification (Leds Leds Bid Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, rea Super-LED® seper lamp, Replace symbol "\$" with number of color LED lightheads required (maximum am and/use), Order of colors Red, Blue, Amber and White (Le. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). """ 17183™ 1711", Amber, Blue, Red and/or White 1200 linterceptor 1200 linterceptor 1200 linterceptor 1200 linterceptor 1		2 LINZ6™, 7.11", Amber, Blue, Red and/or White	318.00
PBS\$\$\$0		4 LINZ6™, 14.21", Amber, Blue, Red and/or White	625.00
PB\$\$\$\$0 8 LINZ6™, 30.36°, Amber, Blue, Red and/or White 1162.00 BRT3 Swivel Mount Bracket Kife DP2 & DP4 Series Only, Customer Installed 23.00 BRT4 "L" Angle Mounting Bracket Kife Customer Installed 23.00 BRT5 Upper Rear Window Mounting Bracket Kife of 2008-2012 Chevy Tahoe and 2013 Police 23.00 BRT5 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 BRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 BRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 BRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 BRT6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT8 Eight Lamp, LiNZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT8 Eight Lamp, LiNZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT8 Eight Lamp, LiNZ6™ Super-LED Traffic Advisor™, 30.36° Long, Less Control Head 920.00 BRT8 Blue, Red and/or Amber, Less Control Head 920.00 BRT8 Blue, Red and/or Amber, Less Control Head 920.00 BRT8 Blue, Red and/or Amber, Less Control Head 920.00 BRT8 Blue, Red and/or Amber, Less Control Head 920.00 BRT8 Blue, Amber Amber Ample (Less Spring) 920.00 BRT8 Blue, Amber and White 920.00 BRT8 Blue, Amber and White 920.00 BRT8 Blue, Amber and White 920.00 BRT8 Blue, Red and/or White 920.00 BRT8 Blue, Amber and White 920.00 BRT8 Blue, Red and/or Amber, Blue, Red and/or White 920.00 BRT8			898.00
BRT3 Swived Mount Bracket Kit for DP2 & DP4 Series Only, Customer Installed 23.00 BRT4 1"- Angle Mounting Bracket Kit, Customer Installed 23.00 Interceptor Utility DRT5 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 DRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 DRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 DRT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 DRT6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head 292.00 ADP8 Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00 ADP8 Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head Only 130.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head Only 130.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head Only 150.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED® Series, Includes Silde Bolt Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, Rec Super-LED® Series, Includes Silde Bolt Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, Rec Super-LED® Series, Includes Silde Bolt Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 21 TR3™, 7.11", Amber, Blue, Red and/or White 5000000000000000000000000000000000000		8 LINZ6™, 30.36", Amber, Blue, Red and/or White	the transfer of the contract o
BKT5 Upper Rear Window Mounting Bracket Kif, Customer Installed Upper Rear Window Mounting Bracket Kif for 2008-2012 Chevy Tahoe and 2013 Police 23.00 Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 Miniator™ Plus Traffic Advisor™, LINZ6™Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Si per-LEDs per Lamp. ADP6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head 20.00 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 LEDs, Blue, Red and/or Amber, Less Control Head 5120.00 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Cn/Off/On Non-Lighted, SPDT 20 Amp S	BKT3	Swivel Mount Bracket Kit for DP2 & DP4 Series Only, Customer Installed	
BRTS Upper Rear Window Mounting Bracket Kit for 2008-2012 Chevy Tahoe and 2013 Police 13.00 Interceptor Utility 14.00 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 Moninator 1 Plus Traffic Advisor 1 Live 1 Plus Traffic Advisor 1 Live 1 Li	BKT4	"L" Angle Mounting Bracket Kit, Customer Installed	Committee and the committee of the commi
Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only 41.00 Tarffic Advisor™, LINZ6™Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Si Juper-LEDs per Lamp. ADP6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 33.26" Long, Less Control Head 200.00 ADP8 Eight Lamp, LiNZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head 130.00 ADCTL1 TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 TAD/TADP Series Control Head Only On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 TAD/TADP Series, Includes Slide Bolt Mounting. For Interior Mount, TADP8 Only ARCTED Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED®s per lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors Red Light, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 344.00 4 TIR3™, 3.25e", Amber, Blue, Red and/or White 345.00 ATTER MALE MALE MALE MALE MALE MALE MALE MALE	BKT5	Upper Rear Window Mounting Bracket Kit for 2008-2012 Chevy Tahoe and 2013 Police	Charles and the Control of the Contr
ominator™ Plus Traffic Advisor™, LINZ6™ Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Six per-LEDs per Lamp. ADP6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00 ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00 LEDs, Blue, Red and/or Amber, Less Control Head 1200.00 LEDs, Blue, Red and/or Amber, Less Control Head 1200.00 LEDs, Blue, Red and/or Amber, Less Control Head 1200.00 LEDs, Blue, Red and/or Amber, Less Control Head 130.00 LOSWI On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 Now 120 Non-Lighted Spring Non-Lighted Now 120		Interceptor Utility	
ominator™ Plus Traffic Advisor™, LINZ6™ Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Si juper-LEDs per Lamp. ADP8 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head 1200.00 ADP8* Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Less Control Head 1200.00 ADP8* LeDS, Blue, Red and/or Amber, Blue, Red and/or White 15.50 ADP8* ADP8* LeD® Series, Includes Side Bolt Mounting, For Interior or Exterior Use, 1.74" High x 2.17" Deep Housing, ree Super-LED® sper lamp, Replace symbol "S" with number of color LED lightheads required (maximum 8 modules). Order of colore and Mitle (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White, Leds, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White, 1200.00 ADP8* Leds, Amber, Blue, Red and/or White 340.00 ADP8* Leds, Amber, Blue, Red an		NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only	41.00
ADP6 Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head 1200.00 ADP8 Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 LEDs, Blue, Red and/or Amber, Less Control Head ADP8 LEDs, Blue, Amber and White (i.e. D822200 ≥ 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™ 7,11", Amber, Blue, Red and/or White 223.00 4 TIR3™ 7,11", Amber, Blue, Red and/or White 344.00 KT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 30.50 KT4 "L" Angle Mounting Bracket Kit, Customer Installed 23.00 Light Hards Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 23.00 Light Hards Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 23.00 Light Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 669.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp TiR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight Lamp, Six Lamp TiR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8 Eight La	ominator™ I	"lus Traffic Advisor™, LINZ6™Super-LED® Low Profile, Control Head Optional, 1,74" High x 2,17"	Deep Housing, Six
Suppose Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00	uper-LEDs pe	r Lamp.	
ADP8* Eight Lamp, LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head 1200.00 ADP8** Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing 1215.00 LEDs, Blue, Red and/or Amber, Less Control Head ADCTL1 TAD/TADP Series Control Head Only 130.00 DDSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 DDSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only 41.00 minator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED® per lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 2 TIR3™, 14.21", Amber, Blue, Red and/or White 3 TIR3™, 14.21", Amber, Blue, Red and/or White 3 TIR3™, 30.36", Amber, Blue, Red and/or White 5 TIR3™, 30.36", Amber, Blue, Red and/or White 5 TIR3™, 30.36", Amber, Blue, Red and/or White 6 TIR3™, 30.36", Amber, Blue, Red and/or White 7 TIR3™ Super-LED® Traffic Advisor™, Table Advisor™, 30.36" Long, Less Control Head 8 TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Deer-LED® per lamp. 8 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDS, Blue, Red and/or Amber, Less Control Head 9 TIR3™ Super-LED® Traffic Advisor™, 30.36"	and a control of the street of the street, and the street, the street,	Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head	920.00
Elight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head NDSW1 TAD/TADP Series Control Head Only 130.00 15.50 15	ADP8	Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head	1200.00
LEDs, Blue, Red and/or Amber, Less Control Head 130,00 130,00 150,	ADP8**	Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30,36" Long, with Two End Flashing	e a from the action and the contract and the contract of
ADCTL1 TAD/TADP Series Control Head Only 130.00 ADSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 ADSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 ASKT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only 41.00 Aminator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED®s per lamp. Replace symbol "\$" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D82220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™ 7.11", Amber, Blue, Red and/or White 223.00 3 TIR3™ 7.11", Amber, Blue, Red and/or White 344.00 3 TIR3™ 7.12", Amber, Blue, Red and/or White 344.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or White 507.00 3 TIR3™ 7.14", Amber, Blue, Red and/or Mounting Bracket Kit, Customer Installed 23.00 3 TIR3™ 7.14", Amber, Blue, Red and/or Mounting Bracket Kit for 2010 Chevy Tahoe, Interior Mount, D8 Only 41.00 4 TIR3™ 7.18", Amber, Blue, Red and/or Amber, Less Control Head Only 508.00 5 TIR3™ 7.18", Amber, Blue, Red and/or Amber, Less Control Head Only 508.00 5 TIR3™ 7.18", Amber, Blue, Red and/or Amber, Less Cont		LEDs, Blue, Red and/or Amber, Less Control Head	1210.00
On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 SITES NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only Mininator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED® ser lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors are Red, Blue, Amber and White (i.e. D82220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 2 23.00 4 TIR3™, 7.11", Amber, Blue, Red and/or White 4 TIR3™, 7.14", Amber, Blue, Red and/or White 5 07.00 SS\$\$ 8 TIR3™, 30.36", Amber, Blue, Red and/or White 6 TIR3™, 30.36", Amber, Blue, Red and/or White 5 07.00 SS\$\$ 8 TIR3™, 30.36", Amber, Blue, Red and/or White 10 Turballed 10 Turballe	ADCTL1	TAD/TADP Series Control Head Only	130.00
ODSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only 41.00 Diminator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED® per lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 223.00 4 TIR3™, 7.14.21", Amber, Blue, Red and/or White 344.00 ***** 4 TIR3™, 14.21", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 618.00 KKT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 23.00 KKT3 Swivel Mount Bracket Kit, Customer Installed 23.00 KKT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor 23.00 Ubility Utility Utility Utility 10 Utility	ADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	Control ordered access and access to the access of
MEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only ### Author Mount Bracket for 2008-2012 Chevy Tahoe, Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED® series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED® ser lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). ### 2 TIR3™, 7.11", Amber, Blue, Red and/or White ### 344.00 ### 4 TIR3™, 14.21", Amber, Blue, Red and/or White ### 4 TIR3™, 14.21", Amber, Blue, Red and/or White ### 507.00 #	ADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	
minator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, ree Super-LED®s per lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 2 TIR3™, 7.11", Amber, Blue, Red and/or White 4 TIR3™, 14.21", Amber, Blue, Red and/or White 507.00 \$\$\frac{8}{2}\$\text{\$\text	BKT6	NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only	41.00
ree Super-LED@s per lamp. Replace symbol "§" with number of color LED lightheads required (maximum 8 modules). Order of colors a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 4 TIR3™, 14.21", Amber, Blue, Red and/or White 507.00 \$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 6 TIR3™, 30.36", Amber Installed 7 Tample Mounting Bracket Kit, Customer Installed 7 Tample Mounting Bracket Kit, Customer Installed 7 Traffic Advisor™, TIR3™ Super-LED@ Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Deer-LED®s per lamp. 7 Traffic Advisor™, TIR3™ Super-LED@ Traffic Advisor™, 23.26" Long, Less Control Head 7 Traffic Advisor™, TIR3™ Super-LED@ Traffic Advisor™, 30.36" Long, Less Control Head 7 Traffic Advisor™, TIR3™ Super-LED@ Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 8 Eight Lamp TIR3™ Super-LED@ Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 8 Eight Lamp TIR3™ Super-LED@ Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 8 Eight Lamp Six Lamp TIR3™ Super-LED@ Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 9 Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 10 Traffic Advisor™, 30.36" Long, with Two End Flashing (680.00) 10 Traffic Advisor™, 30.36" Long, with Two End Fla	ominator™ T	IR3™ Super-LED® Series, Includes Slide Bolt Mounting, For Interior or Exterior Use, 1.74" High v. 2.1	7" Deen Housing
a Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White). 2 TIR3™, 7.11", Amber, Blue, Red and/or White 4 TIR3™, 14.21", Amber, Blue, Red and/or White 507.00 \$\$\$\$0 8 TIR3™, 23.26", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 648.00 KT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 23.00 KT4 "L" Angle Mounting Bracket Kit, Customer Installed 23.00 KT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Der-LED®s per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 TAD/TADP Series Control Head Only On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 TAD/TADP Series Control Head Only On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 Rughter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements). ED** Red and/or Amber and 1 White or Blue	iree Super-LE	Des per lamp. Replace symbol "\$" with number of color LED lightheads required (maximum 8 modules	s) Order of colors
223.00 27 TIR3 ™, 7.11", Amber, Blue, Red and/or White 4 TIR3 ™, 14.21", Amber, Blue, Red and/or White 507.00 \$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$\$0 8 TIR3 ™, 30.36", Amber, Blue, Red and/or White 507.00 \$\$\$\$\$\$\$0 8 Traffic Advisor ™, TiR3 ™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Deep-LeD® per lamp. 508 509 509 609 609 609 609 609 609	e Rea, Blue, /	Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber	er & 2 (Mhite)
4 TIR3™, 14.21", Amber, Blue, Red and/or White 6 TIR3™, 23.26", Amber, Blue, Red and/or White 507.00 \$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 648.00 KT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 30.50 KT4 "L" Angle Mounting Bracket Kit, Customer Installed 23.00 KT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three per-LED®s per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 DCTL1 TAD/TADP Series Control Head Only DCSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 OSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 OSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only **Lighter™* LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 1 Red or Amber and 1 White or Blue	2**	2 TIR3™, 7.11", Amber, Blue, Red and/or White	or a z Timeo).
6 TIR3™, 23.26", Amber, Blue, Red and/or White 507.00 \$\$\$\$0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 648.00 IKT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 30.50 IKT4 "L" Angle Mounting Bracket Kit, Customer Installed 23.00 IKT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor 23.00 IUtility IKT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 Iminator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three per-LED®s per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 DCTL1 TAD/TADP Series Control Head Only DCTL1 TAD/TADP Series Control Head Only DCSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DCSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DCSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 TAD/TADP Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear ter Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements). ED** Red and/or Amber 227.00 TRED** Red and/or Amber and 1 White or Blue		The same of the sa	223.00
8§§§0 8 TIR3™, 30.36", Amber, Blue, Red and/or White 648.00 IKT3 Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed 30.50 IKT4 "L" Angle Mounting Bracket Kit, Customer Installed 23.00 IKT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor 23.00 Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 Minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three oper-LED®s per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DCTL1 TAD/TADP Series Control Head Only 15.50 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 MELighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 1 Red or Amber and 1 White or Blue 290.00		4 TIR3™, 14.21", Amber, Blue, Red and/or White	
Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed "L" Angle Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility "KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 Minator™ Traffic Advisor™, TiR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Deer-LED®s per lamp. D6 Six Lamp TiR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Six Lamp TiR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Bight Lamp, Six Lamp TiR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head D7 D7 D7 D7 D7 D7 D7 D7 D7 D			344.00
"L" Angle Mounting Bracket Kit, Customer Installed KT5 Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three per-LED®s per lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing EDS, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 1 Red or Amber and 1 White or Blue)*****	6 TIR3™, 23.26", Amber, Blue, Red and/or White	344.00 507.00
Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 41.00 minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three per-LED®s per lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing EDS** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing EDS** EDS** On/Off Non-Lighted, SpDT 20 Amp Switch, for TADCTL1 TAD/TADP Series Control Head Only On/Off Non-Lighted, SpDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only Atlighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue)****** §§§§0	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White	344.00 507.00 648.00
NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only 1.74 High x 2.17" Deep Housing, Three Deer-LED® per lamp. 2.85 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 2.86 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 3.86 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 3.86 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 3.87 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 4.80 LEDs, Blue, Red and/or Amber, Less Control Head 3.80 DCTL1 3.80 DCTL1 3.80 DCTL1 3.80 DON/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 3.80 DON/Off/On No	5***** 8§§§§0 BKT3	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed	344.00 507.00 648.00 30.50
NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Der-LED® per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 EDS, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only **Lighter™* LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear ter Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** Red and/or Amber and 1 White or Blue	5***** 8§§§§0 BKT3 BKT4	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed	344.00 507.00 648.00 30.50 23.00
minator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three ober-LED®s per lamp. D6 Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 LeDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 Tab/TADP Series Control Head Only 15.50 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 Tab/TADP Series Control Head Only 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 the Control Leds with Clear Parks Led Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear Parks of Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	3***** 8§§§§0 8KT3 8KT4	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor	344.00 507.00 648.00 30.50 23.00
Def LetDes per lamp. Def Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head 536.00 Def Sight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 Def Leight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DCSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 DCSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 **Lighter™* LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** Red and/or Amber and 1 White or Blue 290.00	3888890 38KT3 38KT4 38KT5	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility	344.00 507.00 648.00 30.50 23.00 23.00
Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head CCTL1 TAD/TADP Series Control Head Only CN/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 CN/OFf/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only Lighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 1 Red or Amber and 1 White or Blue	888880 8KT3 8KT4 8KT5	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only	344.00 507.00 648.00 30.50 23.00 23.00
D8 Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head 669.00 D8** Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing 680.00 LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 RLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 I Red or Amber and 1 White or Blue 290.00	988880 98KT3 98KT4 98KT5 98KT6 minator™ T	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2 17" Deep H	344.00 507.00 648.00 30.50 23.00 23.00
Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 ON/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only **Lighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue	SSSSS SKT3 SKT4 SKT5 SKT6 minator™ Ti per-LED®s p	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp.	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three
LEDs, Blue, Red and/or Amber, Less Control Head DCTL1 TAD/TADP Series Control Head Only 130.00 DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue	S***** S§§§§0 SKT4 SKT5 SKT6 Dininator™ Ti per-LED®s p D6	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three
DCTL1 TAD/TADP Series Control Head Only 130.00 DSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 DSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	SSSSS0 SKT4 SKT5 SKT6 Sminator™ Ti per-LED®s p D6 D8	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00
OSW1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 OSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	S\$\$\$0 SKT4 SKT5 SKT6 minator™ Ti per-LED®s p D6	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00
OSW2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 15.50 KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	S\$\$\$0 SKT4 SKT5 SKT6 Minator™ Ti per-LED®s p D6 D8 D8**	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00 680.00
KT6 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only 41.00 tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	S§§§§0 SKT4 SKT5 SKT6 minator™ Ti per-LED®s p D6 D8 D8**	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00 680.00
tLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	S\$\$\$\$0 SKT4 SKT5 SKT6 Sminator™ Ti per-LED®s p D6 D8 D8***	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00 680.00 130.00 15.50
er Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	SSSSSO SKT4 SKT6 SKT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT7 DE BMT BMT BMT BMT BMT BMT BMT BM	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00 680.00 130.00 15.50 15.50
ED** Red and/or Amber 227.00 ED** 1 Red or Amber and 1 White or Blue 290.00	S§§§§0 SKT3 SKT4 SKT6 minator™ Ti per-LED®s p D6 D8 D8*** DCTL1 DSW1 DSW2 KT6	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only	344.00 507.00 648.00 30.50 23.00 23.00 41.00 ousing, Three 536.00 669.00 680.00 130.00 15.50 41.00
ED** 1 Red or Amber and 1 White or Blue 290.00	SSSSSO SKT4 SKT6 minator™ Ti per-LED®s p D6 D8 D8*** DCTL1 DSW1 DSW2 KT6 tLighter™ LI	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only ED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns, Color.	344.00 507.00 648.00 30.50 23.00 23.00 41.00 ousing, Three 536.00 669.00 680.00 130.00 15.50 41.00
	SSSSSO SKT4 SKT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT6 SMT6 SM	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only ED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color lealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements)	344.00 507.00 648.00 30.50 23.00 23.00 41.00 ousing, Three 536.00 669.00 680.00 130.00 15.50 41.00 LEDs with Clear
	IPER-LED®S P AD6 AD8*** ADCTL1 ADSW1 ADSW2 BKT6 atLighter™ Liter Lens for S LED**	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, Rix Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only ED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color itealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) Red and/or Amber	344.00 507.00 648.00 30.50 23.00 23.00 41.00 ousing, Three 536.00 669.00 680.00 130.00 15.50 41.00 LEDs with Clear 227.00
	SSSSSO SKT4 SKT6 minator™ Ti per-LED®s p D6 D8 D8** DCTL1 DSW1 DSW2 KT6 tLighter™ Liter Lens for S	6 TIR3™, 23.26", Amber, Blue, Red and/or White 8 TIR3™, 30.36", Amber, Blue, Red and/or White Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed "L" Angle Mounting Bracket Kit, Customer Installed Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only affic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Her lamp. Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head Eight Lamp, Rix Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head TAD/TADP Series Control Head Only On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1 NEW Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only ED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color itealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements) Red and/or Amber	344.00 507.00 648.00 30.50 23.00 23.00 41.00 lousing, Three 536.00 669.00 680.00 130.00 15.50 15.50 41.00 LEDs with Clear







TABLE OF CONTENTS

Whelen Engineering maintains all of the tools and designs for every product manufactured over the last 50 plus years. Items not listed in this price list may be available as a special order. Contact the factory for price and availability.

"Made-To-Order Products" are defined as either models listed in this price sheet with a "" symbol in front of the model field of each "made-to-order" model; or any model not listed in this price sheet. All such "" noted models or those not listed in this price sheet are special order, non-returnable, non-cancelable. Please allow sufficient time for production, as these models may require multiple machines for the processing of these special parts.

Dash/ Deck/ Visor	1
Dock/ Vicer Directional	
Beacons	2
LED, Halogen, Rotating Beacons - Rota-Beam™ Series	2
Strobe Beacons, Self-Contained	3
Strobe Beacons, Self-Contained	3
Strope Beacons, Sein-Contained, nor®	4
LED Beacons, Self-Contained	5
Power Supplies, Strobe	5
Power Supplies, Strobe	6
Flashers, Halogen & LED.	
Eightheads	6
Lightheads, Directional Strobe, Super-LED®, LED, Halogen & Combination	
Cables, Extensions And Connector Kits	10
Tools, Crimpers And Extractors	
Systems - DOT & Motorcycle.	
Hide-A-Way Strobe Systems	19
DOT Wing Plow Super-LED® Lightheads	19
DOT3@ Super-LED®	19
Motorcycle Warning Products	
Motorcycle Systems. Sirens, Swiches & Speakers.	
Sirens, Swilches & Speakers	
Switches And Control Boxes	21
Siren Amplifiers, Amplifiers & Airhorns	21
Siren Amplifier & Speaker Combination	23
Siren Speakers, SA315 & SA314 Projector™ Series	23
Siren Speakers, Other	24
Back In Alarms Safety Site & Emitters	24
Back-Up Alarms, Electronic	24
Safety Site™ & Emitters	24
Traffic Advisors	
Traffic Advisor IN Series & Accessories	
Lightbars, Mini.	25
Century™ Series Mini Lightbars	26
Guardian™ Series Mini Lightbars	26
Responder® LP Series Mini Lightbars	26
Responder® HD Series Mini Lightbars	27
Mini 9N Series Lightbars	27
Mini Edge® Ultra Freedom™ Series Lightbars	27
Mini Liberty™ Series Lightbars	27
Mini Justice® Series	
Lighthars	28
NEPA lighthars	28
Inner Edge® Series Lighthars	
Outer Edge®	
Freedom™ Super-LED® Series Lightbars	32
Liberty TM Super-LED® Series Lighthars	
Liberty TRIO Series Super-I FD Lighthars	
Justic & Super-LED® WeCan® Series Lightbars	36
Justice® Super-LED® Competitor™ Series Lightbars	36
Centuv™ Elite Series LED Lightbars	
Towman's™ Strobe Series Lightbars	37
Towman's™ Super-LED® Series Lightbars	37
4500 Series Surface Mount Lightbars	38
4500 Series Surface Mount Lightbars	38 39
4500 Series Surface Mount Lightbars Options, Mounting Kits Replacement Parts, Mounting Kits & Strap Kits	38 39 40
4500 Series Surface Mount Lightbars Options, Mounting Kits Replacement Parts, Mounting Kits & Strap Kits Options, Low Profile Mounting Kits	
4500 Series Surface Mount Lightbars Options, Mounting Kits Replacement Parts, Mounting Kits & Strap Kits Options, Low Profile Mounting Kits Replacement Parts Ow Profile Mounting Kits & Strap Kits	
4500 Series Surface Mount Lightbars Options, Mounting Kits Replacement Parts, Mounting Kits & Strap Kits Options, Low Profile Mounting Kits Replacement Parts, Low Profile Mounting Kits & Strap Kits	
4500 Series Surface Mount Lightbars Options, Mounting Kits Replacement Parts, Mounting Kits & Strap Kits Options, Low Profile Mounting Kits	38 39 40 40 40 40 40

Replacement Parts

WHELEN® NEW PRODUCTS FOR PL13.0

PRODUCT INDEX LOCATED AT THE END OF THIS DOCUMENT

Dominator Hatch Mount Bracket

2008-2012 Chevy Tahoe, interior mount for DRKT6

models DP8, TADP8, and D8

Vertex™ Competitor Series Super-LED® 6-LED Light

Self contained light, Red, Blue, Amber or White VTC6*

ION™ Surface Mount Series Super-LED

IONSMC* Red, Blue, Amber or White, Chrome housing

ION Options

DBKT6

Optional universal license plate bracket for 2 ION lightheads, horizontal mount

PAR-46 Super-LED California Replacement Light

P46S2X

12VDC, steady Red and 8° spotlight, for Unity mounting

Micro Pioneer™ Series Super-LED Work/Scene Light

Low profile pedestal/swivel mount which

includes three additional interchangeable optic lenses.

MPPW White housing

MPPWCS White housing, Chrome cover and on/off switch

MPPB Black housing

Black housing, Black cover and on/off switch **MPPBBS**

MPPBCS Black housing, Chrome cover and on/off switch

Pioneer™ Series and Pioneer Plus™ Series

White housing, 12 VDC unless

noted, Super-LED spot/flood lights. PFA1LP PFA1 with low profile pedestal/swivel mount PFP1LP PFP1 with low profile pedestal/swivel mount PSP1 with low profile pedestal/swivel mount PSP1LP

PTP1LP PTP1 with low profile pedestal/swivel mount PSP1AC Single panel Pioneer Plus, spot light, 8°, 120

VAC, UL® Approved

PSP1ALP PSP1A with low profile pedestal/swivel mount, 120 VAC, UL Approved

PCP2AFS Dual panel Pioneer Plus combination flood

(left)/spotlight (right), 120 VAC, UL Approved PCP2F Dual panel Pioneer Plus combination spot

(left)/floodlight (right), 120 VAC, UL Approved PCP3 Pioneer Plus Max combination floodlight and

PSP1AP Single panel Pioneer Plus, 8° spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter

PSP1AP1 Single panel Pioneer Plus, 8° spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter and On/Off switch

Dual panel Pioneer Plus combination flood/8° PCP2AP spotlight, 120 VAC, UL Approved with pole/

oedestal mount adapter

Dual panel Pioneer Plus combination Flood/8° PCP2AP1

Spotlight, 120 VAC, UL Approved with pole/ pedestal mount adapter and on/off switch

PCP3P Pioneer Plus Max" combination floodlight and 8° spotlight with pole/pedestal mount adapter

PCP3P1 Pioneer Plus Max combination floodlight and 8° spotlight with pole/pedestal mount adapter

and on/off switch

Pioneer SlimLine™ Series

12 VDC, Standard spotlight includes interchangeable flood/flood and combination flood/spot lenses. PSL2 also includes a combination spot/flood light lens. White or Black housing and choice of mounting: bail/stud, low profile pedestal/swivel, semi-recessed Chrome flange, or semi-recessed 15° angle Chrome flange.

PSL₁ Single panel PSL₂ Dual panel

Pioneer SlimLine™ **Brow Mount Series**

12 VDC, Standard spotlight includes interchangeable flood/flood and combination flood/spot lenses. Mounting for PSL2 only

PSL₂ Dual panel, White or Black housing,

and mounting purchased separately **PBSL** Brow mount bracket, White or Black

housing, center mount only or left and right mount (pair) for M2 Freightliner or International Chassis

CenCom Sapphire™ Options

5 year warranty on amplifier.

CCSRN32 Three-position progressive push button switches and 18 push button control head with amolifier module with pigtails. microphone and CCMICX20

CCSRN33 Single master push button switch and 18 push button control head with amplifier module with pigtails, microphone

and CCMICX20

CCSRN34 Three-position slide switch and 6 push button control head with amplifier module with pigtails, microphone and CCMICX20

CCSRN35 Three-position progressive push button switches and 9 push button hand held control head with amplifier module with pigtails, and CCMICX20

CCSRNT32 Same as CCSRN32, with Traffic Advisor™ module

CCSRNT33 Same as CCSRN33, with Traffic Advisor module

CCSRNT34 Same as CCSRN34, with Traffic Advisor module

CCSRNT35 Same as CCSRN35, with Traffic Advisor module

Justice® JV & JY WeCan® Series Super-LED

62.375" Lightbars, Amber, Blue, Red and/or White. JV0**** Includes four corner Linear-LED® modules

with 9 Super-LEDs per module. JY0**** Ilncludes four corner Linear-LED modules with 6 Super-LEDs per module.

Justice JC & JE Competitor® Series Super-LED

62.375" Lightbars, Amber, Blue, Red and/or White. JC0****

Includes four corner Linear-LED modules with 9 Super-LEDs per module.

JE0**** Includes four corner Linear-LED modules with 6 Super-LEDs per module.

Century Elite Series LED Lightbars & Options

Includes four corner Linear-LED® modules 44", 4 Amber, Red, Blue or White CE8**** 50", 4 Amber, Red, Blue or White

CEDLX* One LIN12" LED Amber, Red, Blue or Wh CETAT8 Eight TIR lamp Amber LED Traffic Advisor

> requires no special control head, for CE4 44", models only

CETAL5 Five LED lamp Amber Linear-LED Traffic Advisor, requires no special control heac

For CE8, 50", models only CTLS₁ Two LR11 LED take-down lights CALF1 Two LR11 LED alley lights

Century™ Series Super-LED Mini Lightbar

Aluminum base. Color outer dome unless specified. permanent mount,

magnet mount, or stud mount available

MC11 11", Amber, Blue or Red,

MC16 16", Amber, Blue or Red, driver side Red,

passenger side Blue with Clear dome, or driver side Amber, passenger side White with Clear dome, vacuum/magnet mount al

THE YOUR

available for this model

MC23 23", Amber, Blue or Red, vacuum/magnet

mount also available for this model

Power Control Centers and Switches

PCC6W1 Similar to PCC6W, except last on/off swil is replaced with a momentary switch

PCC10W1 Similar to PCC10W, except last on/off switch is replaced with a momentary switc

Optional Mounting Brackets for SA315 Series

SAK44 Ford Explorer, 2011-2012 and 2013 Forc Police Interceptor Utility

SAK47 Dodge Ram 1500, 2012, passenger side SAK48 Dodge Ram 1500, 2012, driver side

Traffic Advisor Series Accessories

TANBKT1 Mounting bracket for top of vehicle (horizontal) mounting

Towman's Century Series

CEDLXA One Amber LIN12™ Super-LED

Mounting Kits For Edge®, Justice & Liberty™

Durango / 48"-50" / 2011-2012 MKEZ85 MKEZ62 Durango / 2004-2010 / 48"-50" MKAJ62 Durango, Adjustable Leveling Foot /

2004-2010 / 48"-50"

MKEZ86 Ram 1500 / 2012 / 52" - 55"

Mounting Kits For Century™, Liberty and Justic

MKLP81 Chevy Caprice / 2011-2012 / 48"- 50" MKLP82 Dodge Charger / 2011-2012 / 48" - 50" Ford Taurus / 2010-2012 and 2013 Polic MKLP76

Interceptor / 48" - 50"



No. PL13.0WL

EFFECTIVE: December 18, 2012 VOID: June 30, 2013



Order Anytime Day or Night by E-mail: autoorder@whelen.com or Toll Free Facsimile 1-800-637-8762

Many products listed in this price list meet or exceed AMECA, SAE and California Title XIII requirements. For details contact your regional sales office. Every effort will be made to hold prices through the end date. We reserve the right to increase prices on certain and/or all products. Whelen Engineering Company, Inc. is not responsible for typographical errors.









Follow us on





